FRUIT TREE SPRAY SCHEDULE

We'd be delighted to give specific dates for spraying, but since every year is different from the year before, we can only tell you at which stage of development to spray.

STAGES AT WHICH TO SPRAY	SPRAY WITH
DORMANT - Before buds begin to swell; usually mid to late March; air temperature must be 45° or above	DORMANT OIL - Cover trunk and branches. Peaches, Apricots and Nectarines should be sprayed a week before with Bordeaux Mix Fungicide.
GREEN TIP - When green leaf tissue has protruded 1/2" from bud	HiYield CAPTAN 50% WP - To control Apple Scab and Leaf Curl.
PINK BUD STAGE - When bloom buds show first pink color, but are NOT fully opened	Ferti-Iome FRUIT TREE SPRAY containing Pyrethrins & Clarified Hydrophobic Extract of Neem Oil,
FULL BLOOM - When blossoms have fully opened. No insecticides at this time: PROTECT the BEES .	HiYield CAPTAN 50% WP - To control Apple Scab, Leaf Curl and Fire Blight
PETAL FALL - When bloom petals have dropped from tree and Bees are no longer present	Ferti-lome FRUIT TREE SPRAY containing Pyrethrins & Clarified Hydrophobic Extract of Neem Oil,
EVERY 2-3 WEEKS AFTER PETAL FALL THROUGHOUT THE GROWING SEASON	Ferti-lome FRUIT TREE SPRAY containing Pyrethrins & Clarified Hydrophobic Extract of Neem Oil,



Harvesting great fruit requires spraying at the appropriate time.

Our goal is to help our customers enjoy a positive experience with the plants and products they buy from us. Visit our website www.FourSeasonsValpo.com