

DEALER: Marque Ambulance
 1110 DI Drive
 Elkhart, IN 46514
 574-970-6782

CUSTOMER:

Exp. Date:

Quote No:

Job/Order No: 2011G4500164D-25

AMBULANCE: 3-164CMD0

Type III Model 164 Commando

PART NO	DESCRIPTION	QTY	ID
	CHASSIS		
	<p><i>Chassis, 2011 Chevy G4500 Cutaway, 159" WB, Diesel</i> <i>/- Running Boards, One (1) Pair ADP (Type III)</i> Note body width before fabricating</p>		<p>MARQ MARQ MARQ</p>
	<p><i>/- Grip Strut Inserts in Running Boards IATS</i> Align strut section to run parallel with the outer edge of the running board - no top side welds</p>	1	MARQ
	<p><i>/- Mudflaps, Front, Included with Running Boards</i> <i>/- Mirrors, Sail Mount, Velvac Heat/Motor/Turns STD- Chevy</i> Velvac 2020XG Pair, HR, HM, Deluxe Head Black. (#715917)</p>		<p>MARQ MARQ</p>
	<p><i>/- Spare Tire</i> Ship loose</p>	1	MARQ
	<p><i>/- Wheel Sims - Phoenix 16", Set of Four (4) Chev.</i> Phoenix DGD-01 M</p>	1	MARQ
	<p><i>/- Air Fill Extensions, Rear Tires (16"/17"), Phoenix "Air Max"</i> installed per the manufacturer's instructions</p> <p>Phoenix #AML1</p>	1	MARQ

PART NO	DESCRIPTION	QTY	ID
<p><i>/-- DEF/Urea Tank Fill Bezel</i> Cast# FG4503-6S163-A</p>		1	
<p><i>/-- Idle Control, Electronic Throttle</i> INPower ETM52-QVM</p>		1	MARQ
<p><i>/-- Siren Speakers, Chevy 2011 G-Series</i> Please make sure the siren speakers are far enough apart that a license plate will Cast Products #SA3804-09G35-1</p>		1	MARQ
<p><i>/-- Auxiliary AC Condensor, Pro Air Cab Roof Mount</i> On Type III units, this option requires a 9.5' deep side entry step ILO 12.5' Includes mudflaps before and after Wire to operate whenever both cab and module A/C system is on</p>		1	MARQ
<p><i>/-- Heat / AC Cab Roof Mount Condenser Kit</i> Pro Air 106 condenser, rubber isolator bushings from Grainger (6) and 3/16' smooth aluminum supports to the cab roof, use bulkhead fittings. Pro Air 106 (50 000 517) Bushing #3CC09</p>		1	MARQ
<p><i>/-- Booster Pump - 12V</i> Install in the water supply line to the heater Pro Air #05 000 295</p>		1	MARQ
<p style="text-align: center;">CHASSIS COMPONENTS AND ACCESSORIES Front End Alignment, Chassis Pre-Delivery w/Printed Report AMBULANCE CONVERSION</p>		1	MARQ
<p>2011 Conversion, Type III, Model 164 Commando</p>			MARQ
<p><i>/-- Conversion, Type III, Headroom, 72" ILO 68"</i></p>			MARQ
<p><i>/-- Conversion, Type III, Body Width, 96" (Standard)</i></p>			MARQ
<p><i>/-- Conversion, Type III, Body Length, 170" ILO 164"</i></p>			MARQ
<p style="text-align: center;">MODULE CONSTRUCTION Roof Construction, 2x2's @ 12' o.c. (Standard) Wall Construction, 2x2's @ 12' o.c. (Type III) Walk-Thru, Type III, Sliding Door w/ Fixed Plexi Window [- Bulkhead Wall, Walk-Thru, Sliding Door (Standard) (PN) Includes fixed Plexi window</p>			MARQ
<p>Floor Construction, (Standard) Body-to- Chassis Mounting, Type III (Standard)</p>			MARQ
<p style="text-align: center;">UNDERCOATING and INSULATION</p>			MARQ
			MARQ
			MARQ
			MARQ
			MARQ
			MARQ
			MARQ
			MARQ
			MARQ
			MARQ
			MARQ

PART NO	DESCRIPTION	QTY	ID
	ndercoating, Underside of Module Floor (Standard) Insulation, Walls and Ceiling, Spray Foam ILOS Insulation, Entry Doors, Spray Foam ILOS	11	AHQ MARQ MARQ
	Insulation, Floor, Spray Foam Cover bottom side of floor w/ .060' aluminum - seal any gaps	1	MARQ
	Sound Deading in wheel well Spray Form between the wheel well and liner for sound deadening.	1	
	Spray black audioguard on wheel well for sound deadening. See note at stepwell on		
	EXTERIOR BODY TRIM and ACCESSORIES		
	Stone Guards, ADP, Front Wall (Standard) ADP installed on the lower portions of the front wall, outboard of the chassis - see	21	MARQ MARQ
	Rub Rails, Skirt Line, One (1) Set "Premium" Style ILOS Each rubrail section form a 'C' profile	1	MARQ
	/- Whelen Strip Lights Install in rub rail - three (3) per side - see print -	6	MARQ
	Only to work in Primary PSR00FCR		
	/- Decals, Striping, White "Marque" logo reflective includes white 'Marque' logo reflective tape in the center section - see prints.	1	MARQ
	Fenderettes, One (1) Pair Stainless Steel (Standard) Thomas Hardware: Type III - #TH4026 Type I w/ 215/16 tires - #TH4026 Type I w/ 235/16 or 225/19.5 tires - #TH4024 Type I w/ LT225/19.5 or 245/19.5 tires - #TH4028	1	MARQ
	Fuel Fill Bezel, Cast Aluminum (Standard) Cast Products #FG2101-1-250 (Ford / Chevy Type I) #FG5301-1-250 (Ford / Chevy Type III)	1	MARQ
	Drip Rail Trim Mouldings Over Door Openings (Standard) Mouldings to extend no more than 1/4' beyond each side of the door openings	1	MARQ

PART NO	DESCRIPTION	QTY	ID
	<p>Rear Bumper Assembly, - p w/ Gas Struts (Std.) Gas struts return bumper to "down" position</p>	1	AHC
	<p>Rear Riser, ADP (Standard) License Plate Bracket, Recessed (Standard) Cast Products #LP0002-1</p>	1	MARQ MARQ
	<p><i>/- License Plate Light, LED</i> License plate light should come on with clearance lights and when the rear entry doors are open. Not when the side entry door is open.</p> <p>Optronics UCL-11CKB</p>	1	MARQ
	<p>Mudflaps, Rear, One (1) Pair Rubber w/ Marque Logo</p> <p>Dura Guard #26205925R</p>	1	MARQ
	<p><i>Grab Bar, Exterior, One (1) Mounted on the Slider Side Door</i> see Engineering Bulletin #015 for location guidelines</p> <p>15" long stainless steel, tapered ends w/ hidden mounting bolts Colbin Tool: #4737-15"</p>	1	MARQ
	<p style="text-align: center;">COMPARTMENT CONSTRUCTION and COMPONENTS</p> <p>Streetside-Front Compartment, ADP (Std.) ADP - 1" dished floor Add cut out and removable panel to forward wall of compartment. Attach with 10x24 rev-nuts.</p> <p>Place foam tape behind panel to prevent rattling.</p>	1	MARQ MARQ
	<p>Streetside #2 Compartment, ADP (Std.) .125" ADP, sweep-out floor</p>	1	MARQ
	<p><i>Streetside Wheelwell Compartment, Smooth Aluminum IATS</i> .125" smooth aluminum - DA finish - 1" dish - see prints</p> <p>Note: No compartment light inside the compartment. It will be installed on the bottom side of the flange of the warning light like we did on #4606. See Art on how he did it.</p> <p>Whelen OSC0EDCR</p>	1	MARQ
	<p><i>/- CPR Seat w/ Fixed Seat</i> Hinged backrest, fixed seat lid - includes lap style seat belt</p>	1	MARQ

PART NO	DESCRIPTION	QTY	ID
	<p>treetside-Rear Compartment, ADP (Type III Std.) .125' ADP - 6' dished floor</p>	1	MARQ
	<p>ALS Compartment Door (Standard) <i>Compartment, Curbside, for Battery Storage</i> Smooth .125" aluminum, sweep out style floor, front hinged door w/ single center mounted Nader, install nylon strap as door hold-open</p> <p>Tray and slides specified below</p> <p>Door will receive round red reflector.</p> <p>— Slide-Out Tray, Floor Mount in Curbside Battery Compartment Black Powder coat</p>	1	MARQ MARQ
	<p>Bob Gunn M3</p> <p><i>Curbside Intermediate Compartment, ADP, IATS</i> .125' diamond plate - sweep-out design - see prints</p>	1	MARQ
	<p><i>Curbside-Rear Compartment, ADP, 1" Dished Floor (Std.)</i> .125" ADP - 1" dished floor</p> <p>Make sure this compartment is full depth (20.75" approx.)</p>	1	MARQ
	<p><i>Compartment Size, Other Than Standard</i> SS rear and CS rear</p> <p>See prints</p>	2	MARQ
	<p><i>Side Entry Stepwell, Type III, ADP (Standard)</i> Tube support welded in with audioguard sprayed over it.</p> <p>Also, when spraying the audioguard at stepwell, spray the wheel well liners on both sides at the same time.</p> <p>Stepwell lip to be cut flush w/ trimlock and dri deck. NO lip overhanging over the dri deck.</p>	1	MARQ
	<p>Vertical Divider, Fixed ADP in SS#1 Compartment (Standard) Divider shall be 13' deep on 19 1/4' compartments Divider shall be 14' deep on 20 1/4' compartments Above measurements include the rod</p>	1	MARQ
	<p>Vertical Divider, Fixed ADP in CS-Rear Compartment (Std.) See prints.</p>	1	MARQ

PART NO	DESCRIPTION	QTY	ID
	Adjustable Shelf in SS#2 (Standard) .125' smooth aluminum, includes four shelf brackets and black pinch trim installed on the outside edge of the	1	AHC
	<i>Adjustable Shelf IATS</i> Shelf/shelves to be full depth (2" less than the depth of the compartment). (2) Streetside rear (full depth for I/O access) (3) CS rear forward of the divider (full depth for I/O access - 2" past divider)	5	MARQ
	Compartment Adjustable Shelf Tracks (Standard) Continuous slot aluminum	1	MARQ
	Plastic Tiles on Compartment / Shelf Floors (Standard) Mateflex Versaflex - Black	1	MARQ
	MODULE DOOR CONSTRUCTION and COMPONENTS		
	Extruded/Pan Formed Hybrid Doors (Standard) /- Electrical Feed to All Doors - Spring Protector Compartment Door, Dual Leaf Door ILOS SS rear	1	MARQ MARQ MARQ MARQ
	Compartment and Entry Door Latching Hardware (Standard) Compartment doors in excess of 23' tall shall receive dual nadir pins	1	MARQ
	Compartment Door Handles, Eberhard /- Eberhard , Chrome Exterior SJC 115519 handle SJC 11537/73 rotary latch		MARQ MARQ
	Curbside Slider Entry Door Will use new door stop.	1	MARQ
	Three (3) #116789 Three (3) #116790 Three (3) #116791 Three (3) #116792 One (1) #116788 Must have stainless steel fenderette SJC 116209		
	If slider door has any electrical components use SJC #117721 door jamb switch		
	/- 3" Drop on Curbside Skirt for Slider Door /- Curbside Entry Door Handles, Eberhard /- Eberhard , Chrome Exterior SJC 115519 handle		MARQ MARQ MARQ

PART NO	DESCRIPTION	QTY	ID
SJC 11537/73 rotary latch	<i>/-- Eberhard, Interior Locking</i>	1	MARQ
SJC 115370			
Rear Entry Doors (Standard)	<i>/-- Rear Entry Doors, Cast Grabber Door Checks (Standard)</i>	1	MARQ
Cast Products DH0017			MARQ
	<i>/-- Rear Entry Door Handles, Eberhard</i>		MARQ
	<i>/-- Eberhard , Chrome Exterior</i>		MARQ
SJC 115519 handle			
SJC 11537/73 rotary latch			
	<i>/-- Eberhard, Interior Locking</i>	1	MARQ
SJC 115370			
	<i>/-- Eberhard, Interior Non-Locking</i>	1	MARQ
SJC 115371			
	<i>/-- Entry Door Handle, Eberhard IATS</i>	1	MARQ
Install exterior paddle handle of the left-rear entry door - deletes the interior pivot plate			
	<i>/-- Eberhard Exterior L-Rear Entry Door</i>	1	MARQ
SJC 115368 Handle			
SJC 115372/73 rotary latch			
	<i>/-- Emergency Exit Latches Required</i>	2	MARQ
	WINDOWS		MARQ
Window, Side Entry Door, Upper			MARQ
black frame			
	<i>/-- WINDOW, 19" x 18" BRONZE TINT SLIDER</i>	1	MARQ
Clear Vision Windows: 9FM500027			
	<i>/-- CLAMP RING - WINDOW 19" x 18" - 2.28" WALL</i>	1	MARQ
Clear Vision Windows: 9PCR00001			
Window, Rear Entry Door, Upper		2	MARQ
black frame			
	<i>/-- WINDOW, 19" x 18" BRONZE TINT FIXED</i>	2	MARQ
Clear Vision Windows: 9FMI00052			
	<i>/-- CLAMP RING - WINDOW 19" x 18" - 2.28" WALL</i>	2	MARQ

PART NO	DESCRIPTION	QTY	ID
Clear Vision Windows: 9PCR00001			
	<p style="text-align: center;">MISCELLANEOUS BODY COMPONENTS INTERIOR FEATURES and COMPONENTS CEILING COMPONENTS</p>	1	MARQ MARQ MARQ
	One piece ceiling if possible		
	Grab Bar, Above Cot, 1.25' x 96' Stainless Steel (Standard) all fastening points must fall on roof tubes or backer plates - See print	1	MARQ
	UPHOLSTERY		
	<p><i>Upholstery, Seamless Vinyl, Solid Color (Standard)</i> solid color seamless</p>	1	MARQ MARQ
	Wrap AC panel above walk thru in the same color vinyl of the unit. It will be done like we did on unit #4531, #4600, #4601 - see pictures if you don't remember.		
	See prints for CPR seat cushions and Squad bench cushions. They are larger.		
	Make sure once installed, you cannot see any velcro outside of the cushions.		
	<p><i>/-- Upholstery Color, Taupe</i> Padded Vinyl Trim (Standard) Vertical and horizontal edges above the monitor/defib and action area</p>	1	MARQ MARQ
	<p><i>Padded Vinyl Trim - Sewn 45 Degree Corners ILOS</i> Sewn horizontal/vertical connections ILO butt joints at the padded action area and defib area corner trim</p>	1	MARQ
	Please make sure we do not notch around the restocking windows. The arm pad should be straight with no notching around the restocking windows.		
	FLOOR COVERING		
	<p>Flooring, Lon Seal 'Lon Plate II' (Standard) No cant strips in floor coves - roll flooring tightly into corners - 3' recessed cove at streetside cabinets, full height roll at squad bench riser unless specified otherwise</p>	1	MARQ MARQ
	<p><i>/-- Flooring Color, "Lon Plate II", Putty #411</i> SILL, SCUFF and COT WHEEL PLATES</p>	1	MARQ MARQ MARQ
	Floor Sill Plates, Brushed Stainless Steel (Standard) #4 polished 20 Gauge stainless steel		
	ATTENDANT'S SEAT		
	Attendant's Seat, EVS Hi-Back Child Safety EVS Ltd. #1802	1	MARQ MARQ

PART NO	DESCRIPTION	QTY	ID
	<p><i>/- Attendant's Se Base, wivel</i> EVS 185S</p>	1	
	<p style="text-align: center;">ENTRY DOOR FINISHES and COMPONENTS</p> <p><i>Entry Doors, Upper Liners, Aluminum w/ Multispec Face ILOS</i> Attach using stainless screws w/ finish rubber washers - color Greystone 6072 w/ white background - full height</p> <p>Note: Please get with Eng. in regards to the entry and compartment door liners. We need to only install every other screws for both compartment and entry door liner. see Eng. with questions.</p> <p><i>Entry Door Grab Bars, 1.25' x 12' S/S Straight Bar</i> <i>Grab Bar(s) IATS, 1.25" x 12" Stainless Steel</i> see prints</p> <p>Install on the front of the ALS</p>	1	MARQ MARQ
	<p style="text-align: center;">WALL MOUNTED GRAB BARS FRONT CONSOLE</p> <p><i>Console, Cab, Type III Chevy Floor Mount</i> <i>/- Latch - HD Rubber Draw Style for Console</i> 37-20-131-10</p>		MARQ MARQ MARQ MARQ
	<p style="text-align: center;">ELECTRICAL FEATURES and COMPONENTS 12 VOLT POWER COMPONENTS</p> <p>12 Volt Load Center Location [J-Box] (Standard) <i>12 Volt Elec. System, V-Mux Multi-Plex</i> MUST MAKE THIS UNIT SHOW READY. BATTERY CHARGER HAS BEEN ADDED, BUT NEED TO DO SOMETHING WITH THE SCENE LIGHTS. I WILL GET WITH ART TO DETERMINE WHAT TO DO. BUT I AM THINKING TWO SWITCHES IN THE J-BOX THAT WILL NOT ALLOW THE ENTRY SIDES SCENE LIGHTS TO WORK - CALL THIS SWITCH SHOW READY.</p> <p><i>/- 12 Volt Electrical System, V-MUX Multi-Plex</i> <i>/- V-Mux, Hercules node</i> 6000-0000-03</p> <p><i>/- V-Mux, 120amp Manual Reset Circuit Breaker</i> Weldon #6131-0000-00</p> <p><i>/- V-Mux, Vista III Display Front</i> 6231-0010-14</p> <p><i>/- V-Mux, Panavise bracket for Vista display</i> Weldon #6131-0000-00</p>	1 31 3 1 1	MARQ MARQ MARQ MARQ MARQ MARQ MARQ MARQ

PART NO	DESCRIPTION	QTY	ID
	<p><i>/- V-Mux, Vista III Display Rear</i> Mount on Kydex panel in action area</p>	2	
6231-0010-15			
	<p><i>/- No Panavise bracket for Vista display required</i> Weldon #6131-0000-00</p>	2	MARQ
	<p><i>/- V-Mux, Temperature Sensor</i> Mount probe in return vent</p> <p>Make sure it is p-clamp in place and not hanging with tape.</p>	1	MARQ
OR13-0614-00			
	<p><i>/- V-Mux, Shunt Interface Module</i> OR80-0615-00</p>	1	MARQ
	<p><i>/- V-Mux, Capacitor for heat A/C thermostat</i> Allied Electronics</p> <p>Capacitor #507-0025 Bracket #507-1184</p>	1	MARQ
	<p><i>/- Corner Guards, Four (4) ADP, No Corner Lights</i> <i>/- Warning Light Sequencer System - V-Mux</i> part of the VMux programming</p>	41	MARQ MARQ
	<p><i>/- Load Management System, V-Mux</i> <i>/- Driver's Control Console Gauges (V-Mux)</i> Ammeter and voltmeter part of VMux programming. Hour meter in part of the OEM dash.</p>		MARQ MARQ
	<p><i>/- Door Open Indicator - V-Mux</i> Part of the V-Mux Vista display</p> <p>Make sure battery door will show on display if door is open</p>	1	MARQ
	<p><i>/- Warning Light Flash Pattern</i> Ref prints for flash patterns</p>	1	MARQ
	<p>Power Locks for Module Entry Doors Includes actuator, actuator connector, actuator pigtail, relay connector - use Marque supplied relay - one switch installed on CS wall just inside the side entry door, one switch installed on the rear wall just inside the CS rear entry door</p>	1	MARQ

PART NO	DESCRIPTION	QTY	ID
	Includes tie in to OEM cab chassis doors (including Key faubs if chassis is so equipped)		
	<i>Power Locks for Compartment Doors</i> Includes actuator, actuator connector, actuator pigtail, relay connector - use Marque supplied relay Use same switch as entry doors	1	MARQ
	ALS compartment door only		
	<i>Remote Power Switch to Activate Cab & Module Door Locks</i> Grill Area - like we do on LIFE EMS units.	1	MARQ
	Cole Hersee M-608		
	<i>Module Power Disconnect Switch, TST Remote (Std.)</i> mounted in the J-box and wired to operate with the ignition switch with five (5) minute delay.	1	MARQ
	TST CDR-357		
	<i>Battery Charger/Converter, Iota 75 Amp</i> installed in J-Box on Floor and plug into GFI breaker in J-Box. Run wire to Commander 357 to charge batteries. (Note: for show purpose, Dave will add a jumper wire.)	1	MARQ
	Burnstines: Iota DLS-75 with IQ4 auto-switch		
	12 Volt Recepts, Cigarette Lighter Style, Two(2) /- 12 Volt Recepts, Cigarette Lighter Style (1) in the Action Area, (1) in the ALS cabinet	21	MARQ MARQ
	SJC #115351		
	<i>Clock, DELETE Standard Trin-Tec</i>		MARQ
	<i>Dome lights, 9 Diode LED Eight (8)</i> /- <i>Dome lights, 9 Diode LED</i> Whelen 80C0EHCR		MARQ MARQ MARQ
	<i>Backer Plates for Dome Ilghts</i> For 12" tube spacing - DLC012"OC For 16" tube spacing - DLC016"OC	8	MARQ
	No Additional Patient Compartment Dome Lights Required <i>Fluorescent Light(s), 36" Thin-Lite #718XL, Two (2)</i> /- <i>Fluorescent Light(s), 36" Thin-Lite #718XL</i>		MARQ MARQ MARQ

INTERIOR LIGHTING and COMPONENTS

PART NO	DESCRIPTION	QTY	ID
	<p>see print for location - requires backer plates in ceiling</p> <p>Gustafson: Thin-Lite 718XL</p> <p><i>/- Backer Plates for Fluorescent Lights Timer, 60 Minute w/ Hold Feature</i> installed in the ALS front - see print</p> <p>McMaster-Carr #7014K2</p> <p><i>Light, Side Entry Stepwell, (1) Whelen 3" Round</i> installed in the right forward stepwell wall - light housing must be sealed against the treadplate to prevent water</p> <p><i>/- 3" Round Service Mount Light</i> Will only come on with Side Entry door. Will not come on with rear entry doors.</p> <p>Whelen 3SC00CDCR and 3FLANGEC</p> <p><i>Entry Door LED Warning Lights - Whelen OS Series</i> Add magnetic switch to left entry door leaf.</p> <p><i>/- Whelen OS series - RED</i></p> <p>OSR00FCR - Flasher, SingleFlash Pattern, Chrome Flange</p> <p><i>Action Area Light, Whelen 3" Round Surface Mount Light</i> Switch in V-Mux: Once to turn the light on white/ push it again to turn on red / push again to turn off.</p> <p>Both white and red cannot be on at the same time.</p> <p>Keep light close to action area wall so wire will not be exposed.</p> <p>Whelen 3SRCCDCR</p>	<p>2</p> <p>1</p> <p>1</p> <p>1</p> <p>2</p> <p>1</p>	<p>MARQ MARQ</p> <p>MARQ</p> <p>MARQ</p> <p>MARQ</p> <p>MARQ</p>
	<p style="text-align: center;">EXTERIOR LIGHTING and COMPONENTS</p> <p>Exterior Lighting Requirements - General All light fixtures to be installed using nylon inserts unless directed otherwise.</p> <p>On secondary mode; grille, intersection, and center clear warning lights drop off.</p>	<p>1</p>	<p>MARQ MARQ</p>

PART NO	DESCRIPTION	QTY	ID
	DOT LIGHTI		
	/-- DOT Clearance and Marker Lighting, Type III Models /-- DOT Clearance and Marker Lighting Type III- Whelen OS Series /-- Whelen OS series - RED OSR00MCR		MARQ MARQ MARQ
	/-- Whelen OS series - AMBER OSA00MCR	7	MARQ
	/-- Corner Lights Feature , (4) Lower Module Corners Use Micro Plastics round head Nylon inserts for these lights.	1	MARQ
	/-- Corner Guards, Four (4) ADP w/ Corner Light Cutouts /-- Corner Lights - STD /-- DOT Clearance and Marker Lighting RED MCL13RB		MARQ MARQ MARQ
	/-- DOT Clearance and Marker Lighting AMBER MCL13AB	6	MARQ
	/-- Corner Light Bezel Cast LH14702-4	4	MARQ
	FRONT MODULE WALL EXTERIOR LIGHTING		
	/-- Lightbar, Front, None Required, Whel LED Warn. w/f /-- Lightbar, Front, None Required /-- Warn. Light, Front Passenger Side, Whel LED w/f /-- Whelen, 7x9, Red, LED, Clear Lens, w/ flange 90RR5FCR		MARQ MARQ MARQ MARQ
	/-- Whelen, 7x9 Chrome Flange for Super-LED This flange is for the Super-LED model only 90FLANGC	2	MARQ
	/-- Warn. Light, Front Center, Whel LED w/f /-- Whelen, 7x9, Clear, LED, Clear Lens, w/ flange 90CC5FCR - Flashing/Programmable with Clear lens	3	MARQ MARQ
	/-- Whelen, 7x9 Chrome Flange for Super-LED This flange is for the Super-LED model only 90FLANGC	3	MARQ

PART NO	DESCRIPTION	QTY	ID
90RR5FCR	-- Warn. Light, Front Driver Side, Whel LED w/f -- Whelen, 7x9, Red, LED, Clear Lens, w/ flange	21	MARQ
90FLANGC	-- Whelen, 7x9 Chrome Flange for Super-LED This flange is for the Super-LED model only	2	MARQ
CAB / CHASSIS EXTERIOR LIGHTING			
Whelen #5LSMAC	-- Warn. Light, Grille, Pass. Side, Whel LED Warn. Chevy -- Grille Bezel, Chevy, Pass. Side	MARQ	MARQ
Whelen #50R02ZCR	-- Whelen, 500 Series, Red, Linear LED, Clear Lens, w/o flange Mounted on the Grill's cross member	1	MARQ
Whelen #5LSMAC	-- Deutsch water proof connector -- Warn. Light, Grille, Driver Side, Whel LED Warn. Chevy -- Grille Bezel, Chevy, Driver Side	1	MARQ
Whelen #50R02ZCR	-- Whelen, 500 Series, Red, Linear LED, Clear Lens, w/o flange Mounted on the Grill's cross member	1	MARQ
Cast LH37747	-- Deutsch water proof connector -- Warn. Light, Intersection, Pass. Side, Whel LED Warn. Chevy -- Intersection Bezel, Chevy, Driver Side	MARQ	MARQ
70R02FRR - Flashing/Programmable with Color lens	-- Whelen, 3x7, Red, LED, Color Lens, w/o flange	1	MARQ
Cast LH37747	-- Deutsch water proof connector -- Warn. Light, Intersection, Driver Side, Whel LED Warn. Chevy -- Intersection Bezel, Chevy, Driver Side	1	MARQ
70R02FRR - Flashing/Programmable with Color lens	-- Whelen, 3x7, Red, LED, Color Lens, w/o flange	1	MARQ

PART NO	DESCRIPTION	QTY	ID
	<p><i>/-- Deutsch water proof connector</i> <i>/-- Whelen, Dominator TIR3 Super LED Series</i> Mounted on Top of Bumper with bracket.</p> <p>See Fred in Engineering with questions</p> <p>Whelen Part #DP880000 brackets (3) DBKT4</p>		MARQ
	<p style="text-align: center;">REAR MODULE WALL EXTERIOR LIGHTING</p> <p><i>/-- Lightbar, Rear, None Required, Whel LED Warn. w/f</i> <i>/-- Lightbar, Rear, None Required</i> <i>/-- Warn. Light, Rear Passenger Side, Whel LED w/f</i> <i>/-- Whelen, 7x9, Red, LED, Clear Lens, w/ flange</i> 90RR5FCR</p>		MARQ MARQ MARQ MARQ
	<p><i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only</p> <p>90FLANGC</p>	1	MARQ
	<p><i>/-- Scene Light, Rear Passenger Side, Whel w/f</i> <i>/-- Whelen, 7x9, Clear 24 Diode LED, Scene, w/ flange</i> 90C0ELZR - Super-LED 12 Diode Light</p>		MARQ MARQ
	<p><i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only</p> <p>90FLANGC</p>	1	MARQ
	<p><i>/-- Warn. Light, Rear Center, Whel LED w/f</i> <i>/-- Whelen, 7x9, Amber, LED, Clear Lens, w/ flange</i> 90AA5FCR</p>		MARQ MARQ
	<p><i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only</p> <p>90FLANGC</p>	1	MARQ
	<p><i>/-- Scene Light, Rear Driver Side, Whel w/f</i> <i>/-- Whelen, 7x9, Clear 24 Diode LED, Scene, w/ flange</i> 90C0ELZR - Super-LED 12 Diode Light</p>		MARQ MARQ
	<p><i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only</p>	1	MARQ

PART NO	DESCRIPTION	QTY	ID
90FLANGC	<p><i>/-- Warn. Light, Rear Driver Side, Wheel LED w/f</i> <i>/-- Whelen,7x9,Red,LED, Clear Lens,w/ flange</i></p>		MARQ MARQ
90RR5FCR	<p><i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only</p>	1	MARQ
90FLANGC	<p><i>/-- Whelen,7x9,Red,LED, Clear Lens,w/ flange</i> Window Level Light</p>	2	MARQ
	Warning lights - to only work in Primary		
90RR5FCR	<p><i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only</p>	2	MARQ
90FLANGC	<p><i>/-- Warning Lights, Rear, Wire Pair to Brake Light Circuit IATS</i> Wire to the Upper Red LED warning lights</p>	1	MARQ
	STOP, TAIL, TURN, AND BACKUP LIGHTING		MARQ
	<p><i>/-- T/B/T/BU Lights, Whelen,4x6,LED,dual turns,w/f</i> Includes one (1) pair of brake/tail lights, one (1) pair of turn signals, and one (1) pair of back-up lights mounted on the rear exterior module wall.</p>		MARQ MARQ
	Includes one (1) pair of turn signals mounted on the front exterior module wall.		
60A00TAR	<p><i>/-- Whelen,4X6,Amber,Turn LED,w/ flange</i></p>	4	MARQ
6EFLANGE	<p><i>/-- Whelen, 4x6 Chrome Flange</i></p>	4	MARQ
	<p><i>/-- Deutsch water proof connector</i> <i>/-- Whelen,4X6,Red,Brake/Tail LED,w/ flange</i> Install in the ADP kickplate area - see prints</p>	24	MARQ MARQ
	When unit is in park and warning lights on - the brake lights will flash in primary		

PART NO	DESCRIPTION	QTY	ID
	These will flash with the warning lights (primary only)		
	60R00XRR - Maximum Intensity		
	6EFLANGE /-- Whelen, 4x6 Chrome Flange	2	MARQ
	/-- Deutsch water proof connector	22	MARQ
	/-- Whelen, 4X6, Clear, Backup LED, w/ flange		MARQ
	Install in the ADP kickplate area - see print		
	These will come on when you open up the rear entry doors, activate the rear scene lights or put the unit in reverse.		
	60C00VCR - Minimum Intensity		
	6EFLANGE /-- Whelen, 4x6 Chrome Flange	2	MARQ
	/-- Deutsch water proof connector		MARQ
	CURBSIDE MODULE WALL EXTERIOR LIGHTING		MARQ
	/-- Warn. Light, CS Front, Whel LED w/f		MARQ
	/-- Whelen, 7x9, Red, LED, Clear Lens, w/ flange		MARQ
	90RR5FCR		
	/-- Whelen, 7x9 Chrome Flange for Super-LED	1	MARQ
	This flange is for the Super-LED model only		
	90FLANGC		
	/-- Scene Light, CS Front, Whel w/f		MARQ
	/-- Whelen, 7x9, Clear 24 Diode LED, Scene, w/ flange		MARQ
	90C0ELZR - Super-LED 12 Diode Light		
	/-- Whelen, 7x9 Chrome Flange for Super-LED	1	MARQ
	This flange is for the Super-LED model only		
	90FLANGC		
	/-- Scene Light, CS Rear, Whel w/f		MARQ
	/-- Whelen, 7x9, Clear 24 Diode LED, Scene, w/ flange		MARQ
	90C0ELZR - Super-LED 12 Diode Light		
	/-- Whelen, 7x9 Chrome Flange for Super-LED	1	MARQ

PART NO	DESCRIPTION	QTY	ID
	This flange is for the Super-LED model only		
90FLANGC			
	<i>/-- Warn. Light, CS Rear, Whel LED w/f</i>		MARQ
	<i>/-- Whelen,7x9,Red,LED, Clear Lens,w/ flange</i>		MARQ
90RR5FCR			
	<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i>	1	MARQ
	This flange is for the Super-LED model only		
90FLANGC			
	<i>/-- Whelen,4x6,Red,LED, Clear Lens,w/ flange</i>	1	MARQ
	Will only flash in primary		
60R02FCR	Flashing/Programmable with Clear lens		
	<i>/-- Whelen, 4x6 Chrome Flange</i>	1	MARQ
6EFLANGE			
	STREETSIDE MODULE WALL EXTERIOR LIGHTING		
	<i>/-- Warn. Light, SS Front, Whel LED w/f</i>		MARQ
	<i>/-- Whelen,7x9,Red,LED, Clear Lens,w/ flange</i>		MARQ
90RR5FCR			MARQ
	<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i>	1	MARQ
	This flange is for the Super-LED model only		
90FLANGC			
	<i>/-- Scene Light, SS Front, Whel w/f</i>		MARQ
	<i>/-- Whelen,7x9,Clear 24 Diode LED,Scene,w/ flange</i>		MARQ
90C0ELZR	Super-LED 12 Diode Light		
	<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i>	1	MARQ
	This flange is for the Super-LED model only		
90FLANGC			
	<i>/-- Scene Light, SS Rear, Whel w/f</i>		MARQ
	<i>/-- Whelen,7x9,Clear 24 Diode LED,Scene,w/ flange</i>		MARQ
90C0ELZR	Super-LED 12 Diode Light		
	<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i>	1	MARQ

PART NO	DESCRIPTION	QTY	ID
	This flange is for the Super-LED model only		
90FLANGC			
	<i>/-- Warn. Light, SS Rear, Wheel LED w/f</i>		MARQ
	<i>/-- Whelen, 7x9, Red, LED, Color Lens, w/ flange</i>		MARQ
90RR5FRR	- Flashing/Programmable with Color lens		
	<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i>	1	MARQ
	This flange is for the Super-LED model only		
90FLANGC			
	<i>/-- Whelen, 4x6, Red, LED, Clear Lens, w/ flange</i>	1	MARQ
	Will only flash in primary.		
	The flange will have the OS light to light up the compartment drawer.		
	Art did the last unit		
60R02FCR	- Flashing/Programmable with Clear lens		
	<i>/-- Whelen, 4x6 Chrome Flange</i>	1	MARQ
6EFLANGE			
	<i>/-- Scene Lights, Wire Rearmost on Sides Reverse Gear Activated</i>	1	MARQ
	Program Scene lights to come on with compartment lights		
	ARROW LIGHTBARS	1	MARQ
	No Arrow Bar Required		MARQ
	WARNING LIGHT and HEADLIGHT FLASHERS		MARQ
	<i>Headlight Flasher, Weldon VMux</i>		MARQ
	STROBE POWER SUPPLIES		MARQ
	AUXILIARY LIGHTING		MARQ
	<i>Compartment Lights, Whelen LED Fluorent Plus Lights</i>	12	MARQ
	Install 2 per compartment...		
	(4) 63" SS1, CS Rear - #F63PC		
	(2) 45" SS Rear - #F45PC		
	(2) 36" ALS - on both side of the face of ALS - #F36PC		
	(2) 27" SS2 - #F27PC		
	(2) 18" CS aft of Wheel Well - #F18PC		
	(1) OSC0EDCR mounted on the SS rear wheelwell bottom of the light to shine down in the compartment.		

PART NO	DESCRIPTION	QTY	ID
	Spotlight, Handheld, Optronics "BlueEye", 400,000 CP (Std.) Hard wired under passenger seat. Fasten wire with PClamp at rear of seat	1	MARQ
	<i>Running Board Light, LED, (1) Pair 3" Round Surface</i> Installed in the lower front module wall to illuminate the cab running boards when the cab doors are open	2	MARQ
	<i>/- 3" Whelen Surface LED</i> Whelen 3SC00CDCR and 3FLANGEC	2	MARQ
	REFLECTORS		
	1" x 4" Reflector - Red (standard) installed on the lower rear of the streetside and curbside walls just above the rubrail and in the right corners of the rear wall just above the rear riser.	4	MARQ MARQ
	Grote 40132-3		
	AUDIBLE WARNING DEVICES		
	Refer to Chassis Section Above for Correct Siren Speakers Back-up Alarm, 90 dBa (Standard) Siren, Whelen 295HFSA7 (floor mount consoles)	1	MARQ MARQ MARQ MARQ MARQ MARQ
	COMMUNICATION PROVISIONS AND EQUIPMENT		
	Antenna Base, Coax, Power and Ground Wires (Standard) <i>/- Antenna Base, Coax, Power and Ground Wires</i> RG58U coax with 10 ga. power and ground wires - label the base and coax end ANT#1 - terminate behind driver		
	Hutton - Maxrad K-794 (if 17' req'd.) - or - Maxrad KE-794 (if 30'		
	<i>Antenna Base, Coax(es), Power and Ground Wires IATS</i> <i>/- Antenna Base, Coax, Power and Ground Wires</i> RG58U coax with 10 ga. power and ground wires - label the base and coax end ANT#2 - terminate behind Action Area		MARQ MARQ
	Hutton - Maxrad K-794 (if 17' req'd.) - or - Maxrad KE-794 (if 30'		
	<i>Back-Up Camera System - Weldon V-Mux</i> ASA color camera #VCCS150, 25' cable #CEC25 (Type III) #CEC50 (Type I), adapter #31300006	1	MARQ
	ENVIRONMENTAL SYSTEMS AND COMPONENTS		
	Heat / AC, Pro Air Ducted Combo System NOTE: before installing the ducts, spray or roll Temp Coat to the bottom side of the roof metal between the center hat section and the first "Z" rails to serve as a thermal break	1	MARQ MARQ

PART NO	DESCRIPTION	QTY	ID
	-- Thermal Break for Ducted Heat/AC Option - (PN) install 1/2" rigid foam insulation above ducts down center wire chase	1	MARQ
	-- Heat / AC Pro Air #935 12v Ducted Combo System HEAT/AC: Pro Air 935 w/ top discharge Pro Air #50 000 920	1	MARQ
	<i>-- Heat / AC Water Valve</i> Mount manual valves behind removable panel in streetside #1 Mount electric solenoid valve behind AC removable panel above walk thru.	1	MARQ
	Pro Air 63-000-180		
	-- Heat / AC Duct Adapters Pro Air 11-000-028	8	MARQ
	-- Heat / AC Ducted Vents Pro Air 11-000-135	8	MARQ
	-- Heat / AC Ducted Vent Retainers Pro Air 11-000-052	8	MARQ
	-- Heat / AC Ducted Vent Adapter ACC #14563400A	8	MARQ
	-- Heat / AC Ducting ACC #03310100A	1	MARQ
	-- Heat / AC Plenum ACC #MAR-1293-06	1	MARQ
	-- Heat / AC Face Plate Prodesign 3092233	1	MARQ
	-- Heat / AC Pad -- Heat / AC, Combo System Installed Above Walk/Pass-Thru Thermostat, Pro Air (Standard) Pro Air	1	MARQ MARQ MARQ
	Exhaust Fans, Dual 12V Blowers (Standard)		MARQ
	-- Exhaust Fans, 12V Blower SJC #106333		MARQ

PART NO	DESCRIPTION	QTY	ID
	<p>[- Component - 4' Polished Attwood #1364A1</p>	2	AHQ
	<p align="center">110 VOLT WIRING AND COMPONENTS</p> <p>110 Volt AC Wiring And Components, Type II and III Electrical system - 120-Volt</p> <p><i>Shoreline, 20A Kussmaul "Super Auto-Eject"</i> Inlet, Cover and Connector: Kussmaul Electronics 091-55-20-120 Interrupter: Internal</p> <p>Inverter, Pre-Wire (Standard) Refer to Part #31-20-xxxx for Specific Inverter Information Recepts, 110V AC Hospital Grade Duplexes <i>[- Recepts, Interior 110V AC Hospital Grade Duplex</i> (1) in Action Area, (1) in Defib. area, (1) in ALS cabinet</p> <p>Recept: All-Phase (Hubbell #HBL8200LI) Box: Odyssey #9331-EWK Cover: All-Phase (Hubbell S8)</p>	1	MARQ MARQ
	<p align="center">CABINET CONSTRUCTION</p> <p>Interior Cabinetry, Plywood Commando <i>[- Cabinetry Laminate Color: White Leather</i></p>	1	MARQ MARQ MARQ MARQ
	<p align="center">CEILING FINISHING</p> <p><i>[- Headliner, Patient Compartment, Glossy Laminate</i> 1/4' Luan w/ glossy or frosty white lam one side</p>		
	<p align="center">ELECTRICAL (J-BOX) CONSTRUCTION ALS CABINET</p> <p>[- ALS Cabinet - Standard Configuration <i>[- Glove Box Cabinet, Three Hole Design Above Side Entry</i> Use 3/8" thick Plexi - see prints</p> <p>Use stainless steel position hinge - 3 per window</p> <p>Use stainless steel latches on both side of the plexiglass - no plastic</p> <p>Hinge from McMaster Carr #1460A1 / SJC #112785</p>	1	MARQ MARQ MARQ MARQ
	<p align="center">SQUAD BENCH and COMPONENTS</p> <p><i>[- Squad Bench Base, Wood Construction</i> Includes seat belts for three seated occupants or one stretcher</p> <p>CUSHIONS - Install a large pad above the Slider cover. Pad to be approx 24" tall. Also install a large pad on the compartment wall rearward of the bench area.</p>	1	MARQ MARQ

PART NO	DESCRIPTION	QTY	ID
	<p><i>/-- ff Plate, Mirror S/S, Squad Bench Riser, Isle</i> Requires 3" recessed floor cove feature w/ 13" S/S overlay above with bend to create lip at bottom</p>	1	
	<p><i>/-- Floor Cove, 3" Recessed at Squad Bench Riser</i> <i>/-- Squad Bench Lid, Single, 3/4" Plywood</i> Single cushion with single lid</p>		MARQ MARQ
	<p><i>/-- Squad Bench Interior, Plywood w/ White Lam</i> Add embossed rubber to squad bench floor.</p>	1	MARQ
	<p><i>/-- Sharps Disposal, Recessed At Head Of Squad Bench IATS</i> Container stored under squad bench lid - accessed via 4' hole in squad bench lid w/ hinged Red Plexi 'tombstone' style cover - prints Trim hole w/ black plastic cup holder (modified) Requires (1) vinyl Bio-Hazard sticker</p> <p>LaVanture 78-3DJBLK sticker - EMEDCO #42513V</p>	1	MARQ
	<p><i>/-- Trash Disposal, Recessed At Head Of Squad Bench IATS</i> Container stored under squad bench lid - accessed via 6' hole in squad bench lid w/ hinged Red Plexi 'tombstone' style cover - prints Trim hole w/ black plastic trash ring Requires (1) vinyl Bio-Hazard sticker</p> <p>Outwater Plastics #38BK sticker - EMEDCO #42513V</p>	1	MARQ
	<p><i>/-- No Post and Wheel Cups Required</i> <i>/-- No Dry Erase Writing Board Required</i> <i>/-- Cabinet Above Squad Bench</i> 8" depth (overall) unless otherwise noted. See Prints. Maximum Height 8 1/4". No</p> <p>Use stainless steel position hinge-3 per window</p> <p>Hinge from McMaster Carr #1460A1 / SJC #118196</p>	1	MARQ MARQ MARQ

PART NO	DESCRIPTION	QTY	ID
	<p style="text-align: center;">REETSIDE CABINETRY</p> <p><i>/-- Streetside Cabinetry - Standard Configuration</i> L3 is a drawer ILOS</p> <p>SS rear inside / outside access cabinet to be larger so there is no trim needed. Build with no bottom cleat.</p> <p><i>/-- Scuff Plate IATS, Mirror S/S, Lower Streetside Cabinet Wall</i> CPR seat down - Overlay installed just above the rolled floor recess with bend to create lip at bottom</p>	1	MARQ
	<p style="text-align: center;">CPR SEAT</p> <p><i>/-- Refer to Part #14-25-xxxx for CPR Seat Construction Info.</i> Please ref prints for CPR seat head pads</p> <p><i>/-- CPR Seat Interior, Plywood w/ White Lam</i></p>	1	MARQ
	<p style="text-align: center;">ACTION / MONITOR-DEFIB. AREA COMPONENTS</p> <p><i>/-- Countertop, Action Area, Solid Surface Material</i> Build cabinets with flat counter tops (no lips) - bottom screws in back wall to be lowered and sunk flush so they are hidden by the solid surface top - color to match the action area counter</p> <p><i>/-- Solid Surface Countertop Color - Aurora</i> <i>/-- Countertop, Monitor/Defib, Solid Surface Material</i> Build cabinets with flat counter tops (no lips) - bottom screws in back wall to be lowered and sunk flush so they are hidden by the solid surface top - color to match the action area counter</p>	1	MARQ
	<p><i>/-- Inside Access to Exterior Compartment IATS</i> See prints - streetside rear & curbside rear Compartment at inside/outside access must be full depth.</p>	2	MARQ
	<p style="text-align: center;">SHELVES and SHELVING COMPONENTS</p> <p><i>/-- Cabinet Shelves, 3/4" Plywood w/ Laminate</i> <i>/-- Cabinet Shelf Track, Unistrut Aluminum</i> Upgrades all interior cabinet shelf tracks - including ALS cabinet</p> <p>Thomas-Austin Channel: #TB9111 Channel nuts: #TB9050</p>	1	MARQ
	<p style="text-align: center;">DIVIDERS CABINET DOORS and DRAWERS</p> <p><i>/-- Cabinet Doors, General (Plywood)</i> See prints.</p> <p>All Sliding Plexiglas Doors to have stops placed in window track.</p>	1	MARQ

PART NO	DESCRIPTION	QTY	ID
	<p><i>/-- Cabinet Door(s) Hinged 3/8" Plexi ILO Hinged Wood</i> 3/8" Plexi - upper ALS</p>	1	
	<p><i>/-- Cabinet Door(s) Hinged Framed Restock ILO Sliding Plexi.</i> Streetside Upper Cabinets</p> <p>Use Stainless steel elbow latches instead of plastic. No plastic in unit.</p>	2	MARQ
	<p><i>/-- Plexiglas Color, Clear</i> <i>/-- Door/Drawer Latch, Southco M1 S/S - Non-Locking</i> see prints</p> <p>No plastic latches in unit. Use stainless steel elbow latches instead of plastic.</p>	1 12	MARQ MARQ
	<p><i>/-- Additional Cabinet Door(s) Hinged 3/8" Plexiglas</i> 3/8" Plexi - lower ALS</p>	1	MARQ
	<p style="text-align: center;">MEDICAL SYSTEMS and COMPONENTS OXYGEN SYSTEM and EQUIPMENT</p> <p>On-Board Oxygen Cylinder Bracket, "M" Size (Standard) /-- On-Board Cylinder Bracket, "M" Size General Crafts: (1) 7" Base and (2) 7" Rings per cylinder Amsafe: (1) 17" equipment strap #108-LOOP 17" per cylinder Footmans loops - (2) req'd. per cylinder</p>	1	MARQ MARQ MARQ MARQ
	<p>Oxygen Cylinder Wrench (Standard) SJC #105888</p>	1	MARQ
	<p>Oxygen Outlets, Ohio Style Quick Disconnect /-- Oxygen Outlets, Ohio Style Quick Disconnect (2) in Action Area</p>	21	MARQ MARQ
	<p><i>Oxygen Outlets, Ohio Style Quick Disconnect IATS</i></p>	1	MARQ
	<p><i>/-- Oxygen Outlets, Ohio Style Quick Disconnect</i> Curbside wall above squad bench</p>	1	MARQ
	<p><i>Oxygen System Monitor Only - V-Mux Vista III Display</i> /-- Oxygen Regulator with Transducer Air Liquide (1) Z-MB13540T O2 regulator (1) #Z-TH900H17-5 harness</p>		MARQ MARQ
	<p style="text-align: center;">MEDICAL AIR SYSTEM and EQUIPMENT</p>	1	MARQ

PART NO	DESCRIPTION	QTY	ID
	o On-Board Medical Air System Required VACUUM SYSTEM and EQUIPMENT -- Vacuum Outlet, (1) Ohio Style in Action Area (Standard) -- Vacuum Outlet, Ohio Style -- Vacuum Pump, Gast (Standard Types I and III) Installed in SS#2 w/ aluminum wire mesh guard unless specified -- Vacuum Pump, Gast #22D11801011066	1	MARQ MARQ MARQ MARQ
	-- Vacuum, Aspirator, RICO RS4X Disposable (Standard) IV SYSTEM and EQUIPMENT IV Hangers, Cast Products Recessed in Ceiling (Standard) -- IV Hangers, Cast Products Recessed in Ceiling Cast Products #IV2008-1 -- Backer Plates for Recessed IV Hangers	2	MARQ MARQ MARQ MARQ
	-- Backer Plates for Recessed IV Hangers BIO-WASTE CONTAINERS COT AND STRETCHER EQUIPMENT PRIMARY COTS COT FASTENERS -- Cot Fastener, Ferno-Washington 175-4 Dual Position -- Cot Plates/Mounts, Install After Unit is Sold (demos only) Do not cut mounting holes in the floor or flooring - Installation instructions to be provided at time of -- Flooring, Do NOT Cut Holes for Cot Mounts (PN) Holes are to be cut for cot mounts after the unit is sold -- Sub-Floor, Do NOT Cut Holes for Cot Mounts (PN) Holes are to be cut after unit is sold	2	MARQ MARQ MARQ MARQ MARQ MARQ
	STRETCHERS and EQUIPMENT DECALS and LETTERING K-SPEC LETTERING Decals, K-Spec Lettering (Standard - Shipped Loose) Blue reflective w/ white reflective border - lettering shipped loose: (1) 4' mirror image AMBULANCE (3) 6' AMBULANCE -- AMBULANCE 6' Decal AMBULANCE 6' BW -- ECNALUBMA 4' Decal MIRROR AMB 4'	1	MARQ MARQ MARQ MARQ
		3	MARQ
		1	MARQ

PART NO	DESCRIPTION	QTY	ID
	AR-OF-LIFE DECA		
	<p><i>Decals, Star-of-Life Package (Ship Loose - Install Roof SOL)</i> Blue reflective w/ White reflective border Ship loose: (2) 16' SOLs, (2) 12' SOLs, (2) 6' SOLs Install: (1) 32' SOL - midline of roof</p>	1	AHC MARQ
	<p><i>/-- Star of Life 6" Blue with white border</i> SOL 6' BLU/WHT</p>	2	MARQ
	<p><i>/-- Star of Life 14" Blue with white border</i> SOL 14' BLU/WHT</p>	2	MARQ
	<p><i>/-- Star of Life 18" Blue with white border</i> SOL 18' BLU/WHT</p>	2	MARQ
	<p><i>/-- Star of Life 32" Blue with white border</i> Accent Trends - Roof SOL 32'</p>	1	MARQ
	CUSTOM DECALS		
	<p><i>Fender Decals, "Marque" Logo</i> Install... one on each fender, one on passenger rear - lower area one in Action Area one on curbside wall by side entry door</p>	1	MARQ MARQ
	CUSTOM LETTERING		
	<p>Grayson to Install Marque Demo Decal Package</p>	1	MARQ
	DECAL STRIPING		
	<p><i>Decals, Striping, 2" Reflective Safety Tape on Flip Up Bump</i> Will match the color of the Marque Demo Decal package</p>	1	MARQ MARQ
	PAINT MODULE PAINT		
	<p>Paint, Module, PPG - White (Standard) Wheels remain OEM color</p>	1	MARQ MARQ MARQ
	CHASSIS PAINT PAINT STRIPING		
	MISCELLANEOUS EQUIPMENT and COMPONENTS		
	<p>Stretcher Strap, Exterior Compartment (Standard) Installed in SS-rear compartment unless directed otherwise - nylon web strap w/ seat belt clip/buckle and two (2) footmans</p>	1	MARQ MARQ MARQ MARQ
	<p>Interior Safety Signs (Standard)</p>	1	MARQ

PART NO	DESCRIPTION	QTY	ID
	Two (2) NO SMOKING OXYGEN EQUIPPED and two (2) FASTEN SEAT BELTS signs, one (1) each in the cab and in the patient compartment, 110V for each 110V outlet, cleaning sticker in Action Area, "Authorized Service Only" sticker in J		
	Battery Compartment Warning Sign (Standard) Installed on the outer face of the battery slide-out tray	1	MARQ
	Owner's Manual / Equipment Packet / OEM Manual <i>Fuel Surcharge</i>	1	MARQ MARQ