



# MARQUE

Vision Comes to Life

Non Priced 4669

DEALER: Factory

CUSTOMER: Open

Exp. Date: 10/09/2011  
 Quote No: 10040-0005  
 Job/Order No: 4669  
 AMBULANCE: MA-1-164MC Type I Model 164-MD Commando

01/21/2013

Page 1

PART NO	S	DESCRIPTION	QTY	ID
		== Type I Model 164-MD Commando - 1.000 08/22/11 == VIN 1HTJSSKK8CJ613042	1	SJC
00-00-0100	X	Sales Coordinator - Michele Yoder	1	
		AMBULANCE CONVERSION	1	SJC
03-30-0210		2011 Conversion, Type I, Model 164-MD Commando	1	SJC
04-30-0460	S	/-- Conversion, Type I-MD, Headroom, 74" ILO 72"	1	SJC
04-10-1000		/-- Change to Standard Dimensions (Per Inch)	2	SJC
04-40-0400		/-- Conversion, Type I-MD, Body Width, 96" (Standard)	1	SJC
04-40-2440	S	/-- Conversion, Type I-MD, Body Length, 174" ILO 164"	1	SJC
04-10-1000		/-- Change to Standard Dimensions (Per Inch)	10	SJC
		CHASSIS	1	SJC
05-00-0111	X	Cassandra - New 3M 8115 Panel Adhesive for Module *****Make sure to use the NEW PROCESS 3M panel adhesive and 3M general purpose cleaner.*****  This process needs to be applied PRIOR to paint priming.	1	
05-20-1100	S	Chassis, 2012 International Terrastar 4x2 183" WB-Diesel	1	SJC
06-00-0410		/-- Running Boards, One (1) Pair ADP (Type I) Make sure the running boards stop at the back of the chassis. Do not extend the running boards past the chassis. Also make sure the running board will accommodate the fuel fill on the passenger side.	1	SJC
06-00-0710		/-- Grip Strut Inserts in Running Boards IATS Align strut section to run parallel with the outer edge of the running board - no top side welds	1	SJC
12-55-0110		/-- Mudflaps, Front, Included with Running Boards	1	SJC
06-20-0100		/-- OEM Mirrors STD	1	SJC
06-50-1110		/-- Suspension, Rear Air Ride, Dump Override Switch IATS On/Off style switch - in "on" position allows the air ride to kneel when the left rear entry door is open. In the "off" position, prevents the suspension from kneeling.	1	SJC

PART NO	S	DESCRIPTION	QTY	ID
		Install to the right of the rear doors.		
06-60-0200		/-- Rubberized Vinyl Cab Flooring STD	1	SJC
06-70-0100	S	/-- Spare Tire, No Spare	1	SJC
		Deletes the mounting bolt, nut and plate		
06-70-5000		/-- Wheel Sims - 19.5" - Delete Set of Four (4)	1	SJC
31-10-0110		/-- Idle Control, OEM Electronic Throttle (Standard)	1	SJC
		Set RPM of 1450		
36-10-0400		/-- Cab/Chassis Lighting Package, International Terrastar	1	SJC
37-15-0610		/-- Warn. Light, Grille, Pass. Side, Whel LED Warn. TerraStar, Cast	2	SJC
49-20-2015		/-- Whelen,3x7,Red,LED Flashing, Clear Lens,w/o flange	1	SJC
		70R02FCR - Flashing/Programmable with Clear lens		
50-00-3500		/-- Grille Bezel, Cast, International Terrastar, Pass. Side	2	SJC
		Cast LH37674-1 (118692)		
50-00-8200		/-- Deutsch water proof connector	2	SJC
37-25-0610		/-- Warn. Light, Grille, Driver Side, Whel LED Warn. TerraStar, Cast	2	SJC
49-20-2030		/-- Whelen,3x7,Clear,LED Flashing, Clear Lens,w/o flange	1	SJC
		Install the Clear led's in the lower area of the grille.		
		70C02FCR - Flashing/Programmable with Clear lens		
50-00-3510		/-- Grille Bezel, Cast, International Terrastar, Driver Side	2	SJC
		Cast LH37675-1 (118693)		
50-00-8200		/-- Deutsch water proof connector	2	SJC
37-35-0310		/-- Warn. Light, Inters., Pass Side, Whel 3x7 LED Warn. w/f	1	SJC
49-20-2260		/-- Whelen,3x7,Red/Clear,LED Flashing,w/ flange	1	SJC
		Clear on split lens will come on w/ turns when warning lights are not on. Be as curb lights.		
		70RC6FCR (115224) - Flashing/Programmable with Clear lens		
50-00-1000		/-- Whelen, 3x7 Chrome Flange	1	SJC
		7EFLANGE (112341)		
50-00-8200		/-- Deutsch water proof connector	1	SJC
37-45-0310		/-- Warn. Light, Inters., Driver Side, Whel 3x7 LED Warn. w/f	1	SJC
49-20-2260		/-- Whelen,3x7,Red/Clear,LED Flashing,w/ flange	1	SJC
		Clear on split lens will come on w/ turns when warning lights are not on. Be as curb lights.		
		70RC6FCR (115224) - Flashing/Programmable with Clear lens		
50-00-1000		/-- Whelen, 3x7 Chrome Flange	1	SJC
		7EFLANGE (112341)		
50-00-8200		/-- Deutsch water proof connector	1	SJC

PART NO	S	DESCRIPTION	QTY	ID
49-20-2030		<i>/-- Whelen,3x7,Clear,LED Flashing, Clear Lens,w/o flange</i> Location - Bottom of Grill	2	SJC
		70C02FCR - Flashing/Programmable with Clear lens		
55-18-0230		<i>/-- Siren Speakers, International TerraStar</i> 118690 118691	1	SJC
57-16-0110		<i>/-- Auxiliary AC Condensor, Pro Air Skirt Mount</i> On Type III units, this option requires a double step. Includes mudflaps before and after Wire to operate whenever both cab and module A/C system is on	1	SJC
57-00-0500		<i>/-- Heat / AC Skirt Mount Condenser Kit</i> Install a mud flap forward and rearward of the condenser.  Pro Air 105 (50 000 590) (SJC 3481)	1	SJC
57-18-0100		<i>/-- Booster Pump - 12V</i> Install in the water supply line to the heater  Pro Air #05 000 295 (113580)	1	SJC
58-19-0100	X	<i>/-- Espar Hydronic 5</i> part number 05 000 931	1	
69-06-0500		<i>/-- Console, Cab, MultiSpec Aluminum</i>	1	SJC
69-10-2040		<i>/-- Multispec Color: Greystone MS99-6072</i> MS99-6072	1	SJC
90-14-0110		<i>/-- Air Ride Suspension Safety Sign (Standard)</i> Installed in the cab per Engineering Bulletin #044  "WARNING - Driving this vehicle without air in the rear suspension could cause loss of vehicle control and/or damage to the suspension."  2" x 4" White lettering on red background	1	SJC
		<b>CHASSIS COMPONENTS AND ACCESSORIES</b>	1	SJC
06-50-2000		Front End Alignment, Chassis Pre-Delivery w/Printed Report	1	SJC
		<b>MODULE CONSTRUCTION</b>	1	SJC
08-10-0100		Roof Construction, 4"x4" formed channel @ 16" o.c. (Standard)	1	SJC
08-20-0140		Wall Construction, 2x2's @ 12" o.c. (Type I)	1	SJC
08-30-0100		Pass-Thru, Type I (Standard) Opening only - no door or window	1	SJC
08-50-0100		Floor Construction, (Standard)	1	SJC
08-60-0100		Body-to-Chassis Mounting, Type I (Standard)	1	SJC
08-70-0110	S	<i>3" Drop on Curbside and Streetside Skirt (Both Sides)</i>	2	SJC
		<b>UNDERCOATING and INSULATION</b>	1	SJC
10-00-0100		Undercoating, Underside of Module Floor (Standard)	1	SJC

PART NO	S	DESCRIPTION	QTY	ID
10-10-0300		<b>Insulation, Walls and Ceiling, Spray Foam</b>	1	SJC
10-10-0410		<b>Insulation, Entry Doors, Spray Foam</b>	1	SJC
10-10-0510		<b>Insulation Enhancement, Temp-Coat Ceramic Spray IATS</b> 30 mil coating - spray inside roof, walls, backside of compartment cans, inside entry doors (before plank foam is installed), top side of the subfloor before any flooring material is installed.	1	SJC
10-10-0720		<b>Insulation, Floor, Spray Foam</b> Cover bottom side of floor w/ .060" aluminum - seal any gaps	1	SJC
10-10-0840	S	<b>Sound Insulation, Wheelwell area</b> Spray foam between the wheel well and liner for sound deadening. Spray black audioguard on wheel well for sound deadening.	1	SJC
<b>EXTERIOR BODY TRIM and ACCESSORIES</b>				
12-05-0100		Drip Rail Trim Mouldings Over Door Openings (Standard) Mouldings to extend no more than 1/4" beyond each side of the door openings	1	SJC
12-10-0100		Stone Guards, ADP, Front Wall (Standard) ADP installed on the lower portions of the front wall, outboard of the chassis - see prints	2	SJC
12-20-0110		<b>Rub Rails, Skirt Line, One (1) Set "Premium" Style</b> Each rubrail section form a "C" profile W/Marque Logo	1	SJC
50-00-7290	S	<b>/-- Whelen Strip Lights</b> Install in rub rail - three (3) per side - see print - only to work in Primary  Red to alternate per lighthouse.  Red/Red - clear lens  Whelen WIONSMCR	6	SJC
82-90-0110		<b>/-- Decals, Striping, White Reflective</b> Includes white reflective tape in the center section - see prints. W/ Marque Logo	1	SJC
12-30-0110		Fenderettes, One (1) Pair Stainless Steel Thomas Hardware: Type III - #TH4026 Type I w/ 215/16 tires - #TH4026 Type I w/ 235/16 or 225/19.5 tires - #TH4024 Type I w/ LT225/19.5 or 245/19.5 tires - #TH4028	1	SJC
12-40-0100		Rear Bumper Assembly, Kick-Up w/ Gas Struts Gas struts return bumper to "down" position	1	SJC
12-45-0100		Rear Riser, ADP (Standard)	1	SJC
12-50-0100		License Plate Bracket, Recessed (Standard) When mounting bracket, please put ECK on all mounting screws.	1	SJC

PART NO	S	DESCRIPTION	QTY	ID
50-00-8100		Cast Products #LP0002-1  <i>/-- License Plate Light, LED</i> Optronics UCL-11CKB	2	SJC
12-55-0500		Mudflaps, Rear, One (1) Pair Rubber, w/Logo w/ Marque Logo  Dura Guard #26205925R	1	SJC
12-65-0110		<i>Grab Bar, Exterior, One (1) Mounted Next to Side Entry Door</i> see Engineering Bulletin #015 for location guidelines  SJC 117200	1	SJC
14-10-0100		<b>COMPARTMENT CONSTRUCTION and COMPONENTS</b> <i>Exterior Storage Compartments - General (Standard)</i> All compartment floors to be smooth alumn NOT ADP.	1	SJC
14-15-0130		<i>Streetside-Front Compartment (#1), Smooth Alum, Sweep-out ILOS</i> .125" smooth, DA finish Add cut out and removable panel to forward wall of compartment. Attach with 10x24 rev-nuts.  Place foam tape behind panel to prevent rattling.	1	SJC
14-20-0100		<i>Streetside #2 Compartment, ADP, Sweep Out (Std.)</i> .125" ADP, sweep-out floor	1	SJC
69-36-0110		<i>/-- CPR Seat w/ Fixed Backrest and Hinged Seat</i> Fixed backrest, keeps hinged seat lid - includes lap style seat belt	1	SJC
14-35-0300		<i>Streetside-Rear Compartment (#4), ADP, Sweep-out ILOS</i> .125" ADP	1	SJC
14-45-0160		<i>Curbside-Rear Compartment (#5), Smooth Alum., Sweep Out ILOS</i> .125" smooth, DA finish  Spray with light gray Scorpion	1	SJC
14-60-0120		Side Entry Stepwell, Type I, ADP (Standard) Tube support welded in with audioguard sprayed over it.	1	SJC
14-65-0100		ALS Compartment Door (#8)	1	SJC
14-80-0110		<i>Compartment Size, Other Than Standard</i> See prints  SS 1 and SS Rear	2	SJC
15-10-0110		<i>Protective Coating (Scorpion) for Compartment(s) IATS</i> Coating to be applied to compartment walls, floor and ceiling	2	SJC

PART NO	S	DESCRIPTION	QTY	ID
15-10-0420		<p>Black - SS1 and CS Rear</p> <p><b>Vertical Divider, Fixed, Smooth Aluminum ILOS</b>            SS1 compartment - DA finish            Divider shall be 13" deep on 19 1/4" compartments            Divider shall be 14" deep on 20 1/4" compartments            Above measurements include the rod</p> <p>Spray with light gray Scorpion</p>	1	SJC
15-10-0510		<p><b>Vertical Divider, Fixed, Smooth Alum. ILOS - CS-Rear Comp't.</b>            Spray with light gray Scorpion</p>	1	SJC
15-10-0820		<p><b>Protective Coating for Divider(s), Two Sides IATS</b></p>	2	SJC
15-10-1000		<p>Adjustable Shelf in SS#2 (Standard)            .125" smooth aluminum, includes four shelf brackets and black pinch trim installed on the outside edge of the shelf</p>	1	SJC
15-10-1110		<p><b>Adjustable Shelf IATS</b>            Shelf/shelves to be full depth</p> <p>(2) SS rear</p> <p>(3) CS rear install forward of the divider - start the track 42" from the bottom of the compartment. Lower area to house the stairchair.</p> <p>(2) SS Rear</p>	7	SJC
15-10-1210		<p>Compartment Adjustable Shelf Tracks, Unistrut            Thomas-Austin:            Channel: 107204            Channel nuts: 107250</p>	1	SJC
15-10-1410		<p><b>Protective Coating for Compartment Shelf IATS</b>            coat the inside surfaces of the shelf and the outer facing vertical edges</p>	3	SJC
15-10-1800		<p>Plastic Tiles on Compartment / Shelf Floors            Includes Mate flex matting on all compartments, shelves, and trays</p> <p>Mateflex Versaflex - Black (115777)</p>	1	SJC
15-10-1830	S	<p><b>/-- Plastic Tile Color - Black (STD)</b>            Change order - Add beveled edges to all Dri Deck in the compartments. This will finish all the edges.</p> <p>Mateflex Versaflex</p> <p>SJC #119074 Edge pieces</p>	1	SJC
15-10-1840	X	<p><b>Adj Backboard Holders</b>            Priced per divider - 3 per compartment</p> <p>Formed piece of alum with Trim lock on it to hold the backboards. There will be 3 dividers. The dividers will be mounted on adj shelf tracking. to hold the boards in place.</p>	3	

PART NO	S	DESCRIPTION	QTY	ID
<b>MODULE DOOR CONSTRUCTION and COMPONENTS</b>				
<b>16-10-0100</b>	<b>S</b>	<b>Extruded/Pan Formed Hybrid Doors (Standard)</b> Add spring washers to all door rod clips to stop rattling.  Add rubber gaskets to all Eberhard latches.	1 1	SJC SJC
<b>16-10-0310</b>		<b>/-- Electrical Feed to All Doors - Spring Protector</b> *****SPRING PROTECTOR'S MUST BE CORRECT!!!!*****	1	SJC
16-20-0100		Compartment and Entry Door Latching Hardware (Standard) Compartment doors in excess of 23" tall shall receive dual nadir pins	1	SJC
<b>16-20-0101</b>	<b>X</b>	<b>Swirled Alumn on All Compartment Door Liners</b>	1	
<b>16-20-0130</b>		<b>Compartment Door Handles, Eberhard</b>	5	SJC
<b>16-00-0600</b>		<b>/-- Eberhard, Chrome Exterior Locking</b> SJC 115519 handle SJC 11537/73 rotary latch	5	SJC
<b>16-20-1110</b>		<b>Compartment Door, Dual Leaf Door ILOS</b> SS rear	1	SJC
16-22-0120		Curbside Entry Door	1	SJC
<b>16-22-1100</b>		<b>/-- Curbside Entry Door Handles, Eberhard</b>	1	SJC
<b>16-00-0600</b>		<b>/-- Eberhard, Chrome Exterior Locking</b> SJC 115519 handle SJC 11537/73 rotary latch	1	SJC
<b>16-00-0610</b>		<b>/-- Eberhard, Interior Locking</b> SJC 115370	1	SJC
16-22-2000		/-- Curbside Entry Door Closer - Gas Strut	1	SJC
<b>16-24-3610</b>		<b>/-- Emergency Exit Latches Required</b>	1	SJC
16-24-0120		Rear Entry Doors	1	SJC
<b>16-24-1100</b>		<b>/-- Rear Entry Door Handles, Eberhard</b>	1	SJC
<b>16-00-0600</b>		<b>/-- Eberhard, Chrome Exterior Locking</b> SJC 115519 handle SJC 11537/73 rotary latch	1	SJC
<b>16-00-0610</b>		<b>/-- Eberhard, Interior Locking</b> SJC 115370	1	SJC
<b>16-00-0620</b>		<b>/-- Eberhard, Interior Non-Locking</b> SJC 115371	1	SJC
<b>16-24-3300</b>		<b>/-- Entry Door Handle, Eberhard IATS</b> Install exterior paddle handle of the left-rear entry door - deletes the interior pivot plate assembly	1	SJC
<b>16-00-0630</b>		<b>/-- Eberhard Chrome Exterior Non-Locking</b> SJC 115368 Handle SJC 115372/73 rotary latch	1	SJC
16-24-3000		/-- Rear Entry Doors, Cast Grabber Door Checks (Standard) Cast Products DH0017	1	SJC

PART NO	S	DESCRIPTION	QTY	ID
16-24-3610		<i>/-- Emergency Exit Latches Required</i>	2	SJC
		WINDOWS	1	SJC
16-30-0110		<b>Window, Side Entry Door, Upper, Bronze Tint</b> black frame	1	SJC
16-35-0020		<i>/-- Window, 19" X 18" Bronze Tint Slider</i> Clear Vision Windows: 9FM500027	1	SJC
16-35-0200		<i>/-- Clamp Ring - Window 19" X 18" - 2.28" Wall</i> Clear Vision Windows: 9PCR00001	1	SJC
16-30-0610		<b>Window, Rear Entry Door, Upper, Bronze Tint</b> black frame	2	SJC
16-35-0040		<i>/-- Window, 19" X 18" Bronze Tint Fixed</i> Clear Vision Windows: 9FMI00052	2	SJC
16-35-0200		<i>/-- Clamp Ring - Window 19" X 18" - 2.28" Wall</i> Clear Vision Windows: 9PCR00001	2	SJC
		REFLECTORS	1	SJC
16-40-0120		1" x 4" Reflector - Red (standard) installed on the lower rear of the streetside and curbside walls just above the rubrail and in the right corners of the rear wall just above the rear riser.  Grote 40132-3	4	SJC
16-40-0590		<b>Delete Compartment Door Reflectors</b>	5	SJC
		MISCELLANEOUS BODY COMPONENTS	1	SJC
		ELECTRICAL FEATURES and COMPONENTS	1	SJC
		12 VOLT POWER COMPONENTS	1	SJC
31-10-0120		12 Volt Load Center Location [J-Box] (Standard)	1	SJC
31-10-0230		<b>12 Volt Elec. System, V-Mux Multi-Plex</b>	1	SJC
31-00-0110		<i>/-- 12 Volt Electrical System, V-MUX Multi-Plex</i>	1	SJC
31-00-1000		<i>/-- V-Mux, Hercules node</i> 6000-0000-04 (115247)	4	SJC
31-00-1060		<i>/-- V-Mux, 120amp Manual Reset Circuit Breaker</i> Weldon #6131-0000-00	4	SJC
31-00-1011		<i>/-- V-Mux, Vista IV Display Front - with Touch</i> Move the VMux to the OEM dash area.  6242-0110-14 (118949)	1	SJC
31-00-1021		<i>/-- V-Mux, Vista IV Display Rear - with Touch</i> Mount on Kydex panel in action area  6241-0110-15 ()	2	SJC
31-00-1030		<i>/-- V-Mux, Temperature Sensor</i> Mount probe in return vent	1	SJC



PART NO	S	DESCRIPTION	QTY	ID
31-00-1040		OR13-0614-00 (115248) <i>/-- V-Mux, Shunt Interface Module</i> OR00-2306-00 (119040) OL40-2355-00 (119039)	1	SJC
31-00-1050		<i>/-- V-Mux, Capacitor for heat A/C thermostat</i> Allied Electronics  Capacitor #507-0025 (116154) Bracket #507-1184 (116155)	1	SJC
31-10-0340		<i>/-- Warning Light Sequencer System - V-Mux</i> part of the VMux programming	1	SJC
31-10-0430		<i>/-- Load Management System, V-Mux</i>	1	SJC
31-15-0140		<i>/-- Driver's Control Console Gauges (V-Mux)</i> Ammeter and voltmeter part of VMux programming.	1	SJC
31-15-0230		<i>/-- Door Open Indicator - V-Mux</i> Part of the V-Mux Vista display	1	SJC
31-10-0510		<b>Power Locks for Module Entry Doors</b> Includes actuator, actuator connector, actuator pigtail, relay connector - one switch installed on CS wall just inside the side entry door, one switch installed on the rear wall just inside the CS rear entry door Includes tie in to OEM cab chassis doors (including Key faubs if chassis is so equipped)	1	SJC
31-10-0530		<b>Power Locks for Compartment Doors</b> Includes actuator, actuator connector, actuator pigtail, relay connector - Use same switch as entry doors	6	SJC
31-10-0560		<b>Remote Power Switch to Activate Cab &amp; Module Door Locks</b> Grill area  Cole Hersee 55065-03 Switch and Cole Hersee rubber boot 81264	1	SJC
31-20-0120		<b>Module Power Disconnect Switch, TST Remote</b> mounted in the J-box and wired to operate with the ignition switch w/ 5 min delay unless indicated otherwise  TST CDR-357	1	SJC
31-20-0300		Battery Charger/Converter, Pre-Wire (Type I) Includes a power and ground lead terminated in the SS#2 compartment - if inverter w/ battery charger is also specified, route wiring to the location specified in the inverter option	1	SJC
31-20-0370		<b>Battery Charger/Converter, Iota 75 Amp</b> Install in lower section of J-Box  Burnstines: Iota DLS-75 with IQ4 auto-switch (106292)	1	SJC
31-25-0100		12 Volt Recepts, Cigarette Lighter Style, Two(2)	1	SJC
31-00-0400		<i>/-- 12 Volt Recepts, Cigarette Lighter Style</i> (1) in the Action Area, (1) in the ALS cabinet unless specified otherwise	2	SJC

PART NO	S	DESCRIPTION	QTY	ID
		SJC #115351		
31-25-0300		Clock, Analog, Battery Operated, Trin-Tec	1	SJC
<b>31-00-0500</b>		<b>/-- Clock, Analog, Battery Operated, Trin-Tec</b> Installed on rear wall CS of rear doors - attached w/ 3M Dual-Loc fasteners - includes AA battery  (115988)	<b>1</b>	<b>SJC</b>
<b>110 VOLT WIRING AND COMPONENTS</b>				
32-10-0100		110 Volt AC Wiring And Components, Type I Electrical system - 120-Volt	1	SJC
<b>32-14-0700</b>		<b>Shoreline, 20A Kussmaul "Super Auto-Eject"</b> Inlet, Cover and Connector: Kussmaul Electronics 091-55-20-120 Interrupter: Internal (107636)	<b>1</b>	<b>SJC</b>
<b>32-22-0120</b>		<b>Shoreline Light, Positron, White on Black Red Back-lit LED</b> wired to operate if the shoreline breaker is set, turns off when tripped  M401005 (116855) 20 AMP M401009 (117346) 30 AMP	<b>1</b>	<b>SJC</b>
32-26-0110		Inverter, Pre-Wire (Standard)	1	SJC
32-26-0115		Refer to Part #31-20-xxxx for Specific Inverter Information	1	SJC
32-30-0100		Recepts, 110V AC Hospital Grade Duplexes	1	SJC
<b>32-00-0100</b>		<b>/-- Recepts, Interior 110V AC Hospital Grade Duplex</b> <b>(1) in Action Area, (1) in Defib. area, (1) in ALS cabinet</b>  Recept: Wesco 8200HLI (115775) Box-Recessed Wesco 9301E (105476) Flush (105534) Cover Wesco SS8 (105510)	<b>3</b>	<b>SJC</b>
<b>INTERIOR LIGHTING and COMPONENTS</b>				
<b>33-10-0170</b>		<b>Dome lights, 9 Diode, Whelen LED Specify QTY</b>	<b>1</b>	<b>SJC</b>
<b>33-00-0130</b>		<b>/-- Dome lights, 9 Diode LED, Whelen</b> Whelen 80C0EHCR	<b>8</b>	<b>SJC</b>
<b>16-50-0110</b>		<b>/-- Backer Plates for Dome llights</b> For 12" tube spacing - DLC012"OC For 16" tube spacing - DLC016"OC	<b>8</b>	<b>SJC</b>
<b>33-10-0380</b>		<b>Timer, 60 Minute w/ Hold Feature</b> Installed in the curbside wall adjacent to the side entry door - see prints.  Wesco FF60MH (116423)	<b>1</b>	<b>SJC</b>
<b>33-10-0650</b>	<b>S</b>	<b>Light, Side Entry Stepwell, (1) Whelen 3" Round</b> installed in the right forward stepwell wall - light housing must be sealed against the treadplate using butyl tape to prevent water intrusion	<b>1</b>	<b>SJC</b>
<b>53-30-0130</b>	<b>S</b>	<b>/-- 3" Round Surface Mount Light</b> Will ONLY come on with Side Entry Door. Will NOT come on with Rear Entry Doors.  Whelen 3SC00CDCR and 3FLANGEC	<b>1</b>	<b>SJC</b>

PART NO	S	DESCRIPTION	QTY	ID
33-10-0730	S	<b>Entry Door LED Warning Lights - Whelen</b> Installed at bottom of entry doors - see prints - lights are to flash whenever the module entry doors are open and battery power is enabled. If this is not a multiplex system, it will also require a wigwag flasher and three (3) 4-prongs relays. Add magnetic switch to left entry door leaf.  WIRE IGNITION HOT	1	SJC
50-00-7220	S	<i>/-- Whelen 2" Flashing - RED</i> TOR00FRR and TGROM2	3	SJC
33-10-0860		<b>Action Area Light, Whelen, 3" Red/White Super LED w/Flange</b>	2	SJC
53-30-0300		<i>/-- 3" Whelen Super LED Red/White Surface Mount</i> Install this in both the front and the rear A/A. Both the white and the red can not be on at the same time. Keep the light close to the A/A wall so wire will not be exposed.  Whelen 3SRCCDCR (118876) and 3FLANGEC	2	SJC
53-30-0310		<i>/-- 3" Whelen Super LED Chrome Flange</i> Whelen 3FLANGEC (118877)	2	SJC
33-10-1010		Spotlight, Handheld, Optronics "BlueEye", 400,000 CP (Std.) Hard wired under the cab console Fasten wire with PClamp at rear of seat base.  Optronics KB4003 (108555)	1	SJC
33-10-2010	S	<b>ALS Cabinet Lights - part of compartment lights</b> EXTERIOR LIGHTING and COMPONENTS	2	SJC
34-10-0400	S	<b>Exterior Lighting Requirements - General</b> All light fixtures to be installed using nylon inserts unless directed otherwise.  On secondary mode; grille, intersection, and center clear warning lights drop off.  Change order fee - Move Curbside rear scene light off the door onto the wall.	1	SJC
		<b>DOT LIGHTING</b>		
34-25-0100		<i>/-- DOT Clearance and Marker Lighting</i>	1	SJC
34-25-0300		<i>/-- DOT Clearance and Marker Lighting (Upper Perimeter Module Walls) - STD</i>	1	SJC
50-00-7000		<i>/-- DOT Clearance and Marker Lighting RED</i> MCL13RB	7	SJC
50-00-7010		<i>/-- DOT Clearance and Marker Lighting AMBER</i> MCL13AB	4	SJC
34-25-0210		<i>/-- Corner Lights Feature , (4) Lower Module Corners</i> Use Micro Plastics round head Nylon inserts for these lights.	1	SJC

PART NO	S	DESCRIPTION	QTY	ID
12-10-0210		<i>/-- Corner Guards, Four (4) ADP w/ Corner Light Cutouts</i>	4	SJC
34-25-0340		<i>/-- Corner Lights - STD</i>	1	SJC
50-00-7000		<i>/-- DOT Clearance and Marker Lighting RED</i> MCL13RB	6	SJC
50-00-7010		<i>/-- DOT Clearance and Marker Lighting AMBER</i> MCL13AB	6	SJC
50-00-6000		<i>/-- Corner Light Bezel</i> Cast LH14702-4	4	SJC
		<b>FRONT MODULE WALL EXTERIOR LIGHTING</b>		
35-12-0165		<i>/-- Lightbar, Front, None Required, 7-Light Pattern, Whel LED Warn. w/f</i>	1	SJC
35-90-0400		<i>/-- Lightbar, Front, None Required</i>	1	SJC
43-10-0165		<i>/-- Warn. Light, Front Passenger Side #1, Whel LED w/f</i>	1	SJC
49-24-2215		<i>/-- Whelen, 7x9, Red, LED Flashing, Clear Lens, w/ flange</i> 90RR5FCR - Flashing/Programmable with Clear lens	1	SJC
50-00-1070		<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only  90FLANGC (115265)	1	SJC
43-12-0165		<i>/-- Warn. Light, Front Passenger Side #2, Whel LED w/f</i>	1	SJC
49-24-2230		<i>/-- Whelen, 7x9, Clear, LED Flashing, Clear Lens, w/ flange</i> 90CC5FCR (115389) - Flashing/Programmable with Clear lens	1	SJC
50-00-1070		<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only  90FLANGC (115265)	1	SJC
43-14-0165		<i>/-- Warn. Light, Front Passenger Side #3, Whel LED w/f</i>	1	SJC
49-24-2215		<i>/-- Whelen, 7x9, Red, LED Flashing, Clear Lens, w/ flange</i> 90RR5FCR - Flashing/Programmable with Clear lens	1	SJC
50-00-1070		<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only  90FLANGC (115265)	1	SJC
43-15-0165		<i>/-- Warn. Light, Front Center, Whel LED w/f</i>	1	SJC
49-24-2230		<i>/-- Whelen, 7x9, Clear, LED Flashing, Clear Lens, w/ flange</i> 90CC5FCR - Flashing/Programmable with Clear lens	1	SJC
50-00-1070		<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only	1	SJC

PART NO S	DESCRIPTION	QTY	ID
	90FLANGC		
43-17-0165 49-24-2215	<i>/-- Warn. Light, Front Driver Side #3, Whel LED w/f /-- Whelen,7x9,Red,LED Flashing, Clear Lens,w/ flange</i> 90RR5FCR - Flashing/Programmable with Clear lens	1 1	SJC SJC
50-00-1070	<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only  90FLANGC (115265)	1	SJC
43-19-0165 49-24-2230	<i>/-- Warn. Light, Front Driver Side #2, Whel LED w/f /-- Whelen,7x9,Clear,LED Flashing, Clear Lens,w/ flange</i> 90CC5FCR (115389) - Flashing/Programmable with Clear lens	1 1	SJC SJC
50-00-1070	<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only  90FLANGC (115265)	1	SJC
43-20-0165 49-24-2215	<i>/-- Warn. Light, Front Driver Side #1, Whel LED w/f /-- Whelen,7x9,Red,LED Flashing, Clear Lens,w/ flange</i> 90RR5FCR - Flashing/Programmable with Clear lens	1 1	SJC SJC
50-00-1070	<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only  90FLANGC (115265)	1	SJC
	<b>REAR MODULE WALL EXTERIOR LIGHTING</b>		
38-41-0615 45-10-0165 49-24-2215	<i>/-- Lightbar, Rear, None Required, Whel LED Warn. w/f /-- Warn. Light, Rear Passenger Side, Whel LED w/f /-- Whelen,7x9,Red,LED Flashing, Clear Lens,w/ flange</i> 90RR5FCR - Flashing/Programmable	1 1 2	SJC SJC SJC
50-00-1070	<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only  90FLANGC (115265)	2	SJC
45-12-0615 49-24-5665	<i>/-- Scene Light, Rear Passenger Side, Whel LED w/f /-- Whelen,7x9,Clear 24 Diode LED,Scene,w/ flange</i> 9SC0ENZR - Super-LED 24 Diode Light	1 1	SJC SJC
50-00-1070	<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only  90FLANGC (115265)	1	SJC

PART NO	S	DESCRIPTION	QTY	ID
45-15-0165		<i>/-- Warn. Light, Rear Center, Whel LED w/f</i>	1	SJC
49-24-2225		<i>/-- Whelen,7x9,Amber,LED Flashing, Clear Lens,w/ flange</i> 90AA5FCR - Flashing/Programmable with Clear lens	1	SJC
50-00-1070		<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only 90FLANGC (115265)	1	SJC
45-17-0615		<i>/-- Scene Light, Rear Driver Side, Whel LED w/f</i>	1	SJC
49-24-5665		<i>/-- Whelen,7x9,Clear 24 Diode LED,Scene,w/ flange</i> 9SC0ENZR - Super-LED 24 Diode Light	1	SJC
50-00-1070		<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only 90FLANGC (115265)	1	SJC
45-20-0165		<i>/-- Warn. Light, Rear Driver Side, Whel LED w/f</i>	1	SJC
49-24-2215		<i>/-- Whelen,7x9,Red,LED Flashing, Clear Lens,w/ flange</i> 90RR5FCR - Flashing/Programmable	2	SJC
50-00-1070		<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only 90FLANGC (115265)	2	SJC
49-24-2215		<i>/-- Whelen,7x9,Red,LED Flashing, Clear Lens,w/ flange</i> 90RR5FCR - Flashing/Programmable with Color lens	2	SJC
50-00-1070		<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only 90FLANGC (115265)	2	SJC
38-89-9010		<i>/-- Warning Lights, Rear, Wire Pair to Brake Light Circuit IATS</i> Thru level lights	1	SJC
45-35-0525		<b>STOP, TAIL, TURN, AND BACKUP LIGHTING</b> <i>/-- T/B/T/BU Lights, Whelen,4x6,LED,dual turns,w/f</i> Includes one (1) pair of brake/tail lights, one (1) pair of turn signals, and one (1) pair of back-up lights mounted on the rear exterior module wall.  Includes one (1) pair of turn signals mounted on the front exterior module wall.	1 1	SJC SJC
49-22-3220		<i>/-- Whelen,4X6,Amber,Turn LED,w/ flange</i> 60A00TAR	4	SJC
50-00-1020		<i>/-- Whelen, 4x6 Chrome Flange</i> 6EFLANGE (107630)	4	SJC

PART NO	S	DESCRIPTION	QTY	ID
50-00-8200		<i>/-- Deutsch water proof connector</i>	4	SJC
49-22-4210		<i>/-- Whelen,4X6,Red,Brake/Tail LED,w/ flange</i> 60R00XRR (115892) - Maximum Intensity	2	SJC
50-00-1020		<i>/-- Whelen, 4x6 Chrome Flange</i> 6EFLANGE (107630)	2	SJC
50-00-8200		<i>/-- Deutsch water proof connector</i>	2	SJC
49-22-5230		<i>/-- Whelen,4X6,Clear,Backup LED Min,w/ flange</i> These will come on when you open up the rear entry doors, activate the rear scene lights or put the unit in reverse. 60C00VCR (112531) - Minimum Intensity	2	SJC
50-00-1020		<i>/-- Whelen, 4x6 Chrome Flange</i> 6EFLANGE (107630)	2	SJC
50-00-8200		<i>/-- Deutsch water proof connector</i>	2	SJC
47-10-0165		<i>/-- Warn. Light, CS Front, Whel LED w/f</i>	1	SJC
49-24-2215		<i>/-- Whelen,7x9,Red,LED Flashing, Clear Lens,w/ flange</i> 90RR5FCR - Flashing/Programmable	1	SJC
50-00-1070		<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only 90FLANGC (115265)	1	SJC
47-20-0615		<i>/-- Scene Light, CS Front, Whel LED w/f</i>	1	SJC
49-24-5665		<i>/-- Whelen,7x9,Clear 24 Diode LED,Scene,w/ flange</i> 9SC0ENZR - Super-LED 24 Diode Light	1	SJC
50-00-1070		<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only 90FLANGC (115265)	1	SJC
47-30-0615		<i>/-- Scene Light, CS Rear, Whel LED w/f</i>	1	SJC
49-24-5665		<i>/-- Whelen,7x9,Clear 24 Diode LED,Scene,w/ flange</i> 9SC0ENZR - Super-LED 24 Diode Light	1	SJC
50-00-1070		<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only 90FLANGC (115265)	1	SJC
47-40-0165		<i>/-- Warn. Light, CS Rear, Whel LED w/f</i>	1	SJC
49-24-2210		<i>/-- Whelen,7x9,Red,LED Flashing, Color Lens,w/ flange</i> 90RR5FRR - Flashing/Programmable	1	SJC
50-00-1070		<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only	1	SJC

PART NO	S	DESCRIPTION	QTY	ID
49-20-2280		90FLANGC /-- Whelen,3x7,Red/Amber,LED Flashing,w/ flange Amber turn signal front half	1	SJC
		70RA6FCR - Flashing/Programmable with Clear lens		
50-00-1000		/-- Whelen, 3x7 Chrome Flange 7EFLANGE (112341)	1	SJC
		<b>STREETSIDE MODULE WALL EXTERIOR LIGHTING</b>		
47-60-0165		/-- Warn. Light, SS Front, Whel LED w/f	1	SJC
49-24-2215		/-- Whelen,7x9,Red,LED Flashing, Clear Lens,w/ flange 90RR5FCR - Flashing/Programmable with Clear lens	1	SJC
50-00-1070		/-- Whelen, 7x9 Chrome Flange for Super-LED This flange is for the Super-LED model only	1	SJC
		90FLANGC (115265)		
47-70-0615		/-- Scene Light, SS Front, Whel LED w/f	1	SJC
49-24-5665		/-- Whelen,7x9,Clear 24 Diode LED,Scene,w/ flange 9SC0ENZR - Super-LED 24 Diode Light	1	SJC
50-00-1070		/-- Whelen, 7x9 Chrome Flange for Super-LED This flange is for the Super-LED model only	1	SJC
		90FLANGC (115265)		
47-80-0615		/-- Scene Light, SS Rear, Whel LED w/f	1	SJC
49-24-5665		/-- Whelen,7x9,Clear 24 Diode LED,Scene,w/ flange 9SC0ENZR - Super-LED 24 Diode Light	1	SJC
50-00-1070		/-- Whelen, 7x9 Chrome Flange for Super-LED This flange is for the Super-LED model only	1	SJC
		90FLANGC (115265)		
47-90-0165		/-- Warn. Light, SS Rear, Whel LED w/f	1	SJC
49-24-2215		/-- Whelen,7x9,Red,LED Flashing, Clear Lens,w/ flange 90RR5FCR - Flashing/Programmable with Clear lens	1	SJC
50-00-1070		/-- Whelen, 7x9 Chrome Flange for Super-LED This flange is for the Super-LED model only	1	SJC
		90FLANGC (115265)		
49-20-2280		/-- Whelen,3x7,Red/Amber,LED Flashing,w/ flange Amber turn signal front half	1	SJC



PART NO	S	DESCRIPTION	QTY	ID
		70RA6FCR - Flashing/Programmable with Clear lens		
50-00-1000		<i>/-- Whelen, 3x7 Chrome Flange</i> 7EFLANGE (112341)	1	SJC
		<b>ARROW LIGHTBARS WARNING LIGHT and HEADLIGHT FLASHERS</b>	1	SJC
53-18-0180		<i>Headlight Flasher, Weldon VMux</i>	1	SJC
		<b>STROBE POWER SUPPLIES AUXILIARY LIGHTING</b>	1	SJC
53-34-0200		<i>Compartment Lights, Whelen Fluorent Tube Lights</i>	1	SJC
53-30-1030		<i>/-- Whelen Fluorent Plus Tube Lights, 36"</i> ALS cabinet, and SS2	5	SJC
		Whelen # F36PC (118879)	4	SJC
53-30-1060		<i>/-- Whelen Fluorent Plus Tube Lights, 63"</i> SS #1 / SS Rear / CS Rear	6	SJC
		Whelen # F63PC (118881)		
		<b>AUDIBLE WARNING DEVICES</b>	1	SJC
55-00-0010		Refer to Chassis Section Above for Correct Siren Speakers	1	SJC
55-10-0100		Back-up Alarm, 97 dBa (Standard) EC520 (115164)	1	SJC
55-12-0130		<i>Siren, Carson SA-441 "Magnum"</i> Install the siren on the OEM dash	1	SJC
		SA44110F (106668)		
		<b>COMMUNICATION PROVISIONS AND EQUIPMENT</b>	1	SJC
55-34-0100		Antenna Base, Coax, Power and Ground Wires (Standard)	1	SJC
55-00-0100		<i>/-- Antenna Base, Coax, Power and Ground Wires</i> RG58U coax with 10 ga. power and ground wires - label the base and coax end ANT#2 - terminate in the Action Area.	1	SJC
		Hutton - Maxrad K-794 (if 17' req'd.) - or - Maxrad KE-794 (if 30' req'd.)		
55-00-0120		<i>/-- Antenna Coax</i>	1	SJC
55-00-0130		<i>/-- Antenna Power and Ground</i>	1	SJC
55-00-0140		<i>/-- Antenna Base</i>	1	SJC
		Hutton - Maxrad K-794 (if 17' req'd.) - or - Maxrad KE-794 (if 30' req'd.)		
55-00-0200		<i>/-- Breaker, 20 AMP</i>	1	SJC
55-36-0110		<i>Antenna Base, Coax(es), Power and Ground Wires IATS</i>	1	SJC
55-00-0100		<i>/-- Antenna Base, Coax, Power and Ground Wires</i> RG58U coax with 10 ga. power and ground wires - label the base and coax end ANT#2 - terminate behind the passenger seat	1	SJC
		Hutton - Maxrad K-794 (if 17' req'd.) - or - Maxrad KE-794 (if 30' req'd.)		

PART NO	S	DESCRIPTION	QTY	ID
55-00-0120		-- Antenna Coax	1	SJC
55-00-0130		-- Antenna Power and Ground	1	SJC
55-00-0140		-- Antenna Base	1	SJC
		Hutton - Maxrad K-794 (if 17' req'd.) - or - Maxrad KE-794 (if 30' req'd.)		
55-00-0200		-- Breaker, 20 AMP	1	SJC
		<b>ENVIRONMENTAL SYSTEMS AND COMPONENTS</b>		
57-10-0110		Heat / AC, Pro Air Ducted Combo System NOTE: before installing the ducts, spray or roll Temp Coat to the bottom side of the roof metal between the center hat section and the first "Z" rails to serve as a thermal break	1	SJC
10-10-0550		-- Insulation Enhancement, Temp-Coat Ceramic Spray Ducted A/C 30 mil coating - spray on area of roof where Heat-A/C ducting will be run	1	SJC
57-00-0210		-- Heat / AC Pro Air #935 12v Ducted Combo System HEAT/AC: Pro Air 935 w/ top discharge Pro Air #50 000 920	1	SJC
57-00-0300		-- Heat / AC Water Valve, Manual On Type I Chassis please mount manual valve and electric/vacuum valve inside A/C -Heat cabinet. Not under vehicle.  On Type III chassis, mount manual valves behind removable panel in streetside #1. Mount electric/vacuum valve in A/C cabinet.  Pro Air 800307 (105858) Manual	1	SJC
57-00-0310		-- Heat / AC Water Valve, Electric Pro Air 63-000-180 (109869) Electric	1	SJC
57-00-0400		-- Heat / AC Duct Adapters SJC 118759 (2) SJC 118758 (3)	8	SJC
57-00-0410		-- Heat / AC Ducted Vents Pro Air 11-000-135	8	SJC
57-00-0420		-- Heat / AC Ducted Vent Retainers Pro Air 11-000-052	8	SJC
57-00-0425		-- Heat / AC Ducted Vent Adapter ACC #14563400A	8	SJC
57-00-0430		-- Heat / AC Rigid Ducting 118755 118756	1	SJC

PART NO S	DESCRIPTION	QTY	ID
57-00-0435	-- Heat / AC Flexible Ducting SJC 105854	1	SJC
57-00-0440	-- Heat / AC Plenum SJC 118757	1	SJC
57-00-0460	-- Heat / AC Face Plate Prodesign 3092233	1	SJC
<b>57-00-0470</b>	<b><i>/-- Heat / AC Pad</i></b> Larry's Upholstery	<b>1</b>	<b>SJC</b>
57-12-0100	-- Heat / AC System Installed Above Walk/Pass-Thru	1	SJC
<b>57-24-0120</b>	<b><i>Exhaust Fan, Delete One Blower and One Intake Vent</i></b> Deletes one (1) of the dual exhaust blowers with clamshell vent - also deletes one (1) of the dual clamshell intake vents from CS front area	<b>1</b>	<b>SJC</b>
<b>57-00-0100</b>	<b><i>/-- Exhaust Fans, 12V Blower</i></b> Detmar 751 (106333)	<b>1</b>	<b>SJC</b>
<b>57-00-0110</b>	<b><i>/-- Cowl Vent - 4" Polished</i></b>	<b>1</b>	<b>SJC</b>
	Attwood #1364A1 (115345)		
<b>57-00-0120</b>	<b><i>/-- Rectangular Vent - 8"x4" Polished</i></b> Cast VC00011 (105578)	<b>1</b>	<b>SJC</b>
	<b>INTERIOR FEATURES and COMPONENTS ENTRY DOOR FINISHES and COMPONENTS</b>		
<b>60-10-0120</b>	<b><i>Entry Doors Liners, Full Length Design</i></b>	<b>1</b>	<b>SJC</b>
<b>60-10-0300</b>	<b><i>/-- Entry Doors, Full Length Liners, Aluminum w/ Multispec Face</i></b> Attach using stainless or black oxide screws w/ finish washers	<b>1</b>	<b>SJC</b>
<b>69-10-2040</b>	<b><i>/-- Multispec Color: Greystone MS99-6072 w/ white background</i></b>	<b>1</b>	<b>SJC</b>
	MS99-6072		
<b>62-10-0150</b>	<b><i>Entry Door Grab Bars, 1.25" S/S, 45° "V" Style</i></b> Backer plates must be installed inside door before sending unit to paint.	<b>3</b>	<b>SJC</b>
	SJC 116526		

PART NO	S	DESCRIPTION	QTY	ID
62-30-0030		Grab Bar, Above Cot, 1.25" x 96" Stainless Steel (STD) all fastening points must fall on roof tubes or backer plates - See print	1	SJC
		<b>CEILING GRAB BARS</b>	1	SJC
68-10-0010		<b>Upholstery, Seamless Vinyl, Solid Color (Standard)</b> solid color seamless	1	SJC
		<b>UPHOLSTERY</b>	1	SJC
68-10-0210		<i>/-- Upholstery Color, Sandstone</i>	1	SJC
68-10-0520		Padded Vinyl Trim (Standard) Vertical and horizontal edges above the monitor/defib and action area	1	SJC
68-10-0600	X	<b>Padded Cushion for Backboard Compt</b>	1	
		<b>FLOOR COVERING</b>	1	SJC
68-20-0200		Flooring, Lon Seal "Lon Plate II", LWB	1	SJC
68-20-0350		<i>/-- Flooring Color, "Lon Plate II", Putty #411</i>	1	SJC
		<b>SILL, SCUFF and COT WHEEL PLATES</b>	1	SJC
68-30-0100		<b>Floor Sill Plates, Brushed Stainless Steel (Standard)</b> #4 polished 20 Gauge stainless steel	1	SJC
		<b>ATTENDANT'S SEAT</b>	1	SJC
69-08-0140		<b>Attendant's Seat, EVS 1882-3 Hi-Back Child Safety w/3PT harness</b> EVS Ltd. #1882-3 (115659)	1	SJC
69-08-1050		<i>/-- Attendant's Seat Base, EVS Swivel 2 Pos</i> EVS SB2	1	SJC
		<b>CABINERY PACKAGES</b>	1	SJC
69-10-0120		Interior Cabinetry, Plywood Commando	1	SJC
69-10-0540		<i>/-- Cabinetry Laminate Color: White Leather #D297060107</i>	1	SJC
		<b>CEILING FINISHING</b>	1	SJC
69-12-0410	S	<i>/-- Headliner, Alucobond</i> smooth w/ White - Approx 3/16" thick	1	SJC
		<b>ELECTRICAL (J-BOX) CONSTRUCTION</b>	1	SJC
69-14-0100		<i>/-- Electrical (J-Box) - Standard Configuration</i>	1	SJC
69-14-0510		<i>/-- Cabinet Below Pass-Thru IATS</i> See prints	1	SJC
		<b>ALS CABINET</b>	1	SJC
69-16-0100		<i>/-- ALS Cabinet - Standard Configuration</i>	1	SJC
69-18-0110		<i>/-- Glove Box Cabinet, Three Hole Design Above Side Entry</i> Use 3/8" thick Plexi - see prints  Use stainless steel position hinge - 3 per window  Hinge from McMaster Carr #1460A1 / SJC #112785	1	SJC
		<b>SQUAD BENCH and COMPONENTS</b>	1	SJC

PART NO	S	DESCRIPTION	QTY	ID
69-22-0100		<p><b>/-- Squad Bench Base, Wood Construction Q</b> Includes seat belts for three seated occupants or one stretcher</p>	1	SJC
69-22-0330		<p><b>/-- Scuff Plate, Mirror S/S, Squad Bench Riser, Isle</b> Requires 3" recessed floor cove feature w/ 13" S/S overlay above with bend to create lip at bottom</p>	1	SJC
69-22-0920		<p><b>/-- Floor Cove, 3" Recessed at Squad Bench Riser</b></p>	1	SJC
69-22-0730		<p><b>/-- Scuff Plate, Mirror S/S, Squad Bench Riser, Front End</b> Full height on front of squad bench</p>	1	SJC
69-22-1100		<p><b>/-- Squad Bench Lid, Single, 3/4" Plywood</b> One (1) seat cushion</p>	1	SJC
69-22-1200		<p><b>/-- Squad Bench Interior, Plywood w/ White Lam</b></p>	1	SJC
69-22-1410		<p><b>/-- Embossed Rubber Liner Under Squad Bench</b> install on floor of storage space under squad bench - adhere rubber w/ Chemrex adhesive  Alert Mfg</p>	1	SJC
69-22-1510		<p><b>/-- Sharps Disposal, Recessed At Head Of Squad Bench IATS</b> Container stored under squad bench lid - accessed via 3-5/8" hole in squad bench lid w/ hinged Red Plexi "tombstone" style cover - see prints Trim hole w/ black plastic cup holder (modified) Requires (1) vinyl Bio-Hazard sticker  LaVanture 78-3DJBLK sticker - EMEDCO #42513V</p>	1	SJC
69-22-1610		<p><b>/-- Trash Disposal, Recessed At Head Of Squad Bench IATS</b> Container stored under squad bench lid - accessed via 6" hole in squad bench lid w/ hinged Red Plexi "tombstone" style cover - see prints Trim hole w/ black plastic trash ring Requires (1) vinyl Bio-Hazard sticker  Outwater Plastics #38BK sticker - EMEDCO #42513V</p>	1	SJC
69-22-1910		<p><b>/-- Portable O2 Storage, Recessed Under Head Of Squad Bench</b> Requires extended side entry step-well area</p>	1	SJC
69-22-0133	X	<p><b>/-- Seat Belt Sleeves</b> Install plastic sleeves on the female seat belts over the squad bench and CPR seat to hold the seat belt against the wall. Same style as the seat belts on the front of the bench. Sleeves are to be long to keep the belts from falling over.</p>	1	
69-26-0110		<p><b>/-- Cabinet Above Squad Bench</b> 8" depth (overall) unless otherwise noted. See Prints. Maximum Height 11 1/4".</p>	1	SJC

PART NO	S	DESCRIPTION	QTY	ID
69-28-0110	S	Hinge from McMaster Carr #1460A1 / SJC #118196 <i>-- (2) Glove Boxes Above Rear Doors IATS</i> See prints	1	SJC
69-30-0110		<b>STREETSIDE CABINERY</b> <i>-- Streetside Cabinetry - Custom Configuration</i> L1 and L5 are to be angled	1 1	SJC SJC
69-34-0130		<i>-- Scuff Plate IATS, Mirror S/S, Lower Streetside Cabinet Wall</i> Installed from CPR seat down with bend to create lip at bottom	1	SJC
69-36-0010		<b>CPR SEAT</b>  -- Refer to Part #14-25-xxxx for CPR Seat Construction Info.	1	SJC
69-36-0150		<i>-- CPR Seat Interior, Plywood w/ White Lam</i>	1	SJC
69-36-0190		-- Embossed Rubber Liner Under CPR Seat installed on floor of storage space only - adhere rubber w/ Chemrex adhesive	1	SJC
69-38-0110		Alert Mfg. <i>-- Cabinet Above CPR Seat</i> See prints. Maximum Height 11 1/4".	1	SJC
69-40-0120		<b>ACTION / MONITOR-DEFIB. AREA COMPONENTS</b> <i>-- Countertop, Action Area, Solid Surface Material</i> Build cabinets with flat counter tops (no lips) - bottom screws in back wall to be lowered and sunk flush so they are hidden by the solid surface top - color to match the action area counter	1 1	SJC SJC
69-40-0620		<i>-- Solid Surface Countertop Color - Aurora</i>	1	SJC
69-40-0220		<i>-- Countertop, Monitor/Defib, Solid Surface Material</i> Build cabinets with flat counter tops (no lips) - bottom screws in back wall to be lowered and sunk flush so they are hidden by the solid surface top - color to match the action area counter	2	SJC
69-46-0110		<i>-- Inside Access to Exterior Compartment IATS</i> See prints for location(s) Compartment at inside/outside access must be full depth.	2	SJC
69-48-0120		<b>CS Rear</b> <b>SHELVES and SHELVING COMPONENTS</b>	1	SJC
69-48-0430		-- Cabinet Shelves, 3/4" Plywood w/ Laminate  -- Cabinet Shelf Track, Unistrut Aluminum Upgrades all interior cabinet shelf tracks - including ALS cabinet	1 1	SJC SJC

PART NO	S	DESCRIPTION	QTY	ID
		Thomas-Austin Channel: #TB9111 Channel nuts: #TB9050		
		<b>DIVIDERS</b>		
		<b>CABINET DOORS/WINDOWS and DRAWERS</b>		
69-52-0100		-- Cabinet Doors/Windows, General (Plywood) See prints.  All Sliding Plexiglas Doors to have stops placed in window track.	1 1 1	SJC SJC SJC
69-54-0850		-- <i>Cabinet Windows(s) Hinged Restocking ILO Sliding Plexiglass</i>	2	SJC
69-58-0100		-- <i>Plexiglas Color, Bronze</i>	1	SJC
69-60-0120		-- <i>Door/Drawer Latch, Southco M1 S/S - Non-Locking</i> see prints	1	SJC
69-57-0110		-- <i>Pull-Out Drawer, IATS</i> See prints for location(s)  (2) drawers in the Pass thru cabinet  LATCH: Southco	2	SJC
69-60-0121	X	<i>Sash Latches for Restocking Cabinets</i> L1 and L7  Ace Hardware - 2 1/4" slide prime / lock #5198528ACE (white) (Need 2 per cabinet)	2	
		<b>MEDICAL SYSTEMS and COMPONENTS</b>		
		<b>OXYGEN SYSTEM and EQUIPMENT</b>		
71-14-0100		On-Board Oxygen Cylinder Bracket, "M" Size (Standard)	1	SJC
71-00-1800		-- <i>On-Board Cylinder Base, "M" Size</i> 115713	1	SJC
71-00-1810		-- <i>On-Board Cylinder Bracket, "M" Size</i> 115712	2	SJC
71-00-1840		-- <i>17" equipment strap</i> 115755	1	SJC
71-00-1850		-- <i>Footman's Loop 3"</i> 105473	2	SJC
71-16-0100		Oxygen Cylinder Wrench (Standard) SJC #105888	1	SJC
71-18-0250	X	<i>Zico Portable O2 Cylinder Storage QR-D-2</i>	2	
71-20-0100		Oxygen Outlets, Ohio Style Quick Disconnect (2 in Action Area)	1	SJC
71-00-1400		-- <i>Oxygen Outlets, Ohio Style Quick Disconnect</i> (2) in Action Area	2	SJC

PART NO	S	DESCRIPTION	QTY	ID
71-00-1010		-- Oxygen / Vacuum / Medical Air Trim Bezel Part of complete assembly	2	SJC
<b>71-22-0110</b>		<b>Oxygen Outlets, Ohio Style Quick Disconnect IATS</b>	<b>2</b>	<b>SJC</b>
<b>71-00-1400</b>		<b> -- Oxygen Outlets, Ohio Style Quick Disconnect (1) above the squad bench, and in the ceiling</b>	<b>2</b>	<b>SJC</b>
<b>71-00-1010</b>		<b> -- Oxygen / Vacuum / Medical Air Trim Bezel</b> Part of complete assembly	<b>2</b>	<b>SJC</b>
<b>71-24-0140</b>		<b>Oxygen System Monitor Only - V-Mux Vista IV Display</b>	<b>1</b>	<b>SJC</b>
<b>71-00-1220</b>		<b> -- Oxygen Regulator with Transducer</b> Air Liquide (1) Z-MB13540T O2 regulator (1) #Z-TH900H17-5 harness	<b>1</b>	<b>SJC</b>
		<b>MEDICAL AIR SYSTEM and EQUIPMENT</b>	<b>1</b>	<b>SJC</b>
		<b>VACUUM SYSTEM and EQUIPMENT</b>	<b>1</b>	<b>SJC</b>
71-50-0100		Vacuum System, On-Board w/Ohio Style Outlet	1	SJC
<b>71-52-0100</b>		<b> -- Vacuum Outlet, (1) Ohio Style in Action Area</b>	<b>1</b>	<b>SJC</b>
<b>71-00-1600</b>		<b> -- Vacuum Outlet, Ohio Style</b>	<b>1</b>	<b>SJC</b>
<b>71-00-1010</b>		<b> -- Oxygen / Vacuum / Medical Air Trim Bezel</b> Part of complete assembly	<b>1</b>	<b>SJC</b>
<b>71-54-0110</b>		<b> -- Vacuum Pump, Gast (Standard Types I and III)</b> Installed in SS#2 w/ ADP guard unless specified otherwise	<b>1</b>	<b>SJC</b>
<b>71-00-1550</b>		<b> -- Vacuum Pump, Gast</b> #22D11801011066 (112927)	<b>1</b>	<b>SJC</b>
<b>71-56-0100</b>		<b> -- Vacuum, Aspirator, RICO RS4X Disposable</b> Rico 1001B (106315)	<b>1</b>	<b>SJC</b>
		<b>IV SYSTEM and EQUIPMENT</b>	<b>1</b>	<b>SJC</b>
73-10-0100		IV Hangers, Cast Products Recessed in Ceiling	1	SJC
71-00-0100		-- IV Hangers, Cast Products Recessed in Ceiling Cast Products #IV2008-1 (113850)	2	SJC
16-50-0130		-- Backer Plates for Recessed IV Hangers	2	SJC
		<b>BIO-WASTE CONTAINERS</b>	<b>1</b>	<b>SJC</b>
		<b>COT AND STRETCHER EQUIPMENT</b>	<b>1</b>	<b>SJC</b>
		<b>PRIMARY COTS</b>	<b>1</b>	<b>SJC</b>
		<b>COT FASTENERS</b>	<b>1</b>	<b>SJC</b>
79-14-0100		-- Cot Fastener, Ferno-Washington 175-4 Dual Position	1	SJC
<b>79-16-0100</b>		<b> -- Cot Plates/Mounts, Install After Unit is Sold (demos only)</b> Do not cut mounting holes in the floor or flooring - Installation instructions to be provided at time of install	<b>1</b>	<b>SJC</b>
<b>68-20-5000</b>		<b> -- Flooring, Do NOT Cut Holes for Cot Mounts (PN)</b> Holes are to be cut for cot mounts after the unit is sold	<b>1</b>	<b>SJC</b>
		<b>STRETCHERS and EQUIPMENT</b>	<b>1</b>	<b>SJC</b>
		<b>DECALS and LETTERING</b>	<b>1</b>	<b>SJC</b>



PART NO	S	DESCRIPTION	QTY	ID
<b>80-10-0130</b>		<b>Decals, K-Spec Lettering, Delete</b> Deletes: (1) 4" mirror image AMBULANCE, (3) 6" AMBULANCE	1 1	SJC SJC
<b>80-12-0140</b>		<b>STAR-OF-LIFE DECALS</b> <b>Decals, Star-of-Life Package, Delete All</b>	1 1	SJC SJC
80-18-0500		<b>CUSTOM DECALS</b> Decals, "Marque" Logo Install... one on each fender, one on passenger rear - lower area one in Action Area one on curbside wall by side entry door	1	SJC
	S	<b>CUSTOM LETTERING</b> Grayson to Install Marque Demo Decal Package	1	SJC
<b>82-70-1600</b>	S	<b>DECAL STRIPING</b> <b>Decals, Striping, 2" Wide Tape</b> Reflective Safety tape on the flip up bumper to match the color of the Marque Decal Package	1 1	SJC SJC
<b>82-70-1601</b>	X	<b>Install the Marque Demo Decal Package</b>	1	
<b>82-70-4800</b>	S	<b>Decals, Striping, 6" Wide Tape - Compartment door Liners</b> 6" reflective red/clear - install about 6" up from the bottom of the door on the door liners.  Grayson	6	SJC
<b>84-10-0000</b>	X	<b>PAINT</b> <b>MODULE PAINT</b> <b>NEW 3M 8115 Panel Adhesive for Module</b> Paint, Module, PPG - White (Standard) Wheels remain OEM color	1 1 1	SJC SJC SJC
<b>90-10-0100</b>		<b>CHASSIS PAINT</b> <b>PAINT STRIPING</b> <b>MISCELLANEOUS EQUIPMENT and COMPONENTS</b> <b>Stretcher Strap, Exterior Compartment (Standard)</b> Installed in CS-rear compartment forward of the divider in the lower section centered - nylon web strap w/ seat belt clip/buckle and two (2) footmans loops	1 1 1 1	SJC SJC SJC SJC
90-14-0100		Interior Safety Signs (Standard) Two (2) NO SMOKING-OXYGEN EQUIPPED and two (2) FASTEN SEAT BELTS signs, one (1) each in the cab and in the patient compartment, 110V for each 110V outlet, cleaning sticker in Action Area, "Authorized Service Only" sticker in J Box.	1	SJC
90-22-0100		Owner's Manual / Equipment Packet / OEM Manual	1	SJC
90-24-0100		Fuel Surcharge	1	SJC