



# MARQUE

Vision Comes to Life

## QUOTATION

Reliable Emergency Vehicles, Inc  
1-800-460-VALU

Quote No: 10010-0001

02/04/2013

Page 1

DESCRIPTION
<b>== Type I Model 148 Recruit - 1.000 01/03/13 ==</b>
<b>AMBULANCE CONVERSION</b>
Conversion, Type I, Model 148 Recruit
Conversion, Type I, Headroom, 68" (Standard)
Conversion, Type I, Body Width, 93" (Standard)
Conversion, Type I, Body Length, 148" (Standard)
<b>CHASSIS</b>
Chassis, 2013 Ford F-350SD XLT, 4x2, 165" WB, Diesel
Ford Chassis Standard Warranty - 3 Years/36,000 Miles
<b>CHASSIS COMPONENTS AND ACCESSORIES</b>
OEM Supplied - Jack w/handle
OEM Supplied - Lug Wrench
Running Boards, One (1) Pair ADP (Type I)
OEM Mirrors STD
Suspension, Rear Air Ride, Liquid Springs System
Suspension, Rear Air Ride, Installed Prior to Body Mounting
Front End Alignment, Chassis Pre-Delivery w/Printed Report
Rubberized Vinyl Cab Flooring STD
Spare Tire, Installed
Wheel Sims - Phoenix 17", Set of Four (4) Ford
Air Fill Extensions, Rear Tires, Phoenix "Air Max"
<b>MODULE CONSTRUCTION</b>
Roof Construction, 4X2 formed channel @ 12" oc (Standard)
Wall Construction, 1x2's @ 16" o.c. (Type I)
Pass-Thru, Type I (Standard)
Floor Construction, (Standard)
Body-to-Chassis Mounting, Type I (Standard)
<b>UNDERCOATING and INSULATION</b>

**DESCRIPTION**

Undercoating, Underside of Module Floor (Standard)  
 Insulation, Walls and Ceiling, R11 Fiberglass Batt (Standard)  
 Insulation, Entry Doors, 1.875" Plank Foam  
 Insulation Enhancement, Temp-Coat Ceramic Spray Ducted A/C  
 No Sound Insulation Required in Wheel Well Area

**EXTERIOR BODY TRIM and ACCESSORIES**

Drip Rail Trim Mouldings Over Door Openings (Standard)  
 Stone Guards, ADP, Front Wall (Standard)  
 Corner Guards, Four (4) ADP w/ Corner Light Cutouts  
 Rub Rails, Skirt Line, One (1) Set ADP  
 Fenderettes, One (1) Pair Rubber  
 Fuel Fill Bezel, Cast Aluminum (Standard)  
 Rear Bumper Assembly, Kick-Up w/ Gas Struts  
 Rear Riser, ADP (Standard)  
 License Plate Bracket, Recessed (Standard)  
 Mudflaps, Front, Included with Running Boards  
 Mudflaps, Rear, One (1) Pair Rubber, w/Logo  
 DEF/Urea Tank Fill Bezel

**COMPARTMENT CONSTRUCTION and COMPONENTS**

Streetside-Front Compartment (#1), ADP, 1" Dished Floor (Std.)  
 Streetside #2 Compartment, ADP, Sweep Out (Std.)  
 Streetside-Rear Compartment (#4), ADP, 2" Dished Floor (Type I Std.)  
 Curbside-Rear Compartment (#5), ADP, 4" Dished Floor (Std.)  
 Side Entry Stepwell, Type I, ADP (Standard)  
 ALS Compartment Door (#8)  
 Vertical Divider, Fixed ADP in SS#1 Compartment (Standard)  
 Adjustable Shelf in SS#2 (Standard)  
 Compartment Adjustable Shelf Tracks, Unistrut  
 Plastic Tiles on Compartment Shelves & Floors  
 Plastic Tile Color - Black (STD)

**MODULE DOOR CONSTRUCTION and COMPONENTS**

Trimark, Chrome Exterior, Paddle Style, Locking  
 Trimark, Chrome Exterior, Paddle Style, Locking  
 Trimark, Chrome Exterior, Paddle Style, Locking  
 Trimark, Black (Chrome Handle) Interior, Automotive Style, Locking  
 Trimark, Black (Chrome Handle) Interior, Automotive Style, Locking  
 Trimark, Black (Chrome Handle) Interior, Automotive Style, Non-Locking  
 Extruded/Pan Formed Hybrid Doors (Standard)  
 Electrical Feed to All Doors - Curly Cord  
 Compartment and Entry Door Latching Hardware (Standard)  
 Compartment Door Handles, Trimark, Paddle Style (Chrome)  
 Compartment Door Latch Adjustment Access Ports  
 Curbside Entry Door  
 Curbside Entry Door Handles, Tri-Mark (Chrome Exterior)  
 Curbside Entry Door Closer - Gas Strut  
 Rear Entry Doors  
 Rear Entry Door Handles, Tri-Mark (Chrome Exterior)  
 Rear Entry Doors, Cast Grabber Door Checks

**DESCRIPTION**

Entry Doors, Latch Adjustment Access Ports IATS  
Emergency Exit Latches Required

**WINDOWS**

Window, Side Entry Door, Upper, Dark Tint  
Window, Rear Entry Door, Upper, Dark Tint

Window, 19" X 18" Dark Tint Slider  
Window, 19" X 18" Dark Tint Fixed  
Clamp Ring - Window 19" X 18" - 2.28" Wall  
Clamp Ring - Window 19" X 18" - 2.28" Wall

**REFLECTORS**

1" x 4" Reflector - Red (standard)  
3" round reflector - Red

3" round reflector - Red  
Compartment Door Reflectors

**MISCELLANEOUS BODY COMPONENTS****ELECTRICAL FEATURES and COMPONENTS**

12 Volt Electrical System, Excel  
12 Volt Recepts, Cigarette Lighter Style  
Clock, Analog, Battery Operated, Trin-Tec

**12 VOLT POWER COMPONENTS**

Idle Control, OEM Electronic Throttle (Standard)  
12 Volt Load Center Location [J-Box] (Standard)  
12 Volt Electrical System, Excel  
Warning Light Sequencer System Excel  
Driver's Control Console Gauges FirstTronics  
Module Power Disconnect Switch, TST Remote  
Battery Charger/Converter, Pre-Wire (Type I)  
12 Volt Recepts, Cigarette Lighter Style, Two(2)  
Clock, Analog, Battery Operated, Trin-Tec

**110/220 VOLT WIRING AND COMPONENTS**

Recepts, Interior 110V AC Hospital Grade Duplex  
Shoreline Inlet, 20A Straight Blade - Levitron  
110 Volt AC Wiring And Components  
Shoreline, 20A Straight Blade, Levitron  
Shoreline, Delay/Interrupter, Kussmaul Dynamic Disconnect  
Inverter, Pre-Wire (Standard)  
Refer to Part #31-20-xxxx for Specific Inverter Information  
Recepts, 110V AC Hospital Grade Duplexes

**INTERIOR LIGHTING and COMPONENTS**

Dome lights, Dual Filament Incandescent

DESCRIPTION
Dome lights, Dual Filament Incandescent, Eight (8)
Dome Lights, Streetside Activate on Opening of Entry Doors
Entry Door Reflectors
Action Area Light, Liteco 8" Slimline Incandescent
Spotlight, Handheld, Optronics "BlueEye", 400,000 CP (Std.)
ALS Cabinet Lights, Rectangular Surface Mount Dual Bulb Incandescent
<b>EXTERIOR LIGHTING and COMPONENTS</b>
<b>DOT LIGHTING</b>
DOT Clearance and Marker Lighting
Corner Lights Feature , (4) Lower Module Corners
DOT Clearance and Marker Lighting (Upper Perimeter Module Walls) - STD
Corner Lights - STD
<b>FRONT MODULE WALL EXTERIOR LIGHTING</b>
Lightbar, Front, None Required, Whel Hal Warn.
Lightbar, Front, None Required
Cab/Chassis Lighting Package, Ford F350
Warn. Light, Grille, Pass. Side, Whel 500 LED Warn. Ford F, Cast
Warn. Light, Grille, Driver Side, Whel 500 LED Warn. Ford F, Cast
Warn. Light, Inters., Pass Side, Whel 500 LED Warn. w/o
Warn. Light, Inters., Driver Side, Whel 500 LED Warn. w/o
<b>REAR MODULE WALL EXTERIOR LIGHTING</b>
Lightbar, Rear, None Required, Whel Hal Warn.
<b>ARROW LIGHTBARS</b>
Rear Scene Lights, Activate on Opening of Rear Entry Doors
Rear Scene Lights, Activate on Reverse Gear
Warn. Light, Front Passenger Side #1, Whel Hal
Warn. Light, Front Center, Whel Hal
Warn. Light, Front Driver Side #1, Whel Hal
Warn. Light, Rear Passenger Side, Whel Hal
Scene Light, Rear Passenger Side, Whel
Warn. Light, Rear Center, Whel Hal
Scene Light, Rear Driver Side, Whel
Warn. Light, Rear Driver Side, Whel Hal
<b>STOP, TAIL, TURN, AND BACKUP LIGHTING</b>
T/B/T/BU Lights, Whelen,4x6,Incand.,single turns,w/f
<b>CURBSIDE MODULE WALL EXTERIOR LIGHTING</b>
Warn. Light, CS Front, Whel Hal
Scene Light, CS Front, Whel
Scene Light, CS Rear, Whel
Warn. Light, CS Rear, Whel Hal
CS Scene Lights, Activate on Opening of Entry Door

**DESCRIPTION****STREETSIDE MODULE WALL EXTERIOR LIGHTING**

Warn. Light, SS Front, Whel Hal  
 Scene Light, SS Front, Whel  
 Scene Light, SS Rear, Whel  
 Warn. Light, SS Rear, Whel Hal  
 SS Scene Lights, Do NOT Activate on Opening of SS Compartment Doors  
 Side Wall Scene Lights, Do Not Activate on Reverse Gear

Whelen,4X6,Amber,Turn,w/ flange  
 Whelen,4X6,Red,Brake/Tail,w/ flange  
 Whelen,4X6,Clear,Backup,w/ flange  
 Whelen,7x9,Red,Halogen,w/o flange  
 Whelen,7x9,Red,Halogen,w/o flange  
 Whelen,7x9,Red,Halogen,w/o flange  
 Whelen,7x9,Red,Halogen,w/o flange  
 Whelen,7x9,Red,Halogen,w/o flange  
 Whelen,7x9,Red,Halogen,w/o flange  
 Whelen,7x9,Red,Halogen,w/o flange  
 Whelen,7x9,Red,Halogen,w/o flange  
 Whelen,7x9,Red,Halogen,w/o flange  
 Whelen,7x9,Amber,Halogen,w/o flange  
 Whelen,7x9,Clear,Halogen,w/o flange  
 Whelen,7x9,Clear,Scene,w/o flange  
 Whelen,7x9,Clear,Scene,w/o flange  
 Whelen,7x9,Clear,Scene,w/o flange  
 Whelen,7x9,Clear,Scene,w/o flange  
 Whelen,7x9,Clear,Scene,w/o flange  
 Whelen, 500 TIR6, Red, LED, Color Lens w/o flange  
 Whelen, 500 TIR6, Red, LED, Color Lens w/o flange  
 Whelen, 500 TIR6, Red, LED, Color Lens w/o flange  
 Whelen, 500 TIR6, Red, LED, Color Lens w/o flange  
 Whelen, 4x6 Chrome Flange  
 Whelen, 4x6 Chrome Flange  
 Whelen, 4x6 Chrome Flange  
 Grille Bezel, Cast, F-Series Ford, Pass. Side  
 Grille Bezel, Cast, F-Series Ford, Driver Side  
 Intersection Bezel, Whelen, F350  
 Intersection Bezel, Whelen, F350  
 Corner Light Bezel

DOT Clearance and Marker Lighting RED  
 DOT Clearance and Marker Lighting RED  
 DOT Clearance and Marker Lighting AMBER  
 DOT Clearance and Marker Lighting AMBER  
 License Plate Light, LED  
 Deutsch water proof connector  
 Deutsch water proof connector  
 Deutsch water proof connector  
 Deutsch water proof connector  
 Deutsch water proof connector  
 Deutsch water proof connector  
 Deutsch water proof connector

**WARNING LIGHT and HEADLIGHT FLASHERS**

**DESCRIPTION**

I-Warning Light Flasher, Vanner 9860GCPE (Standard))  
Warning Light Flash Pattern, K-Spec

**STROBE POWER SUPPLIES****AUXILIARY LIGHTING**

4" Recessed Incandescent  
Rectangular Dual Bulb Incandescent w/Clear Lens  
Compartment Lights, 4" Recessed Incandescent

**AUDIBLE WARNING DEVICES**

Refer to Chassis Section Above for Correct Siren Speakers  
Antenna Base, Coax, Power and Ground Wires  
Antenna Coax  
Antenna Power and Ground  
Antenna Base  
Breaker, 20 AMP  
Back-up Alarm, 97 dBa (Standard)  
Siren, Whelen 295HFSA7  
Siren Speakers, Ford F-Series

**COMMUNICATION PROVISIONS AND EQUIPMENT**

Antenna Base, Coax, Power and Ground Wires (Standard)

**ENVIRONMENTAL SYSTEMS AND COMPONENTS**

Exhaust Fans, 12V Blower  
Cowl Vent - 4" Polished  
Rectangular Vent - 8"x4" Polished  
Heat / AC Pro Air #935 12v Ducted Combo System  
Heat / AC Water Valve, Manual  
Heat / AC Water Valve, Electric  
Heat / AC Duct Adapters  
Heat / AC Ducted Vents  
Heat / AC Ducted Vent Retainers  
Heat / AC Ducted Vent Adapter  
Heat / AC Rigid Ducting  
Heat / AC Flexible Ducting  
Heat / AC Plenum  
Heat / AC Face Plate  
Heat / AC Pad  
Heat / AC, Pro Air Ducted Combo System  
Heat / AC System Installed Above Walk/Pass-Thru  
Booster Pump - 12V Ford F Series  
Thermostat, Pro Air (Standard)  
Exhaust Fans, Dual 12V Blowers (Standard)  
AC Controller

**DESCRIPTION****INTERIOR FEATURES and COMPONENTS****ENTRY DOOR FINISHES and COMPONENTS**

Entry Doors Liners, 2-Piece Split Design  
 Entry Doors, Upper Liners, Aluminum w/ Multispec Face  
 Entry Doors, Kick Plates, ADP (Standard)  
 -- Select Multispec Color for Entry Door Liners (REQUIRED)  
 Entry Door Grab Bars, 1.25" x 12" S/S Straight Bar

**CEILING GRAB BARS**

Grab Bar, Above Cot, 1.25" x 96" Stainless Steel (STD)

**UPHOLSTERY**

Upholstery, Seamless Vinyl, Solid Color (Standard)  
 -- Select Vinyl Color (REQUIRED) --  
 Padded Vinyl Trim (Standard)

**FLOOR COVERING**

Flooring, Lon Seal "Lon Plate II" , SWB  
 -- Select Flooring Color (REQUIRED) --

**SILL, SCUFF and COT WHEEL PLATES**

Floor Sill Plates, Brushed Stainless Steel (Standard)

Console, Cab, MultiSpec Aluminum  
 -- Select Multispec Color for Console (REQUIRED)

**ATTENDANT'S SEAT**

Attendant's Seat, EVS 1752 Seamless 6 Degree Back  
 Attendant's Seat Base, EVS Swivel Pedestal

**CABINERY PACKAGES**

Interior Cabinetry, Plywood Recruit  
 -- Select Cabinet Laminate Color (REQUIRED) --

**CEILING FINISHING**

Headliner, Patient Compartment, Wood Backed Plastic

**ELECTRICAL (J-BOX) CONSTRUCTION**

Electrical (J-Box) - Standard Configuration

**ALS CABINET**

ALS Cabinet - Standard Configuration

**DESCRIPTION****SQUAD BENCH and COMPONENTS**

Squad Bench Base, Wood Construction Q  
 Floor Cove, Full Height at Squad Bench Riser  
 Squad Bench Lid, Single, 3/4" Plywood  
 Squad Bench Interior, Plywood w/ White Lam  
 Embossed Rubber Liner Under Squad Bench

**STREETSIDE CABINETY**

Streetside Cabinetry - Standard Configuration

**CPR SEAT**

Refer to Part #14-25-xxxx for CPR Seat Construction Info.  
 CPR Seat w/ Fixed Backrest and Hinged Seat  
 CPR Seat Interior, Plywood w/ White Lam  
 Embossed Rubber Liner Under CPR Seat

**ACTION / MONITOR-DEFIB. AREA COMPONENTS**

Countertop, Action Area, Gray ABS  
 Countertop, Monitor/Defib, Gray ABS

**SHELVES and SHELVING COMPONENTS**

Cabinet Shelves, 3/4" Plywood w/ Laminate  
 Cabinet Shelf Track, Unistrut Aluminum

**DIVIDERS****CABINET DOORS/WINDOWS and DRAWERS**

Cabinet Doors/Windows, General (Plywood)  
 Plexiglas Color, Clear

Door/Drawer Latch, Southco Flush Pull

**MEDICAL SYSTEMS and COMPONENTS**

IV Hangers, Cast Products Recessed in Ceiling  
 Oxygen Outlets, Ohio Style Quick Disconnect  
 Vacuum Pump, Gast  
 Vacuum Outlet, Ohio Style

**OXYGEN SYSTEM and EQUIPMENT**

Oxygen System - General  
 On-Board Oxygen Cylinder Bracket, "M" Size (Standard)  
 Oxygen Cylinder Wrench (Standard)  
 Oxygen Outlets, Ohio Style Quick Disconnect (2 in Action Area)

**MEDICAL AIR SYSTEM and EQUIPMENT**



**DESCRIPTION****VACUUM SYSTEM and EQUIPMENT**

Vacuum System, On-Board w/Ohio Style Outlet  
 Vacuum Outlet, (1) Ohio Style in Action Area  
 Vacuum Pump, Gast (Standard Types I and III)  
 Vacuum, Aspirator, RICO RS4X Disposable

**IV SYSTEM and EQUIPMENT**

IV Hangers, Cast Products Recessed in Ceiling

**BIO-WASTE CONTAINERS****COT AND STRETCHER EQUIPMENT****PRIMARY COTS****COT FASTENERS**

Cot Fastener, Ferno-Washington 175-4 Dual Position  
 ---Specify Cot Mount Location Based on Cot Chosen

**STRETCHERS and EQUIPMENT****DECALS and LETTERING****K-SPEC LETTERING**

Decals, K-Spec Lettering (Shipped Loose)

**STAR-OF-LIFE DECALS**

Decals, Star-of-Life Package (Shipped Loose)

**CUSTOM DECALS**

Decals, "Marque" Logo

**CUSTOM LETTERING****DECAL STRIPING****CHEVRON STRIPING - ON REAR OF UNIT**

No Chevron Striping Decals Required

<b>DESCRIPTION</b>
<b>CHEVRON STRIPING - INTERIOR ENTRY DOOR</b>
No Interior Entry Door Chevron Striping Decals Required
<b>PAINT</b>
<b>MODULE PAINT</b>
Paint, Module, PPG - White (Standard)
<b>CHASSIS PAINT</b>
<b>PAINT STRIPING</b>
<b>MISCELLANEOUS EQUIPMENT and COMPONENTS</b>
Interior Safety Signs (Standard)
Air Ride Suspension Safety Sign (Standard)
Owner's Manual / Equipment Packet / OEM Manual
Fuel Surcharge
<b>WARRANTIES</b>
Warranty, Ambulance Module Structure, Twenty (20) Years
Warranty, Ambulance Conversion Electrical, Ten (10) Years/100,000 miles
Warranty, Ambulance General Conversion, Three (3) Years/36,000 miles
Warranty, Modular Body Paint, Seven (7) Years