



Reliable Emergency Vehicles, Inc 1-800-460-VALU	
Quote No: 10009-0001 02/04/2013	Page 1
DESC == Type III Model 148 Recruit - 1.000 01/03/13 ==	RIPTION
AMBULANC	E CONVERSION
Conversion, Type III, Model 148 Recruit Conversion, Specify Headroom Height (REQUIRED) Conversion, Specify Body Width (REQUIRED) Conversion, Specify Body Length (REQUIRED)	
СН	ASSIS
Chassis, 2013 Ford E-350SD Cutaway 138" WB Gas Ford Chassis Standard Warranty - 3 Years/36,000 Miles CHASSIS COMPONE	NTS AND ACCESSORIES
Running Boards, One (1) Pair ADP (Type III) Secondary Ford Alternator 160 AMP Required OEM Mirrors STD Front End Alignment, Chassis Pre-Delivery w/Printed Report Rubberized Vinyl Cab Flooring STD Spare Tire, Installed Wheel Sims - Phoenix 16", Set of Four (4) Ford Air Fill Extensions, Rear Tires, Phoenix "Air Max"	
MODULE CO	DNSTRUCTION
Roof Construction, 4X2 formed channel @ 12" oc (Standard) Wall Construction, 1x2's @ 16" o.c. (Type III) Walk-Thru, Type III, Sliding Door w/ Fixed Plexi Window Floor Construction, (Standard) Body-to-Chassis Mounting, Type III (Standard)	
UNDERCOATIN	G and INSULATION
Undercoating, Underside of Module Floor (Standard) Insulation, Walls and Ceiling, R11 Fiberglass Batt (Standard) Insulation, Entry Doors, 1.875" Plank Foam	

### DESCRIPTION

Insulation Enhancement, Temp-Coat Ceramic Spray Ducted A/C No Sound Insulation Required in Wheel Well Area

## **EXTERIOR BODY TRIM and ACCESSORIES**

Drip Rail Trim Mouldings Over Door Openings (Standard) Stone Guards, ADP, Front Wall (Standard) Corner Guards, Four (4) ADP w/ Corner Light Cutouts Rub Rails, Skirt Line, One (1) Set ADP Fenderettes, One (1) Pair Rubber Fuel Fill Bezel, Cast Aluminum (Standard) Rear Bumper Assembly, Kick-Up w/ Gas Struts Rear Riser, ADP (Standard) License Plate Bracket, Recessed (Standard) Mudflaps, Front, Included with Running Boards Mudflaps, Rear, One (1) Pair Rubber, w/Logo

# **COMPARTMENT CONSTRUCTION and COMPONENTS**

Streetside-Front Compartment (#1), ADP, 1" Dished Floor (Std.) Streetside #2 Compartment, ADP, Sweep Out (Std.) Streetside-Rear Compartment (#4), ADP, 6" Dished Floor (Type III Std.) Curbside-Rear Compartment (#5), ADP, 1" Dished Floor (Std.) Side Entry Stepwell, Type III, ADP (Standard) ALS Compartment Door (#8) Compartment, Curbside (#9), for Battery Storage Vertical Divider, Fixed ADP in SS#1 Compartment (Standard) Adjustable Shelf in SS#2 (Standard) Compartment Adjustable Shelf Tracks, Unistrut Slide-Out Tray, Floor Mount in Curbside Battery Compartment Plastic Tiles on Compartment Shelves & Floors Plastic Tile Color - Black (STD)

# MODULE DOOR CONSTRUCTION and COMPONENTS

Trimark, Chrome Exterior, Paddle Style, Locking Trimark, Chrome Exterior, Paddle Style, Locking Trimark, Chrome Exterior, Paddle Style, Locking Trimark, Black (Chrome Handle) Interior, Automotive Style, Locking Trimark, Black (Chrome Handle) Interior, Automotive Style, Locking Trimark, Black (Chrome Handle) Interior, Automotive Style, Non-Locking Extruded/Pan Formed Hybrid Doors (Standard) Electrical Feed to All Doors - Curly Cord Compartment and Entry Door Latching Hardware (Standard) Compartment Door Handles, Trimark, Paddle Style (Chrome) Compartment Door Latch Adjustment Access Ports **Curbside Entry Door** Curbside Entry Door Handles, Tri-Mark (Chrome Exterior) Curbside Entry Door Closer - Gas Strut **Rear Entry Doors** Rear Entry Door Handles, Tri-Mark (Chrome Exterior) Rear Entry Doors, Cast Grabber Door Checks

Page 2

WINDOWS

02/04/20
----------

#### DESCRIPTION

Window, Side Entry Door, Upper, Dark Tint Window, Rear Entry Door, Upper, Dark Tint

Window, 19" X 18" Dark Tint Slider Window, 19" X 18" Dark Tint Fixed Clamp Ring - Window 19" X 18" - 2.28" Wall Clamp Ring - Window 19" X 18" - 2.28" Wall

#### REFLECTORS

1" x 4" Reflector - Red (standard) 3" round reflector - Red

3" round reflector - Red Compartment Door Reflectors

### MISCELLANEOUS BODY COMPONENTS

#### **ELECTRICAL FEATURES and COMPONENTS**

12 Volt Electrical System, Excel 12 Volt Recepts, Cigarette Lighter Style Clock, Analog, Battery Operated, Trin-Tec

#### **12 VOLT POWER COMPONENTS**

Idle Control, Electronic Throttle 12 Volt Load Center Location [J-Box] (Standard) 12 Volt Electrical System, Excel Warning Light Sequencer System Excel Driver's Control Console Gauges FirstTronics Module Power Disconnect Switch, TST Remote Battery Charger/Converter, Pre-Wire (Type III) 12 Volt Recepts, Cigarette Lighter Style, Two(2) Clock, Analog, Battery Operated, Trin-Tec

#### 110/220 VOLT WIRING AND COMPONENTS

Recepts, Interior 110V AC Hospital Grade Duplex Shoreline Inlet, 20A Straight Blade - Levitron 110 Volt AC Wiring And Components Shoreline, 20A Straight Blade, Levitron Shoreline, Delay/Interrupter, Kussmaul Dynamic Disconnect Inverter, Pre-Wire (Standard) Refer to Part #31-20-xxxx for Specific Inverter Information Recepts, 110V AC Hospital Grade Duplexes

# **INTERIOR LIGHTING and COMPONENTS**

Dome lights, Dual Filament Incandescent Dome lights, Dual Filament Incandescent, Eight (8) Dome Lights, Streetside Activate on Opening of Entry Doors Entry Door Reflectors Action Area Light, Liteco 8" Slimline Incandescent Page 3

2/04/2013 Page 4
DESCRIPTION
Spotlight, Handheld, Optronics "BlueEye", 400,000 CP (Std.)
Spotlight Mounting Location (Required)
Spotlight Mounting Location, Hardwire under passanger seat
ALS Cabinet Lights, Rectagular Surface Mount Dual Bulb Incandescent
EXTERIOR LIGHTING and COMPONENTS
DOT LIGHTING
DOT Clearance and Marker Lighting
Corner Lights Feature , (4) Lower Module Corners
DOT Clearance and Marker Lighting (Upper Perimeter Module Walls) - STD
Corner Lights - STD
FRONT MODULE WALL EXTERIOR LIGHTING
ightbar, Front, None Required, Whel Hal Warn.
ighthar Front None Required
Lightbar, Front, None Required Cab/Chassis Lighting Package, Ford E350
Warn. Light, Grille, Pass. Side, Whel 500 LED Warn. Ford E, Cast
Warn. Light, Grille, Pass. Side, Whei 500 LED Warn. Ford E, Cast Warn. Light, Grille, Driver Side, Whei 500 LED Warn. Ford E, Cast
Warn. Light, Inters., Pass Side, Whei LED Warn. Ford E, Cast Warn. Light, Inters., Pass Side, Whei LED Warn. Ford E, Cast
Warn. Light, Inters., Pass Side, Whei LED Warn. Ford E, Cast Warn. Light, Inters., Driver Side, Whei LED Warn. Ford E, Cast
REAR MODULE WALL EXTERIOR LIGHTING
Lightbar, Rear, None Required, Whel Hal Warn.
ARROW LIGHTBARS
Rear Scene Lights, Activate on Opening of Rear Entry Doors
Rear Scene Lights, Activate on Reverse Gear
Warn. Light, Front Passenger Side #1, Whel Hal
Warn. Light, Front Center, Whel Hal
Warn. Light, Front Driver Side #1, Whel Hal
Warn. Light, Rear Passenger Side, Whel Hal
Scene Light, Rear Passenger Side, Whel
Warn. Light, Rear Center, Whel Hal Scene Light, Rear Driver Side, Whel
Warn. Light, Rear Driver Side, Whel Hal STOP, TAIL, TURN, AND BACKUP LIGHTING
Г/B/T/BU Lights, Whelen,4x6,Incand.,single turns,w/f
CURBSIDE MODULE WALL EXTERIOR LIGHTING
Mana Linkt CC Frank Mikel Hal
Warn. Light, CS Front, Whel Hal
Scene Light, CS Front, Whel
Scene Light, CS Rear, Whel
Warn. Light, CS Rear, Whel Hal
CS Scene Lights, Activate on Opening of Entry Door
STREETSIDE MODULE WALL EXTERIOR LIGHTING

### 02/04/2013

### DESCRIPTION

Warn. Light, SS Front, Whel Hal Scene Light, SS Front, Whel Scene Light, SS Rear, Whel Warn. Light, SS Rear, Whel Hal SS Scene Lights, Do NOT Activate on Opening of SS Compartment Doors Side Wall Scene Lights, Do Not Activate on Reverse Gear Whelen,3x7,Red,LED Flashing, Color Lens,w/o flange Whelen,3x7,Red,LED Flashing, Color Lens,w/o flange Whelen,4X6,Amber,Turn,w/ flange Whelen,4X6,Red,Brake/Tail,w/ flange Whelen,4X6,Clear,Backup,w/flange Whelen,7x9,Red,Halogen,w/o flange Whelen,7x9,Amber,Halogen,w/o flange Whelen,7x9,Clear,Halogen,w/o flange Whelen,7x9,Clear,Scene,w/o flange Whelen,7x9,Clear,Scene,w/o flange Whelen,7x9,Clear,Scene,w/o flange Whelen,7x9,Clear,Scene,w/o flange Whelen,7x9,Clear,Scene,w/o flange Whelen,7x9,Clear,Scene,w/o flange Whelen, 500 TIR6, Red, LED, Color Lens w/o flange Whelen, 500 TIR6, Red, LED, Color Lens w/o flange Whelen, 4x6 Chrome Flange Whelen, 4x6 Chrome Flange Whelen, 4x6 Chrome Flange Grille Bezel, Cast, E-Series Ford, Pass. Side Grille Bezel, Cast, E-Series Ford, Driver Side Intersection Bezel, Cast, Polished Alum w/ 15° Tilt E / Pass. Intersection Bezel, Cast, Polished Alum w/ 15° Tilt E / Driv. Corner Light Bezel DOT Clearance and Marker Lighting RED DOT Clearance and Marker Lighting RED DOT Clearance and Marker Lighting AMBER DOT Clearance and Marker Lighting AMBER License Plate Light, LED

Deutsch water proof connector Deutsch water proof connector

Deutsch water proof connector Deutsch water proof connector

## WARNING LIGHT and HEADLIGHT FLASHERS

I-Warning Light Flasher, Vanner 9860GCPE (Standard))

# 02/04/2013

DESCRIPTION

Warning Light Flash Pattern, K-Spec

# STROBE POWER SUPPLIES

## **AUXILIARY LIGHTING**

4" Recessed Incandescent Rectagular Dual Bulb Incandescent w/Clear Lens

Compartment Lights, 4" Recessed Incandescent

## AUDIBLE WARNING DEVICES

Refer to Chassis Section Above for Correct Siren Speakers Antenna Base, Coax, Power and Ground Wires Antenna Coax Antenna Power and Ground Antenna Base Breaker, 20 AMP Back-up Alarm, 97 dBa (Standard) Siren, Whelen 295HFSA7 Siren Speakers, Ford E-Series

#### COMMUNICATION PROVISIONS AND EQUIPMENT

Antenna Base, Coax, Power and Ground Wires (Standard)

# **ENVIRONMENTAL SYSTEMS AND COMPONENTS**

Exhaust Fans, 12V Blower Cowl Vent - 4" Polished Rectagular Vent - 8"x4" Polished Heat / AC Pro Air #935 12v Ducted Combo System Heat / AC Water Valve, Manual Heat / AC Water Valve, Electric Heat / AC Duct Adapters Heat / AC Ducted Vents Heat / AC Ducted Vent Retainers Heat / AC Ducted Vent Adapter Heat / AC Rigid Ducting Heat / AC Flexible Ducting Heat / AC Plenum Heat / AC Face Plate Heat / AC Pad Heat / AC, Pro Air Ducted Combo System Heat / AC System Installed Above Walk/Pass-Thru Thermostat, Pro Air (Standard) Exhaust Fans, Dual 12V Blowers (Standard)

# **INTERIOR FEATURES and COMPONENTS**

### **ENTRY DOOR FINISHES and COMPONENTS**

Page 6

02/04/2013	Page 7
DE	SCRIPTION
Entry Doors Liners, 2-Piece Split Design	
Entry Doors, Upper Liners, Aluminum w/ Multispec Face	
Entry Doors, Kick Plates, ADP (Standard)	
Select Multispec Color for Entry Door Liners (REQUIRED)	
Entry Door Grab Bars, 1.25" x 12" S/S Straight Bar	
CEILIN	IG GRAB BARS
Grab Bar, Above Cot, 1.25" x 96" Stainless Steel (STD)	
UI	PHOLSTERY
Upholstery, Seamless Vinyl, Solid Color (Standard) Select Vinyl Color (REQUIRED)	
Padded Vinyl Trim (Standard)	
FLOO	DR COVERING
Flooring, Lon Seal "Lon Plate II", SWB	
Select Flooring Color (REQUIRED)	
SILL SCLIFF a	nd COT WHEEL PLATES
5122, 50011 4	
Floor Sill Plates, Brushed Stainless Steel (Standard)	
ABS Console - Main Body	
ABS Console - Standard Length Console, Cab, Ford Floor Mount	
	NDANT'S SEAT
Attendant's Seat, EVS 1752 Seamless 6 Degree Back	
Attendant's Seat Base, EVS Swivel Pedestal	
CADINI	
CABINI	ETRY PACKAGES
Interior Cabinetry, Plywood Recruit	
Select Cabinet Laminate Color (REQUIRED)	
CEILII	NG FINISHING
Handliner Datient Compartment Wood Dasked Plactic	
Headliner, Patient Compartment, Wood Backed Plastic	
ELECTRICAL (J	-BOX) CONSTRUCTION
Electrical (J-Box) - Standard Configuration	
	C CADINET
AI	S CABINET
ALS Cabinet - Standard Configuration	
SQUAD BENG	CH and COMPONENTS
Squad Bench Base, Wood Construction Q	

02/04/2013	Page 8
DESCRIPTION	
Floor Cove, Full Height at Squad Bench Riser	
Squad Bench Lid, Single, 3/4" Plywood	
Squad Bench Interior, Plywood w/ White Lam	
Embossed Rubber Liner Under Squad Bench	
STREETSIDE CABINETRY	
Streetside Cabinetry - Standard Configuration	
CPR SEAT	
Refer to Part #14-25-xxxx for CPR Seat Construction Info.	
CPR Seat w/ Fixed Backrest and Hinged Seat	
CPR Seat Interior, Plywood w/ White Lam Embossed Rubber Liner Under CPR Seat	
ACTION / MONITOR-DEFIB. AREA COMPONENTS	
Countertop, Action Area, Gray ABS	
Countertop, Monitor/Defib, Gray ABS	
SHELVES and SHELVING COMPONENTS	
Cabinet Shelves, 3/4" Plywood w/ Laminate	
Cabinet Shelf Track, Unistrut Aluminum	
DIVIDERS	
CABINET DOORS/WINDOWS and DRAWERS	
Cabinet Doors/Windows, General (Plywood) Plexiglas Color, Clear	
Door/Drawer Latch, Southco Flush Pull	
MEDICAL SYSTEMS and COMPONENTS	
IV Hangara Cast Broducta Pasacrad in Cailing	
IV Hangers, Cast Products Recessed in Ceiling Oxygen Outlets, Ohio Style Quick Disconnect	
Vacuum Pump, Gast	
Vacuum Outlet, Ohio Style	
OXYGEN SYSTEM and EQUIPMENT	
Oxygen System - General	
On-Board Oxygen Cylinder Bracket, "M" Size (Standard)	
Oxygen Cylinder Wrench (Standard)	
Oxygen Outlets, Ohio Style Quick Disconnect (2 in Action Area)	
MEDICAL AIR SYSTEM and EQUIPMENT	
VACUUM SYSTEM and EQUIPMENT	

DESCRIPTION Vacuum System, On-Board w/Ohio Style Outlet Vacuum Outlet, (1) Ohio Style in Action Area Vacuum Pump, Gast (Standard Types I and III) Vacuum, Aspirator, RICO RS4X Disposable	
Vacuum Outlet, (1) Ohio Style in Action Area Vacuum Pump, Gast (Standard Types I and III)	_
Vacuum Pump, Gast (Standard Types I and III)	
IV SYSTEM and EQUIPMENT	
	_
IV Hangers, Cast Products Recessed in Ceiling	
BIO-WASTE CONTAINERS	
COT AND STRETCHER EQUIPMENT	
PRIMARY COTS	
PRIVIART COTS	
COT FASTENERS	
Cot Fastener, Ferno-Washington 175-4 Dual Position	
Specify Cot Mount Location Based on Cot Chosen	
STRETCHERS and EQUIPMENT	
DECALS and LETTERING	
	_
K-SPEC LETTERING	
K-SPEC LETTERING	
Decals, K-Spec Lettering (Shipped Loose)	
STAR-OF-LIFE DECALS	
Decals, Star-of-Life Package (Shipped Loose)	
CUSTOM DECALS	
COSTOM DECALS	
Decals, "Marque" Logo	
CUSTOM LETTERING	
DECAL STRIPING	
CHEVRON STRIPING - ON REAR OF UNIT	
No Chevron Striping Decals Required	
CHEVRON STRIPING - INTERIOR ENTRY DOOR	
No Interior Entry Door Chevron Striping Decals Required	

02/04/2013	Page 10
DESCRIPTION	
PAINT	
MODULE PAINT	
Paint, Module, PPG - White (Standard)	
CHASSIS PAINT	
PAINT STRIPING	
MISCELLANEOUS EQUIPMENT and COMPONENTS	
Interior Safety Signs (Standard) Battery Compartment Warning Sign (Standard)	
Owner's Manual / Equipment Packet / OEM Manual	
Fuel Surcharge	
WARRANTIES	
Warranty, Ambulance Module Structure, Twenty (20) Years Warranty, Ambulance Conversion Electrical, Ten (10) Years/100,000 miles	
Warranty, Ambulance General Conversion, Three (3) Years/36,000 miles	
Warranty, Modular Body Paint, Seven (7) Years	