

Γ

QUOTATION

| Quote | |
|----------------|--|
| 05/28/2 QTY | 2014 Page 1 DESCRIPTION |
| Q1 Y 1 | == Type II - 2.116 04/18/14 == |
| | |
| | |
| | |
| | |
| | |
| 1 | AMBULANCE CONVERSION |
| - 1 | Annual True II Frank Manuary True A |
| 1 | Conversion, Type II -Ford, Marque Type 2 |
| 1 | CHASSIS |
| | |
| 1 | Chassis, 2014 Ford E-350SD XL Extended Van, 138" WB V8 Gas 14-5 |
| 1 | / Ford Chassis Standard Warranty - 3 Years/36,000 Miles |
| 1 | OEM Supplied - Jack w/handle |
| 1 | / OEM Supplied - Lug Wrench |
| 1 | OEM Mirrors STD |
| 1 | Rubberized Vinyl Cab Flooring STD |
| 1 | / Spare Tire, Installed Under Chassis |
| 1 | Idle Control, Electronic Throttle |
| 1 | Cab/Chassis Lighting Package, Ford E350 Warn Light Grilla Pace Side What 500 LED Warn w/f Till |
| 1 1 | Warn. Light, Grille, Pass. Side, Whel 500 LED Warn.w/f -TII Whelen, 500 TIR6, Red, LED, Color Lens w/flange |
| 1 | / Whelen, 500 Tino, Red, LED, Color Lens whange / Whelen, 500 series Chrome Flange TIR6 Only -TII |
| 1 | / Deutsch water proof connector -TII |
| 1 | Warn. Light, Grille, Driver Side, Whel 500 LED Warn.w/f -TII |
| . 1 | / Whelen, 500 TIR6, Red, LED, Color Lens w/flange |
| 1 | / Whelen, 500 series Chrome Flange TIR6 Only -TII |
| 1 | / Deutsch water proof connector -TII |
| 1 | / Warn. Light, Inters., Pass Side, Whel 3x7 LED Warn. Ford Van |
| 1 | Whelen,3x7,Red,Super LED Flashing, Red Lens,w/o flange |
| 1 | Deutsch water proof connector -TII Warn Light Intera Driver Side Whol 2x7 LED Warn Ford Van |
| 1 | Warn. Light, Inters., Driver Side, Whel 3x7 LED Warn. Ford Van |
| 1 1 | Whelen,3x7,Red,Super LED Flashing, Red Lens,w/o flange Deutsch water proof connector -TII |
| 1 | / Intersection Bezel, Pair, Whelen, Ford Van -TII |
| 1 | / Siren Speakers, Whelen Behind the Grille, Ford E Series -TII |
| 2 | / Deutsch water proof connector -TII |
| 1 | / Console, Cab, Ford Engine Cover Mount, |
| 1 | CHASSIS COMPONENTS AND ACCESSORIES |
| | |
| 1 | Front End Alignment, None- QC Check -Standard |
| 1 | Roof Construction, Type II |
| 1 | Top, Fiberglass, Ford Van Pass-Thru, Type II, w/ Sliding Plexi Window- Ford |
| | Pass-Initu, Type II, w/ Silulity Flexi Williuow- Foru |
| | |

| <u>05/28/</u> | | 2 Page |
|---------------|---|--------|
| QTY 1 | DESCRIPTION UNDERCOATING and INSULATION | |
| 1 | | |
| 1 | Insulation, Walls and Ceiling, R11 Fiberglass Batt (Type II) | |
| 1 | EXTERIOR BODY TRIM and ACCESSORIES | |
| 1 | Rear Bumper , Flip-up, Type II Ford | |
| 1 | COMPARTMENT CONSTRUCTION and COMPONENTS | |
| - | | |
| 1 | WINDOWS | |
| | | |
| 1 | ELECTRICAL FEATURES and COMPONENTS | |
| | | |
| 1 | 12 VOLT POWER COMPONENTS | |
| 1 | · · · · · · · · · · · · · · · · · · · | |
| 1 | 12 Volt Electrical System, Printed Circuit Board, Ford & Chevy | |
| 1 | Door Open Indicator -Flashing red LED Light with buzzer Flasher, Vanner, 9860GCPE, Standard | |
| 1 | Alarm, Low Voltage, Audio/Visual | |
| 1 | No Module Power Disconnect Switch (Master Switch) Required | |
| 1 | 12 Volt Recepts, Cigarette Lighter Style, (1) in A/A & (1) in RF | |
| 1 | 110/220 VOLT WIRING AND COMPONENTS | |
| 1 | 110 Volt AC Wiring And Components | |
| 1 | Shoreline, 20A Straight Blade | |
| 1 | Recepts, (2) 110V AC Hospital Grade Duplexes (Type II) No Inverter, Pre-Wire only (Standard) | |
| 1 | | |
| 1 | INTERIOR LIGHTING and COMPONENTS | |
| 1 | Dome lights, Dual Filament Weldon 8046, Five (5) (Ford) | |
| 1 | Dome Lights, Streetside Activate on Opening of Entry Doors | |
| 1 | Dome lights, Additional , NONE | |
| 1 | No Side Entry Stepwell Light Required | |
| 1 | Action Area Light, Liteco 8" Slimline Incandescent Spotlight, Handheld, Black ,100,000 CP (Std.) | |
| 1 | Spotlight Mounting Location, Hardwire to console | |
| | | |
| 1 | EXTERIOR LIGHTING and COMPONENTS | |
| - 1 | | |
| 1 | FRONT TOP EXTERIOR LIGHTING | |
| 1 | LIGHTBARS | |
| 4 | L. Linkthen, Energy News, Demoined | |
| 1 | Lightbar, Front, None Required Front Light Specs, Whel Hal WarnTII | |
| 1 | Warn. Light, Front Passenger Side #1, Whel Hal-TII | |
| 1 | Whelen,7x9,Red,Halogen,w/o flange | |
| 1 | Warn. Light, Front Center, Whel Hal -TII | |
| 1 | Whelen,7x9,Clear,Halogen,w/o flange Warn. Light, Front Driver Side #1, Whel Hal -TII | |
| 1 | | |
| | | |

| 05/28/ | | Page 3 |
|-----------------|---|--------|
| QTY 1 | DESCRIPTION Whelen,7x9,Red,Halogen,w/o flange | |
| 1 | Whelen,7x9,Red,Halogen,w/o liange | |
| 1 | REAR TOP EXTERIOR LIGHTING | |
| 1 | Lightbar, Rear, None Required, Whel Hal WarnTII | |
| 1 | Warn. Light, Rear Passenger Side, Whel Hal -TII | |
| 1 | Whelen,7x9,Red,Halogen,w/o flange | |
| 1 | Scene Light, Rear Passenger Side, Whel -TII | |
| 1 | Whelen,4X6,Clear,26 deg Scene,w/o flange Warn. Light, Rear Center, Whel Hal -TII | |
| 1 | Whelen,4x6,Amber,Halogen,w/o flange | |
| 1 | Scene Light, Rear Driver Side, Whel -TII | |
| 1 | Whelen,4X6,Clear,26 deg Scene,w/o flange | |
| 1 | Warn. Light, Rear Driver Side, Whel Hal -TII | |
| 1 | Whelen,7x9,Red,Halogen,w/o flange | |
| 1 | Rear Scene Lights, Activate on Opening of Rear Entry Doors | |
| 1 | Rear Scene Lights, Do NOT Activate on Reverse Gear | |
| 1 | OEM 3rd Brake Light | |
| | | |
| 1 | CURBSIDE TOP EXTERIOR LIGHTING | |
| 1 | Warn. Light, CS Front, Whel Hal -TII | |
| 1 | Whelen,7x9,Red,Halogen,w/o flange | |
| 1 | Scene Light, CS Front, Whel -TII | |
| 1 | Whelen,7x9,Halogen, Clear,Scene,w/o flange | |
| 1 | Scene Light, CS Rear, Whel -TII Whelen,7x9,Halogen, Clear,Scene,w/o flange | |
| 1 | Warn. Light, CS Rear, Whel Hal -TII | |
| 1 | Whelen,7x9,Red,Halogen,w/o flange | |
| 1 | CS Scene Lights, Do NOT Activate on Opening of Entry Door | |
| 1 | STREETSIDE TOP EXTERIOR LIGHTING | |
| | | |
| 1 | Warn. Light, SS Front, Whel Hal -TII | |
| 1 | Whelen,7x9,Red,Halogen,w/o flange | |
| 1 | Scene Light, SS Front, Whel -TII | |
| 1 | Whelen,7x9,Halogen, Clear,Scene,w/o flange | |
| 1 | Scene Light, SS Rear, Whel -TII | |
| 1 | Whelen,7x9,Halogen, Clear,Scene,w/o flange Warn. Light, SS Rear, Whel Hal -TII | |
| 1 | Whelen,7x9,Red,Halogen,w/o flange | |
| 1 | Side Wall Scene Lights, Do Not Activate on Reverse Gear | |
| | | |
| 1 | WARNING LIGHT and HEADLIGHT FLASHERS | |
| | | |
| 1 | AUXILIARY LIGHTING | |
| | | |
| 1 | AUDIBLE WARNING DEVICES | |
| 1 | Refer to Chassis Section Above for Correct Siren Speakers | |
| 1 | Back-up Alarm, Auto Reset, 97 dBa (Standard) | |
| 1 | Siren, Whelen 295HFSA7 | |
| | | |
| 1 | COMMUNICATION PROVISIONS AND EQUIPMENT | |
| 1 | Intercom, Silent, (3) Code Lights w/ Buzzer | |
| 1 | Antenna, Coax | |
| 1 | Power Source, 12VDC, 20A, Ignition/Shoreline Hot | |
| | | |
| | | |

| OTV | 2014 Page 4 DESCRIPTION |
|-----------------|---|
| QТҮ 1 | ENVIRONMENTAL SYSTEMS AND COMPONENTS |
| 1 | Heat / AC, Hoseline 12V Combo System-Type II Ford Heat / AC System Installed Above Walk/Pass-Thru Exhaust Fan, Single 12V Blower (Standard) |
| 1 | INTERIOR FEATURES and COMPONENTS |
| 1 | ENTRY DOOR FINISHES and COMPONENTS |
| | Entry Doors, Liners, OEM (Type II Standard) Entry Door Grab Handle |
| 1 | CEILING GRAB BARS |
| 1 | Grab Bar, Centered, 1" x 84" Stainless Steel (Std.) |
| 1 | UPHOLSTERY |
| | Upholstery, Seamless Vinyl, Solid Color (Standard) Select Vinyl Color (REQUIRED) |
| 1 | FLOOR COVERING |
| | Flooring, Mohawk, Flor-ever, Brushed Pewter, #51067 Flooring, NO rollup, Flat floor trimmed at cabinets, Standard |
| 1 | SILL, SCUFF and COT WHEEL PLATES |
| 1 | ATTENDANT'S SEAT |
| 1 | Attendant Seat, EVS 17803ET, Box Base Seat, EVS 17803ET on Box Base (Wedgewood Blue) |
| 1 | CABINETRY PACKAGES |
| 1 | Interior Cabinetry, Plywood Type II Ford Select Cabinet Laminate Color (REQUIRED) |
| 1 | CEILING FINISHING |
| 1 | Headliner, Patient Compartment, Fiberglass, Ford T- II |
| 1 | ELECTRICAL (J-BOX) CONSTRUCTION |
| 1 | Electrical (J-Box) - Standard Configuration |
| 1 | ALS CABINET |
| 1 1 1 | ALS Cabinet - Standard Configuration, Ford Type II Cabinet Above ALS Shelves IATS (Type II) Cabinet, Left Front (Ford) |
| 1 | SQUAD BENCH and COMPONENTS |
| 1 | Squad Bench Base, Wood Construction w/ 18" Board Storage Squad Bench Lid, Single, 3/4" Plywood |

| 05/28/ | 5 |
|-----------------|--|
| QTY 1 | DESCRIPTION Sharps and Trash Disposal, Recessed At Head Of Squad Bench |
| 1 | O2 CABINET |
| | |
| 1 | O2 Cabinet - Curbside Rear, Ford |
| 1 | STREETSIDE CABINETRY |
| 1 | Streetside Cabinetry - Standard Configuration, Ford |
| 1 | Streetside Lower Basewall, Ford Std Configuration Streetside Upper Basewall, Ford Std Configuration |
| 1 | ACTION / MONITOR-DEFIB. AREA COMPONENTS |
| 1 | Countertop, Action Area, Formica |
| 1 | SHELVES and SHELVING COMPONENTS |
| 1 | Cabinet Shelves, 3/4" Plywood w/ Laminate |
| 1 | Cabinet Shelf Track, Aluminum, Cabinets |
| 1 | CABINET DOORS/WINDOWS and DRAWERS |
| 1 | Cabinet Doors/Windows, General |
| 1 | Plexiglas Color, Smoke Door/Drawer Latch, Southco Flush Pull |
| 1 | MEDICAL SYSTEMS and COMPONENTS |
| | |
| 1 | OXYGEN SYSTEM and EQUIPMENT |
| 1 | Oxygen System - General |
| 1 | On-Board Oxygen Cylinder Bracket, Type II Wrench, O2, Tether in Oxygen Cabinet |
| 1 | Oxygen Outlets, Ohio Style Quick Disconnect (1 in Action Area, 1 above Squad) |
| 1 | VACUUM SYSTEM and EQUIPMENT |
| 1 | Vacuum Outlet, (1) Ohio Style in Action Area |
| 1 | Vacuum Pump, Electric (Standard Type II) Vacuum, Aspirator, RICO RS4X 1001C Disposable |
| | |
| 1 | IV SYSTEM and EQUIPMENT |
| 2 2 | IV Hangers, Perko Products Snap Hook Style IV Hanger, Perko Products Snap Hook Style |
| 1 | BIO-WASTE CONTAINERS |
| 1 | Sharps Container, Straight Drop Style, 4-Quart, Installed |
| 1 | Sharps Container, Straight Drop Style, 4-Quart |
| 1 | Trash Container, 2 Gallon, Installed Trash Container, 2 Gallon |
| 1 | COT AND STRETCHER EQUIPMENT |
| | |
| 1 | COT FASTENERS |
| | |
| | |

| 05/28/ | |
|--------|---|
| | DESCRIPTION |
| 1 | Cot Fastener, Ferno-Washington 175-5 Single Position Specify Cot Mount Location Based on Cot Chosen |
| 1 | Bracket, Ford, Large, Ferno/Styker |
| 1 | STRETCHERS and EQUIPMENT |
| | |
| - | DECALS and LETTERING |
| 1 | DECALS and LETTERING |
| | |
| 1 | K-SPEC LETTERING |
| | |
| 1 | STAR-OF-LIFE DECALS |
| | |
| 1 | CUSTOM DECALS |
| | |
| 1 | CUSTOM LETTERING |
| | |
| 1 | DECAL STRIPING |
| - | |
| 1 | CHEVRON STRIPING - ON REAR OF UNIT |
| | |
| | |
| 1 | CHEVRON STRIPING - INTERIOR ENTRY DOOR |
| | |
| 1 | PAINT |
| | |
| 1 | CHASSIS PAINT |
| | |
| 1 | PAINT STRIPING |
| | |
| 1 | MISCELLANEOUS EQUIPMENT and COMPONENTS |
| | |
| 1 | Quick Clip Strap, RF Cabinet (Standard) Interior Safety Signs (Standard) |
| 1 | Owner's Manual / Equipment Packet / OEM Manual |
| 1 | WARRANTIES |
| | |
| 1 | Warranty, Type II Ambulance Conversion, Structural, Electrical, General |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |