



[REDACTED] Reliable Emergency Vehicles  
 [REDACTED]  
 [REDACTED]

[REDACTED]  
 [REDACTED]  
 [REDACTED]  
 [REDACTED]  
 [REDACTED]

[REDACTED] [REDACTED]  
 [REDACTED] [REDACTED] [REDACTED] [REDACTED]

**AMBULANCE:** 3-164CMDO Type III Model 164 Commando

PART NO	DESCRIPTION	QTY	ID
	<b>== Type III Model 164 Commando - 11.000</b> [REDACTED]	1	MARQ
	CHASSIS	1	MARQ
03-19-0302	<b>Chassis, 2011 Ford E-450SD Cutaway, 158" WB Gas</b> Includes CD radio, daytime running lights	1	MARQ
	E458		
06-00-0120	<b>/-- OEM Supplied - Lug Wrench</b>	1	MARQ
06-00-2800	<b>/-- Running Boards, One (1) Pair ADP (Type III)</b> [REDACTED]	1	MARQ
	Valley #RBSTDELEFT/RIGHT or RBSD E L/R (Super Duty)		
06-00-5400	<b>/-- Grip Strut Inserts in Running Boards IATS</b> Align strut section to run parallel with the outer edge of the running board - no top side welds	1	MARQ
12-60-2000	<b>/-- Mudflaps, Front, Included with Running Boards</b>	1	MARQ
06-05-0110	<b>/-- Secondary Ford Alternator Required</b>	1	MARQ
06-20-1600	<b>/-- Mirrors, Sail Mount, Velvac Heat/Motor/Turns STD- E-Series</b> VELVAC 2020 XG - heated/motorized/turn signals - black finish - mirror heads - Velvac 2020 for 96" wide body, black finish, std mirror heads (#715455) -	1	MARQ
06-25-0010	<b>/-- No Keyless Entry System Required</b>	1	MARQ
06-70-0400	<b>/-- Spare Tire</b>	1	MARQ

PART NO	DESCRIPTION	QTY	ID
	See prints		
<b>06-70-4010</b>	<b>/-- Wheel Sims - Phoenix 16", Set of Four (4) Ford</b> Phoenix GD816	<b>1</b>	<b>MARQ</b>
<b>06-80-1600</b>	<b>/-- Air Fill Extensions, Rear Tires (16"), Phoenix "Air Max"</b> installed per the manufacturer's instructions  Phoenix #AML1	<b>1</b>	<b>MARQ</b>
<b>31-10-0115</b>	<b>/-- Idle Control, Electronic Throttle (Standard)</b> INPower ETM52-QVM	<b>1</b>	<b>MARQ</b>
<b>55-18-0162</b>	<b>/-- Siren Speakers, Ford 2011 E-Series</b> Cast Products #SAD3801-08E35-1 & #SAP3801-08E35-1	<b>1</b>	<b>MARQ</b>
	CHASSIS COMPONENTS AND ACCESSORIES		
<b>06-50-3600</b>	<b>Shock Absorbers, Bilstien HD Gas Charged ILOS, Front &amp; Rear</b> Installed by Marque	<b>1</b>	<b>MARQ</b>
06-50-4000	Front End Alignment, Chassis Pre-Delivery w/Printed Report	1	MARQ
<b>06-50-4800</b>	<b>Sway Bar, Front, RoadMaster Brand</b> IPD 139-115	<b>1</b>	<b>MARQ</b>
<b>06-50-6000</b>	<b>Sway Bar, Rear, RoadMaster Brand</b> IPD 139-147	<b>1</b>	<b>MARQ</b>
<b>06-60-0800</b>	<b>Cab Flooring - Replace OEM Carpet w/One-Piece Rubber Mat</b> Blacksmith	<b>1</b>	<b>MARQ</b>
	AMBULANCE CONVERSION		
07-25-0220	██████████ Type III, Model 164 Commando	1	MARQ
<b>04-50-1600</b>	<b>/-- Conversion, Type III, Headroom, 72" ILO 68"</b>	<b>1</b>	<b>MARQ</b>
<b>04-70-2800</b>	<b>/-- Conversion, Type III, Body Width, 96" (Standard)</b>	<b>1</b>	<b>MARQ</b>
<b>04-70-3200</b>	<b>/-- Conversion, Type III, Body Length, 164" (Standard)</b>	<b>1</b>	<b>MARQ</b>
	MODULE CONSTRUCTION		
08-10-2000	Roof Construction, 2x2's @ 12" o.c. (Standard)	1	MARQ
08-20-2400	Wall Construction, 2x2's @ 12" o.c. (Type III)	1	MARQ
<b>08-34-3600</b>	<b>Walk-Thru, Type III, Hinged Door w/ Fixed Plexi Window ILOS</b>	<b>1</b>	<b>MARQ</b>
<b>68-10-1600</b>	<b>/-- Front Wall Walk-Thru, Hinged Door w/ Fixed Plexi Window (PN)</b> Hinged door w/ fixed Plexiglas window - door swings in toward patient compartment, against ALS cabinet - install Southco round latch to latch door in "closed" position - use ball catch to hold door in "open" position against ALS cabinet	<b>1</b>	<b>MARQ</b>
<b>08-36-0800</b>	<b>Bulkhead Wall Moved Rearward From Standard</b>	<b>1</b>	<b>MARQ</b>
<b>68-16-0400</b>	<b>/-- Bulkhead Wall, Moved Forward or Rearward From Std. (PN)</b>	<b>1</b>	<b>MARQ</b>

<b>PART NO</b>	<b>DESCRIPTION</b>	<b>QTY</b>	<b>ID</b>
<b>08-40-1200</b>	<b>Floor Construction, Composite (No Wood) ILOS</b> PDG Associates - 3/4" Coosa bluewater 20 - 5x10 sheets	1	MARQ
<b>68-60-1200</b>	<b>/-- Sub-Floor Material - Composite ILOS (PN)</b> PDG Associates - 3/4" Coosa Bluewater 20 ILOS	1	MARQ
08-50-0800	Body-to-Chassis Mounting, Type III (Standard)	1	MARQ
	UNDERCOATING and INSULATION	1	MARQ
10-00-0400	Undercoating, Underside of Module Floor (Standard)	1	MARQ
<b>10-10-1600</b>	<b>Insulation, Walls and Ceiling, Spray Foam ILOS</b>	1	MARQ
<b>10-10-2400</b>	<b>Insulation, Entry Doors, Spray Foam ILOS</b> Yoder Insulation	1	MARQ
<b>10-20-0800</b>	<b>Insulation Enhancement, Temp-Coat Ceramic Spray IATS</b> 30 mil coating - spray inside roof, walls, backside of compartment cans, inside entry doors (before plank foam is installed), bottom side of the floor before any insulation, weathershield or undercoating is installed/applied	1	MARQ
<b>10-30-1600</b>	<b>Insulation, Floor, Spray Foam</b> Cover bottom side of floor w/ .060" aluminum - seal any gaps	1	MARQ
	EXTERIOR BODY TRIM and ACCESSORIES	1	MARQ
12-02-0400	Stone Guards, ADP, Front Wall (Standard) ADP installed on the lower portions of the front wall, outboard of the chassis - see prints	2	MARQ
12-20-0400	Rub Rails, Skirt Line, One (1) Set ADP (Standard)	1	MARQ
12-30-1200	Fenderettes, One (1) Pair Stainless Steel (Standard) Thomas Hardware: Type III - #TH4026 Type I w/ 215/16 tires - #TH4026 Type I w/ 235/16 or 225/19.5 tires - #TH4024 Type I w/ LT225/19.5 or 245/19.5 tires - #TH4028	1	MARQ
12-30-2000	Fuel Fill Bezel, Cast Aluminum (Standard) Cast Products #FG2101-1-250 (Ford / Chevy Type I) #FG5301-1-250 (Ford / Chevy Type III)	1	MARQ
<b>12-30-5200</b>	<b>Fuel Fill Splash Guard, Brushed Stainless Steel</b> Apx. 7" x 12 3/4" - installed below fuel fill to protect body - attach to body using double sided Acrylic tape and Butyl tape - no screws - make sure edges are sanded smooth	1	MARQ
12-30-5600	Drip Rail Trim Mouldings Over Door Openings (Standard) Mouldings to extend no more than 1/4" beyond each side of the door openings	1	MARQ
12-40-0400	Rear Bumper Assembly, Kick-Up w/ Gas Struts (Std.) Gas struts return bumper to "down" position	1	MARQ

PART NO	DESCRIPTION	QTY	ID
<b>12-40-2400</b>	<b>Rear Bumper Flip-Up Step - Finish Rear Face w/ ADP ILOS</b> Weld aluminum diamond plate to rear face of fold-up grip strut section	1	MARQ
12-40-3200	Rear Riser, ADP (Standard)	1	MARQ
<b>12-40-4400</b>	<b>Bumper Guards, Rear, One (1) Pr. Solid Rubber, 16"w x 2.5"h</b> Thomas Hardware - #B-41-16	1	MARQ
12-50-0400	License Plate Bracket, Recessed (Standard) Cast Products #LP0002-1	1	MARQ
49-50-0610	-- License Plate Light, LED Optronics UCL-11CKB	1	MARQ
<b>12-50-2000</b>	<b>Tow Eyes, Rear, Chrome, One (1) Pr. in Cast Tow Eye Boxes</b>	1	MARQ
<b>12-50-1210</b>	<b> -- Tow Eyes</b> Thomas #3125 tow eyes	2	MARQ
<b>12-50-1220</b>	<b> -- Tow Eyes Nuts</b> Thomas #3126 tow eye nuts	2	MARQ
<b>12-50-1230</b>	<b> -- Tow Eyes Box - Cast Products</b> Cast #C10360 tow eye boxes - order tow eye boxes w/3" diameter holes through the back	2	MARQ
12-60-0400	Mudflaps, Rear, One (1) Pair Rubber w/ Marque Logo  Dura Guard #26205925R	1	MARQ
<b>12-70-1600</b>	<b>Grab Bar, Exterior, One (1) Mounted Next to Side Entry Door</b> see Engineering Bulletin #015 for location guidelines  15" long stainless steel, tapered ends w/ hidden mounting bolts Colbin Tool: #4737-15"	1	MARQ
	COMPARTMENT CONSTRUCTION and COMPONENTS	1	MARQ
14-20-0400	Streetside-Front Compartment, ADP (Std.) ADP - 1" dished floor Add cut out and removable panel to forward wall of compartment. Attach with 10x24 rev-nuts.  Place foam tape behind panel to prevent rattling.	1	MARQ
14-20-2400	Streetside #2 Compartment, ADP (Std.)	1	MARQ

PART NO	DESCRIPTION	QTY	ID
	.125" ADP, sweep-out floor		
14-25-0100	No Streetside Wheelwell Compartment Required	1	MARQ
69-36-0100	-- CPR Seat w/ Hinged Backrest and Seat Includes lap style seat belt	1	MARQ
14-30-1600	Streetside-Rear Compartment, ADP (Type III Std.) .125" ADP - 6" dished floor	1	MARQ
14-40-0400	ALS Compartment Door (Standard)	1	MARQ
14-40-1600	Compartment, Curbside, for Battery Storage Smooth .125" aluminum, sweep out style floor, front hinged door w/ single center mounted Nader, install nylon strap as door hold-open	1	MARQ
	Tray and slides specified below		
14-80-5100	-- Slide-Out Tray, Floor Mount in Curbside Battery Compartment Black Powder coat	1	MARQ
	Bob Gunn M3		
<b>14-40-4000</b>	<b>Curbside Intermediate Compartment, ADP, IATS Sweepout Floor</b> .125" diamond plate - sweep-out design - see prints	<b>1</b>	<b>MARQ</b>
<b>14-40-6800</b>	<b>Curbside-Rear Compartment, ADP, Sweep-out ILOS</b> .125" ADP	<b>1</b>	<b>MARQ</b>
14-60-0400	Side Entry Stepwell, Type III, ADP (Standard) Tube support welded in with audioguard sprayed over it.	1	MARQ
<b>14-70-0800</b>	<b>L-Shape Backboard Holder</b> Allow 3" of space per backboard holder between compartment wall and any compartment dividers	<b>2</b>	<b>MARQ</b>
<b>14-70-6400</b>	<b> -- Move Comp't. Divider due to Backboard Holders (PN)</b> Move any vertical divider next to the backboard holders to allow 3" for space per specified backboard holder	<b>2</b>	<b>MARQ</b>
14-70-1200	Vertical Divider, Fixed ADP in SS#1 Compartment (Standard)	1	MARQ
14-70-3200	Vertical Divider, Fixed ADP in CS-Rear Compartment (Std.) See prints.	1	MARQ
14-80-0400	Adjustable Shelf in SS#2 (Standard) .125" smooth aluminum, includes four shelf brackets and black pinch trim installed on the outside edge of the shelf	1	MARQ
<b>14-80-2000</b>	<b>Adjustable Shelf IATS CS Rear</b>	<b>2</b>	<b>MARQ</b>

PART NO	DESCRIPTION	QTY	ID
	Shelf/shelves to be full depth (2" less than the depth of the compartment).		
14-80-2400	Compartment Adjustable Shelf Tracks (Standard) Continuous slot aluminum	1	MARQ
14-90-0400	Plastic Tiles on Compartment / Shelf Floors (Standard) Mateflex Versaflex - Black	1	MARQ
	MODULE DOOR CONSTRUCTION and COMPONENTS		
16-25-0100	Extruded/Pan Formed Hybrid Doors (Standard)	1	MARQ
16-25-0090	-- Electrical Feed to All Doors - Curly Cord	1	MARQ
16-25-0160	Compartment and Entry Door Latching Hardware (Standard) Compartment doors in excess of 23" tall shall receive dual nadir pins	1	MARQ
16-25-0170	Compartment Door Handles, Trimark (Standard)	7	MARQ
16-25-0010	-- Trimark , Chrome Exterior Tri-Mark #22614-05 (Entry Doors, curbside locking compartment doors) #18481-07 (streetside locking compartment doors)	7	MARQ
<b>16-25-0250</b>	<b>Compartment Door Latch Adjustment Access Ports IATS</b> All compartment doors except battery slide-out or wheelwell compartment doors	<b>1</b>	<b>MARQ</b>
16-25-0310	Curbside Entry Door (Standard)	1	MARQ
16-25-0330	-- Curbside Entry Door Handles, Tri-Mark	1	MARQ
16-25-0010	-- Trimark , Chrome Exterior Tri-Mark #22614-05 (Entry Doors, curbside locking compartment doors) #18481-07 (streetside locking compartment doors)	1	MARQ
16-25-0012	-- Trimark, Interior Locking Tri-Mark #11298-35	1	MARQ
16-25-0600	-- Curbside Entry Door Closer - Gas Strut	1	MARQ
26-35-0200	-- No Emergency Exit Latches Required	1	MARQ
16-25-0410	Rear Entry Doors (Standard)	1	MARQ
16-25-0430	-- Rear Entry Doors, Cast Grabber Door Checks (Standard) Cast Products DH0017	1	MARQ
16-25-0460	-- Rear Entry Door Handles, Tri-Mark	1	MARQ
16-25-0010	-- Trimark , Chrome Exterior Tri-Mark #22614-05 (Entry Doors, curbside locking compartment doors) #18481-07 (streetside locking compartment doors)	1	MARQ
16-25-0012	-- Trimark, Interior Locking Tri-Mark #11298-35	1	MARQ

PART NO	DESCRIPTION	QTY	ID
16-25-0014	-- Trimark, Interior Non-Locking Tri-Mark #12167-35	1	MARQ
<b>16-25-0710</b>	<b> -- Entry Door Handle, Tri-Mark IATS</b> Install exterior paddle handle of the left-rear entry door - deletes the interior pivot plate assembly	<b>1</b>	<b>MARQ</b>
<b>16-25-0020</b>	<b> -- Tri-Mark Exterior L-Rear Entry Door</b> Tri-Mark 16495-01	<b>1</b>	<b>MARQ</b>
<b>26-35-0210</b>	<b> -- Emergency Exit Latches Required</b>	<b>2</b>	<b>MARQ</b>
	WINDOWS	1	MARQ
<b>16-35-0070</b>	<b>WINDOW, 36" x 18" DARK TINT SLIDER</b> Clear Vision Windows: 9FM500020	<b>1</b>	<b>MARQ</b>
<b>16-35-0220</b>	<b> -- CLAMP RING - WINDOW 36" x 18" 2.28" WALL</b> Clear Vision Windows: 9PCR00120	<b>1</b>	<b>MARQ</b>
16-37-0010	Window, Side Entry Door, Upper black frame	1	MARQ
16-35-0010	-- WINDOW, 19" x 18" DARK TINT SLIDER Clear Vision Windows: 9FM500026	1	MARQ
16-35-0200	-- CLAMP RING - WINDOW 19" x 18" - 2.28" WALL Clear Vision Windows: 9PCR00001	1	MARQ
16-37-0020	Window, Rear Entry Door, Upper black frame	2	MARQ
16-35-0030	-- WINDOW, 19" x 18" DARK TINT FIXED Clear Vision Windows: 9FMI00051	2	MARQ
16-35-0200	-- CLAMP RING - WINDOW 19" x 18" - 2.28" WALL Clear Vision Windows: 9PCR00001	2	MARQ
	MISCELLANEOUS BODY COMPONENTS	1	MARQ
	INTERIOR FEATURES and COMPONENTS	1	MARQ
	CEILING COMPONENTS	1	MARQ
18-20-0400	Grab Bar, Above Cot, 1.25" x 96" Stainless Steel (Standard) all fastening points must fall on roof tubes or backer plates - See print	1	MARQ
<b>18-20-4000</b>	<b>Grab Bar IATS, Ceiling, 1.25" x 96" Stainless Steel</b> All fastening points must fall on roof tubes or backer plates - see prints	<b>1</b>	<b>MARQ</b>
	UPHOLSTERY	1	MARQ

PART NO	DESCRIPTION	QTY	ID
22-15-0100	Upholstery, Seamless Vinyl, Solid Color (Standard) solid color seamless	1	MARQ
<b>22-15-0300</b>	<b>/-- Upholstery Color, Gunmetal</b>	<b>1</b>	<b>MARQ</b>
<b>22-20-0800</b>	<b>Seat Cushions Attached To Seat Bases With Velcro ILOS</b> Use Velcro or 3M Dual-Loc fasteners	<b>1</b>	<b>MARQ</b>
22-20-1200	Padded Vinyl Trim (Standard) Vertical and horizontal edges above the monitor/defib and action area	1	MARQ
FLOOR COVERING		1	MARQ
24-00-2800	Flooring, Lon Seal "Lon Plate II" (Standard) No cant strips in floor coves - roll flooring tightly into corners - 3" recessed cove at streetside cabinets, full height roll at squad bench riser unless specified otherwise	1	MARQ
<b>24-10-0400</b>	<b>/-- Flooring Color, "Lon Plate II", Gunmetal #424</b> SILL, SCUFF and COT WHEEL PLATES	<b>1</b>	<b>MARQ</b>
24-60-0400	Floor Sill Plates, Brushed Stainless Steel (Standard) #4 polished 20 Gauge stainless steel	1	MARQ
ATTENDANT'S SEAT		1	MARQ
24-80-0400	Attendant's Seat, Automotive Style Larry's Upholstery	1	MARQ
24-80-2800	/-- Attendant's Seat Base, 10" Swivel Norco Industries	1	MARQ
ENTRY DOOR FINISHES and COMPONENTS		1	MARQ
26-10-0400	Entry Doors, Upper Liners, Padded Vinyl (Standard)	1	MARQ
26-20-0400	Entry Doors, Kick Plates, ADP (Standard)	1	MARQ
26-35-0100	Entry Door Grab Bars, 1.25" x 12" S/S Straight Bar	3	MARQ
<b>28-10-2000</b>	<b>Grab Bar(s) IATS, 1.25" x 12" Stainless Steel</b> see prints	<b>1</b>	<b>MARQ</b>
<b>Install on the CS rear wall</b>			
<b>WALL MOUNTED GRAB BARS</b>		<b>1</b>	<b>MARQ</b>
FRONT CONSOLE		1	MARQ
<b>29-10-0210</b>	<b>Console, Cab, Types I and III, MultiSpec Aluminum</b> On E series Ford ONLY - Requires installation of a doghouse cover. See Engineering Print #11-0172 for details	<b>1</b>	<b>MARQ</b>
<b>29-00-0130</b>	<b>/-- Latch - Swell Style for Console</b> #19-10-101-10	<b>4</b>	<b>MARQ</b>
ELECTRICAL FEATURES and COMPONENTS		1	MARQ



PART NO	DESCRIPTION	QTY	ID
	12 VOLT POWER COMPONENTS	1	MARQ
31-10-0120	12 Volt Load Center Location [J-Box] (Standard)	1	MARQ
<b>68-20-0800</b>	<b>/-- J-Box Door, Angled ILOS</b>	<b>1</b>	<b>MARQ</b>
	See prints		
31-10-0260	12 Volt Electrical System, Paragon	1	MARQ
31-00-0160	-- 12 Volt Electrical System, Paragon	1	MARQ
	107358,59,60 - Communication Cables		
	107346 - Front Panel		
	107348 - Rear Panel		
	107421 - Power Distribution		
	107347 - Electronic Control Board		
31-10-0350	-- Warning Light Sequencer System Paragon	1	MARQ
	Sequencer to operate on load start-up only		
	107349		
31-15-0195	-- Driver's Control Console Gauges Paragon	1	MARQ
	incorporated in the front switch panel		
53-12-0105	-- Warning Light Flasher, Vanner 5860GCPE (Standard)	1	MARQ
	5860GCPE		
53-16-0100	-- Warning Light Flash Pattern, K-Spec (Standard)	1	MARQ
<b>31-20-0120</b>	<b>Module Power Disconnect Switch, TST Remote (Std.)</b>	<b>1</b>	<b>MARQ</b>
	<b>mounted in the J-box and wired to operate with the ignition switch w/ 5 min delay unless indicated otherwise</b>		
	TST CDR-357		
31-20-0310	Battery Charger/Converter, Pre-Wire (Type III)	1	MARQ
	Includes a power and ground lead terminated behind the driver's seat - if inverter w/ battery charger is also specified, route wiring to the location specified in the inverter option		
<b>59-26-0200</b>	<b>/-- Inverter, Dimensions 1200W Quasi-Sine Wave w/ Battery Chrgr.</b>	<b>1</b>	<b>MARQ</b>
	<b>wired to power interior 110V recepts - includes internal transfer switch</b>		
	<b>SS2 upper left corner</b>		
	Dimensions DUI-12U12ABT		
<b>30-60-4600</b>	<b>/-- Battery charger is included in selected inverter</b>	<b>1</b>	<b>MARQ</b>
31-25-0100	12 Volt Recepts, Cigarette Lighter Style, Two(2)	1	MARQ
<b>31-00-0400</b>	<b>/-- 12 Volt Recepts, Cigarette Lighter Style</b>	<b>2</b>	<b>MARQ</b>

PART NO	DESCRIPTION	QTY	ID
	(1) in the Action Area, (1) in the ALS cabinet unless specified otherwise		
	SJC #115351		
<b>31-25-0210</b>	<b>Speakers, for AM/FM Radio, One (1) Pair Ceiling Mounted</b> see prints	<b>1</b>	<b>MARQ</b>
	(2) speakers with Fader MCM Electronics - Switch #107462 MCM Electronics - Knob #107463 MCM Electronics - Panel #109376		
<b>16-40-0120</b>	<b>/-- Backer Plates for OEM Speakers</b> For 12" tube spacing - OEMSPKC012"OC For 16" tube spacing - OEMSPKC016"OC	<b>2</b>	<b>MARQ</b>
31-25-0300	Clock, Analog, Battery Operated, Trin-Tec	1	MARQ
31-00-0500	/-- Clock, Analog, Battery Operated, Trin-Tec Installed on rear wall CS of rear doors - attached w/ 3M Dual-Loc fasteners - includes AA battery	1	MARQ
31-00-0580	/-- No Trin-Tec "HardWired" Battery for Clock Required	1	MARQ
<b>31-25-0510</b>	<b>Conduit w/ Pull Wire, 2" OD, Cab To Action Area</b> 2" OD PVC pipe - from cab, behind driver's seat, to action area w/diamond plate cover in SS #2	<b>1</b>	<b>MARQ</b>
	INTERIOR LIGHTING and COMPONENTS		
<b>33-10-0150</b>	<b>Dome lights, LED Eight (8)</b>	<b>1</b>	<b>MARQ</b>
<b>33-00-0115</b>	<b>/-- Dome lights, LED</b> Whelen 80C0EHCR	<b>8</b>	<b>MARQ</b>
<b>16-40-0110</b>	<b>/-- Backer Plates for Dome llights</b> For 12" tube spacing - DLC012"OC For 16" tube spacing - DLC016"OC	<b>8</b>	<b>MARQ</b>
33-10-0130	No Additional Patient Compartment Dome Lights Required	1	MARQ
<b>33-10-0340</b>	<b>Timer, 60 Minute w/o Hold Feature</b> installed in the curbside wall adjacent to the side entry door - see prints	<b>1</b>	<b>MARQ</b>
	Grainger #6X546		
<b>33-10-0620</b>	<b>Light, Side Entry Stepwell, (1) Recessed 3.5" LED</b> installed in the right forward stepwell wall - light housing must be sealed against the treadplate using butyl tape to prevent water intrusion	<b>1</b>	<b>MARQ</b>
	Maxxima #LED-963CL w/R963-CH chrome bezel		

PART NO	DESCRIPTION	QTY	ID
33-10-0710	Entry Door Reflectors	1	MARQ
53-52-0140	-- 3" round reflector - Red	3	MARQ
	Install 3" round reflectors		
	Grote 40512-3		
33-10-0800	Action Area Light, Liteco 8" Slimline Incandescent wired to switch in AA switch panel	1	MARQ
	Liteco #18543936		
	<b>EXTERIOR LIGHTING and COMPONENTS</b>		
34-10-0400	Exterior Lighting Requirements - General All light fixtures to be installed using nylon inserts unless directed otherwise.	1	MARQ
	On secondary mode; grille, intersection, and center clear warning lights drop off.		
	<b>DOT LIGHTING</b>		
34-25-0110	<i>/-- DOT Clearance and Marker Lighting, Type III Models</i>	1	MARQ
49-50-0300	<i>/-- DOT Clearance and Marker Lighting RED</i> MCL13RB	7	MARQ
49-50-0310	<i>/-- DOT Clearance and Marker Lighting AMBER</i> MCL13AB	7	MARQ
34-25-0210	<i>/-- Corner Lights Feature , (4) Lower Module Corners</i> Use Micro Plastics round head Nylon inserts for these lights.	1	MARQ
12-05-0110	<i>/-- Corner Guards, Four (4) ADP w/ Corner Light Cutouts</i>	4	MARQ
39-10-0500	<i>/-- Corner Light Bezel</i> Cast LH14702-4	4	MARQ
49-50-0300	<i>/-- DOT Clearance and Marker Lighting RED</i> MCL13RB	6	MARQ
49-50-0310	<i>/-- DOT Clearance and Marker Lighting AMBER</i> MCL13AB	6	MARQ
	<b>FRONT MODULE WALL EXTERIOR LIGHTING</b>		
49-22-2230	<i>/-- Whelen, 4x6, Clear, LED, Clear Lens, w/ flange</i> 60C02FCR - Flashing/Programmable with Clear lens	4	MARQ

<b>PART NO</b>	<b>DESCRIPTION</b>	<b>QTY</b>	<b>ID</b>
49-50-0410	<i>/-- Whelen, 4x6 Chrome Flange</i> 6EFLANGE	4	MARQ
49-22-2210	<i>/-- Whelen, 4x6, Red, LED, Color Lens, w/ flange</i> 60R02FRR - Flashing/Programmable with Color lens	3	MARQ
49-50-0410	<i>/-- Whelen, 4x6 Chrome Flange</i> 6EFLANGE	3	MARQ
<b>CAB / CHASSIS EXTERIOR LIGHTING</b>			
37-10-0610	<i>/-- Warn. Light, Grille, Pass. Side, Whel LED Warn. Ford E</i>	1	MARQ
39-10-0100	<i>/-- Grille Bezel, E-Series Ford, Pass. Side</i> 2008 Cast LH52605 (2007 - Cast LH37712)	1	MARQ
49-25-0010	<i>/-- Whelen, 500 series TIR6</i> 50R03ZRR	1	MARQ
49-60-0010	<i>/-- Deutsch water proof connector</i>	1	MARQ
37-20-0610	<i>/-- Warn. Light, Grille, Driver Side, Whel LED Warn. Ford E</i>	1	MARQ
39-10-0110	<i>/-- Grille Bezel, E-Series Ford, Driver Side</i> 2008 - Cast LH52606 (2007 - Cast LH37713)	1	MARQ
49-25-0010	<i>/-- Whelen, 500 series TIR6</i> 50R03ZRR	1	MARQ
49-60-0010	<i>/-- Deutsch water proof connector</i>	1	MARQ
37-30-0617	<i>/-- Warn. Light, Intersection, Pass Side, Whel LED Warn. 15°</i>	1	MARQ
39-10-0425	<i>/-- Intersection Bezel, Polished Aluminum w/ 15° Tilt E / Pass.</i> polished aluminum - 15 degree forward tilt housings for intersection lights  2008 Cast LH37758	1	MARQ
49-20-2010	<i>/-- Whelen, 3x7, Red, LED, Color Lens, w/o flange</i> 70R02FRR - Flashing/Programmable with Color lens	1	MARQ
49-60-0010	<i>/-- Deutsch water proof connector</i>	1	MARQ
37-40-0617	<i>/-- Warn. Light, Intersection, Driver Side, Whel LED Warn. 15°</i>	1	MARQ
39-10-0430	<i>/-- Intersection Bezel, Polished Aluminum w/ 15° Tilt E / Driv.</i> polished aluminum - 15 degree forward tilt housings for intersection lights  2008 Cast LH37759	1	MARQ
49-20-2010	<i>/-- Whelen, 3x7, Red, LED, Color Lens, w/o flange</i> 70R02FRR - Flashing/Programmable with Color lens	1	MARQ

<b>PART NO</b>	<b>DESCRIPTION</b>	<b>QTY</b>	<b>ID</b>
49-60-0010	<i>/-- Deutsch water proof connector</i>	1	MARQ
	<b>REAR MODULE WALL EXTERIOR LIGHTING</b>	1	MARQ
38-41-0615	<i>/-- Lightbar, Rear, None Required, Whel LED Warn. w/f</i>	1	MARQ
38-49-0400	<i>/-- Lightbar, Rear, None Required</i>	1	MARQ
45-10-0165	<i>/-- Warn. Light, Rear Passenger Side, Whel LED w/f</i>	1	MARQ
49-24-2210	<i>/-- Whelen,7x9,Red,LED, Color Lens,w/ flange</i>	1	MARQ
	90RR5FRR - Flashing/Programmable with Color lens		
49-50-0430	<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i>	1	MARQ
	This flange is for the Super-LED model only		
	90FLANGC		
45-12-0605	<i>/-- Scene Light, Rear Passenger Side, Whel w/f</i>	1	MARQ
49-24-5930	<i>/-- Whelen,7x9,Clear LED,Scene,w/ flange</i>	1	MARQ
	90C0ELZR		
49-50-0430	<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i>	1	MARQ
	This flange is for the Super-LED model only		
	90FLANGC		
45-15-0165	<i>/-- Warn. Light, Rear Center, Whel LED w/f</i>	1	MARQ
49-24-2220	<i>/-- Whelen,7x9,Amber,LED, Color Lens,w/ flange</i>	1	MARQ
	90AA5FAR - Flashing/Programmable with Color lens		
49-50-0430	<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i>	1	MARQ
	This flange is for the Super-LED model only		
	90FLANGC		
45-17-0605	<i>/-- Scene Light, Rear Driver Side, Whel w/f</i>	1	MARQ
49-24-5930	<i>/-- Whelen,7x9,Clear LED,Scene,w/ flange</i>	1	MARQ
	90C0ELZR		
49-50-0430	<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i>	1	MARQ
	This flange is for the Super-LED model only		
	90FLANGC		
45-20-0165	<i>/-- Warn. Light, Rear Driver Side, Whel LED w/f</i>	1	MARQ
49-24-2210	<i>/-- Whelen,7x9,Red,LED, Color Lens,w/ flange</i>	1	MARQ
	90RR5FRR - Flashing/Programmable with Color lens		

PART NO	DESCRIPTION	QTY	ID
49-50-0430	<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only	1	MARQ
	90FLANGC		
49-24-2220	<i>/-- Whelen, 7x9, Amber, LED, Color Lens, w/ flange thru window lights</i>	2	MARQ
	90AA5FAR - Flashing/Programmable with Color lens		
49-50-0430	<i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i> This flange is for the Super-LED model only	2	MARQ
	90FLANGC		
38-89-9010	<i>/-- Warning Lights, Rear, Wire Pair to Brake Light Circuit IATS</i> Upper red warning lights	1	MARQ
	<b>STOP, TAIL, TURN, AND BACKUP LIGHTING</b>		
45-35-0615	<i>/-- T/B/T/BU Lights, Whelen, 4x6, LED/Incand., single turns, w/f</i> Includes one (1) pair of brake/tail lights, one (1) pair of turn signals, and one (1) pair of back-up lights mounted on the rear exterior module wall.	1	MARQ
49-22-3220	<i>/-- Whelen, 4X6, Amber, Turn LED, w/ flange</i> 60A00TAR	2	MARQ
49-50-0410	<i>/-- Whelen, 4x6 Chrome Flange</i> 6EFLANGE	2	MARQ
49-60-0010	<i>/-- Deutsch water proof connector</i>	2	MARQ
49-22-4210	<i>/-- Whelen, 4X6, Red, Brake/Tail LED, w/ flange</i> 60R00XRR - Maximum Intensity	2	MARQ
49-50-0410	<i>/-- Whelen, 4x6 Chrome Flange</i> 6EFLANGE	2	MARQ
49-60-0010	<i>/-- Deutsch water proof connector</i>	2	MARQ
49-22-4730	<i>/-- Whelen, 4X6, Clear, Backup, w/ flange</i> 60J000CR	2	MARQ
49-50-0410	<i>/-- Whelen, 4x6 Chrome Flange</i> 6EFLANGE	2	MARQ

<b>PART NO</b>	<b>DESCRIPTION</b>	<b>QTY</b>	<b>ID</b>
<b>49-60-0010</b>	<b>/-- Deutsch water proof connector</b>	<b>2</b>	<b>MARQ</b>
	<b>CURBSIDE MODULE WALL EXTERIOR LIGHTING</b>	<b>1</b>	<b>MARQ</b>
<b>47-10-0165</b>	<b>/-- Warn. Light, CS Front, Whel LED w/f</b>	<b>1</b>	<b>MARQ</b>
<b>49-24-2210</b>	<b>/-- Whelen,7x9,Red,LED, Color Lens,w/ flange</b>	<b>1</b>	<b>MARQ</b>
	90RR5FRR - Flashing/Programmable with Color lens		
<b>49-50-0430</b>	<b>/-- Whelen, 7x9 Chrome Flange for Super-LED</b>	<b>1</b>	<b>MARQ</b>
	This flange is for the Super-LED model only		
	90FLANGC		
<b>47-20-0605</b>	<b>/-- Scene Light, CS Front, Whel w/f</b>	<b>1</b>	<b>MARQ</b>
<b>49-24-5930</b>	<b>/-- Whelen,7x9,Clear LED,Scene,w/ flange</b>	<b>1</b>	<b>MARQ</b>
	90C0ELZR		
<b>49-50-0430</b>	<b>/-- Whelen, 7x9 Chrome Flange for Super-LED</b>	<b>1</b>	<b>MARQ</b>
	This flange is for the Super-LED model only		
	90FLANGC		
<b>47-30-0605</b>	<b>/-- Scene Light, CS Rear, Whel w/f</b>	<b>1</b>	<b>MARQ</b>
<b>49-24-5930</b>	<b>/-- Whelen,7x9,Clear LED,Scene,w/ flange</b>	<b>1</b>	<b>MARQ</b>
	90C0ELZR		
<b>49-50-0430</b>	<b>/-- Whelen, 7x9 Chrome Flange for Super-LED</b>	<b>1</b>	<b>MARQ</b>
	This flange is for the Super-LED model only		
	90FLANGC		
<b>47-40-0165</b>	<b>/-- Warn. Light, CS Rear, Whel LED w/f</b>	<b>1</b>	<b>MARQ</b>
<b>49-24-2210</b>	<b>/-- Whelen,7x9,Red,LED, Color Lens,w/ flange</b>	<b>1</b>	<b>MARQ</b>
	90RR5FRR - Flashing/Programmable with Color lens		
<b>49-50-0430</b>	<b>/-- Whelen, 7x9 Chrome Flange for Super-LED</b>	<b>1</b>	<b>MARQ</b>
	This flange is for the Super-LED model only		
	90FLANGC		
	<b>STREETSIDE MODULE WALL EXTERIOR LIGHTING</b>	<b>1</b>	<b>MARQ</b>
<b>47-60-0165</b>	<b>/-- Warn. Light, SS Front, Whel LED w/f</b>	<b>1</b>	<b>MARQ</b>
<b>49-24-2210</b>	<b>/-- Whelen,7x9,Red,LED, Color Lens,w/ flange</b>	<b>1</b>	<b>MARQ</b>
	90RR5FRR - Flashing/Programmable with Color lens		

<b>PART NO</b>	<b>DESCRIPTION</b>	<b>QTY</b>	<b>ID</b>
<b>49-50-0430</b>	<b><i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i></b> This flange is for the Super-LED model only  90FLANGC	<b>1</b>	<b>MARQ</b>
<b>47-70-0605</b>	<b><i>/-- Scene Light, SS Front, Whel w/f</i></b>	<b>1</b>	<b>MARQ</b>
<b>49-24-5930</b>	<b><i>/-- Whelen, 7x9, Clear LED, Scene, w/ flange</i></b> 90C0ELZR	<b>1</b>	<b>MARQ</b>
<b>49-50-0430</b>	<b><i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i></b> This flange is for the Super-LED model only  90FLANGC	<b>1</b>	<b>MARQ</b>
<b>47-80-0605</b>	<b><i>/-- Scene Light, SS Rear, Whel w/f</i></b>	<b>1</b>	<b>MARQ</b>
<b>49-24-5930</b>	<b><i>/-- Whelen, 7x9, Clear LED, Scene, w/ flange</i></b> 90C0ELZR	<b>1</b>	<b>MARQ</b>
<b>49-50-0430</b>	<b><i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i></b> This flange is for the Super-LED model only  90FLANGC	<b>1</b>	<b>MARQ</b>
<b>47-90-0165</b>	<b><i>/-- Warn. Light, SS Rear, Whel LED w/f</i></b>	<b>1</b>	<b>MARQ</b>
<b>49-24-2210</b>	<b><i>/-- Whelen, 7x9, Red, LED, Color Lens, w/ flange</i></b> 90RR5FRR - Flashing/Programmable with Color lens	<b>1</b>	<b>MARQ</b>
<b>49-50-0430</b>	<b><i>/-- Whelen, 7x9 Chrome Flange for Super-LED</i></b> This flange is for the Super-LED model only  90FLANGC	<b>1</b>	<b>MARQ</b>
<b>38-70-0400</b>	No Arrow Bar Required	<b>1</b>	<b>MARQ</b>
	ARROW LIGHTBARS	<b>1</b>	<b>MARQ</b>
	WARNING LIGHT and HEADLIGHT FLASHERS	<b>1</b>	<b>MARQ</b>
	STROBE POWER SUPPLIES	<b>1</b>	<b>MARQ</b>
	AUXILIARY LIGHTING	<b>1</b>	<b>MARQ</b>
<b>53-34-0100</b>	Compartment Lights, 4" Recessed Incandescent (Standard) one (1) per compartment - if installed below the floor line, seal backside of flange w/ foam tape  Liteco #69000200	<b>5</b>	<b>MARQ</b>
<b>53-38-0100</b>	Spotlight, Handheld, Optronics "BlueEye", 400,000 CP (Std.) Hard wired under passenger seat. Fasten wire with PClamp at rear of seat base.	<b>1</b>	<b>MARQ</b>



PART NO	DESCRIPTION	QTY	ID
<b>53-42-0130</b>	<b>Spotlight, Roof Mount, Rayline Remote Control</b> mount on cab roof - install switch and joystick control in cab console  Ohio Transmission - #60020	1	MARQ
<b>53-44-0130</b>	<b>Running Board Light, LED, (1) Pair 4" Recessed</b> Installed in the lower front module wall to illuminate the cab running boards when the cab doors are open  Maxxima #M42326	2	MARQ
<b>53-46-0120</b>	<b>Driving Lights, (1) Pair Hella 550 w/ Clear Lens</b> Hella #74506	1	MARQ
<b>53-48-0120</b>	<b>Ground Lights, Grote Incandescent w/ Zico Mtg. Bracket</b> Installed under body for ground lighting. [REDACTED]  These lights are to be wired to activate automatically when chassis or module doors are open. Lights are to be "ON" when the door is open in their respective quadrant (i.e. rear lights to be "ON" when rear doors are open, etc). These light shall also be wired to a switch in the front console that will turn all lights "OFF" when activated.  Grote compartment light #62151, Zico aluminum ground light bracket (GLB) #8047-105-000	2	MARQ
	REFLECTORS		
<b>53-52-0120</b>	1" x 4" Reflector - Red (standard) installed on the lower rear of the streetside and curbside walls just above the rubrail and in the right corners of the rear wall just above the rear riser.  Grote 40132-3	1 4	MARQ MARQ
	AUDIBLE WARNING DEVICES		
<b>55-00-0010</b>	Refer to Chassis Section Above for Correct Siren Speakers	1	MARQ
<b>55-10-0100</b>	Back-up Alarm, 90 dBa (Standard)	1	MARQ
<b>55-12-0130</b>	<b>Siren, Carson SA-441 "Magnum" (all consoles)</b>	1	MARQ
	COMMUNICATION PROVISIONS AND EQUIPMENT		
<b>55-34-0100</b>	Antenna Base, Coax, Power and Ground Wires (Standard)	1	MARQ
<b>55-00-0100</b>	<b>/-- Antenna Base, Coax, Power and Ground Wires</b> RG58U coax with 10 ga. power and ground wires - label the base and coax end ANT#1 - [REDACTED]  Hutton - Maxrad K-794 (if 17' req'd.) - or - Maxrad KE-794 (if 30' req'd.)	1	MARQ
<b>55-36-0110</b>	<b>Antenna Base, Coax(es), Power and Ground Wires IATS</b>	3	MARQ
<b>55-00-0100</b>	<b>/-- Antenna Base, Coax, Power and Ground Wires</b> RG58U coax with 10 ga. power and ground wires - label the base and coax end ANT#2 - [REDACTED]  RG58U coax with 10 ga. power and ground wires - label the base and coax end ANT#3 - [REDACTED]	3	MARQ

PART NO	DESCRIPTION	QTY	ID
	RG58U coax with 10 ga. power and ground wires - label the base and coax end ANT#4 - [REDACTED]		
	Hutton - Maxrad K-794 (if 17' req'd.) - or - Maxrad KE-794 (if 30' req'd.)		
	ENVIRONMENTAL SYSTEMS AND COMPONENTS	1	MARQ
57-10-0110	Heat / AC, Pro Air Ducted Combo System NOTE: before installing the ducts, spray or roll Temp Coat to the bottom side of the roof metal between the center hat section and the first "Z" rails to serve as a thermal break	1	MARQ
10-30-2800	-- Thermal Break for Ducted Heat/AC Option - (PN) install 1/2" rigid foam insulation above ducts down center wire chase	1	MARQ
57-00-0210	-- Heat / AC Pro Air #935 12v Ducted Combo System HEAT/AC: Pro Air 935 w/ top discharge Pro Air #50 000 920	1	MARQ
57-00-0300	-- Heat / AC Water Valve On Type I Chassis please mount manual valve and electric valve inside A/C -Heat cabinet. Not under vehicle.  On Type III chassis, mount manual valves behind removable panel in streetside #1. Mount electric valve in A/C cabinet.  Pro Air 63-000-180	1	MARQ
57-00-0400	-- Heat / AC Duct Adapters Pro Air 11-000-028	8	MARQ
57-00-0410	-- Heat / AC Ducted Vents Pro Air 11-000-135	8	MARQ
57-00-0420	-- Heat / AC Ducted Vent Retainers Pro Air 11-000-052	8	MARQ
57-00-0425	-- Heat / AC Ducted Vent Adapter ACC #14563400A	8	MARQ
57-00-0430	-- Heat / AC Ducting ACC #03310100A	1	MARQ
57-00-0440	-- Heat / AC Plenum ACC #MAR-1293-06	1	MARQ
57-00-0460	-- Heat / AC Face Plate	1	MARQ

PART NO	DESCRIPTION	QTY	ID
	Prodesign 3092233		
57-00-0470	-- Heat / AC Pad Larry's Upholstery	1	MARQ
57-12-0100	-- Heat / AC, Combo System Installed Above Walk/Pass-Thru	1	MARQ
<b>57-14-0130</b>	<b>Auxiliary Heater, Broan 750/1500W, 120V Install on the front end of the sqd bench</b>	<b>1</b>	<b>MARQ</b>
	SHELTER: #174		
<b>57-14-0120</b>	<b>Auxiliary AC, Dometic Kool Kat SS Mod Mounted</b> AC Unit: Dometic #600315.331C, Control Panel: 3105457PW.018 - color for both units - Polar White Includes dedicated 20A Shoreline: Inlet: Odyssey (Pass & Seymore #5378-SS) Connector: Odyssey (Pass & Seymore 5374-BK) Cover Plate: Odyssey (Pass & Seymore WPG1)	<b>1</b>	<b>MARQ</b>
<b>57-16-0120</b>	<b>Auxiliary AC Condensor, Pro Air Cab Roof Mount</b>  <b>Wire to operate whenever both cab and module A/C system is on</b>	<b>1</b>	<b>MARQ</b>
<b>57-00-0510</b>	<b> -- Heat / AC Cab Roof Mount Condenser Kit</b> Pro Air 106 condenser, rubber isolator bushings from Grainger (6) and 3/16" smooth aluminum supports to the cab roof, use bulkhead fittings.  Pro Air 106 (50 000 517) Bushing #3CC09	<b>1</b>	<b>MARQ</b>
57-20-0100	Thermostat, Pro Air (Standard) Pro Air	1	MARQ
57-24-0110	Exhaust Fans, Dual 12V Blowers (Standard)	1	MARQ
57-00-0100	-- Exhaust Fans, 12V Blower SJC #106333	2	MARQ
57-00-0110	-- Cowl Vent - 4" Polished Attwood #1364A1	2	MARQ
	110 VOLT WIRING AND COMPONENTS	1	MARQ
59-10-0110	110 Volt AC Wiring And Components, Type II and III Electrical system - 120-Volt	1	MARQ
<b>59-14-0205</b>	<b>Shoreline, 20A Kussmaul "Super Auto-Eject"</b>	<b>2</b>	<b>MARQ</b>

PART NO	DESCRIPTION	QTY	ID
	Inlet, Cover and Connector: Kussmaul Electronics 091-55-20-120 Interrupter: Internal		
59-26-0110	Inverter, Pre-Wire (Standard)	1	MARQ
59-26-0115	Refer to Part #31-20-xxxx for Specific Inverter Information	1	MARQ
59-30-0100	Recepts, 110V AC Hospital Grade Duplexes	1	MARQ
<b>59-00-0100</b>	<b>/-- Recepts, Interior 110V AC Hospital Grade Duplex (1) in Action Area, (1) in Defib. area, (1) in ALS cabinet</b>	<b>3</b>	<b>MARQ</b>
	Recept: All-Phase (Hubbell #HBL8200ILI) Box: Odyssey #9331-EWK Cover: All-Phase (Hubbell S8)		
<b>59-00-0100</b>	<b>/-- Recepts, Interior 110V AC Hospital Grade Duplex Install in the L1 cabinet</b>	<b>1</b>	<b>MARQ</b>
	Recept: All-Phase (Hubbell #HBL8200ILI) Box: Odyssey #9331-EWK Cover: All-Phase (Hubbell S8)		
<b>59-30-0310</b>	<b>Recept, 110V AC Hospital Grade Duplex, Exterior IATS</b>	<b>1</b>	<b>MARQ</b>
<b>59-00-0110</b>	<b>/-- Recepts, Exterior 110V AC Hospital Grade Duplex</b>	<b>1</b>	<b>MARQ</b>
	Recept: All-Phase (Hubbell #HBL8200ILI) Box: Odyssey #9331-EWK Cover: Dual Cover required		
	CABINET CONSTRUCTION		
<b>69-10-0130</b>	<b>Interior Cabinetry, Alum. Structure (.090" alum. facade) C</b>	<b>1</b>	<b>MARQ</b>
	Includes aluminum structure, aluminum cabinet inserts, Korlyte cabinet doors, aluminum shelves and aluminum backed facing materials		
<b>69-10-2070</b>	<b>/-- Multispec Color: Spicy White MS99-6075 MS99-6075</b>	<b>1</b>	<b>MARQ</b>
	CEILING FINISHING		
<b>69-12-0130</b>	<b>/-- Headliner, Patient Compartment, Aluminum .090 smooth w/ White</b>	<b>1</b>	<b>MARQ</b>
	ELECTRICAL (J-BOX) CONSTRUCTION		
<b>69-14-0120</b>	<b>/-- Electrical (J-Box) Door, Angled ILOS See prints</b>	<b>1</b>	<b>MARQ</b>
	ALS CABINET		
<b>69-16-0100</b>	<b>/-- ALS Cabinet - Standard Configuration</b>	<b>1</b>	<b>MARQ</b>

<b>PART NO</b>	<b>DESCRIPTION</b>	<b>QTY</b>	<b>ID</b>
<b>SQUAD BENCH and COMPONENTS</b>			
<b>69-22-0115</b>	<b>/-- Squad Bench Base, Aluminum Construction (no wood)</b> Includes seat belts for three seated occupants or one stretcher	<b>1</b>	<b>MARQ</b>
<b>69-22-0200</b>	<b>/-- Floor Cove, Full Height at Squad Bench Riser</b> Flooring rolls up the face of the riser - full height	<b>1</b>	<b>MARQ</b>
<b>69-22-0620</b>	<b>/-- Squad Bench Lid, Single, Aluminum</b> Use 1/2" x 1 1/2" aluminum tubing to form a ladder frame style structure - bond .090" aluminum w/ plastic laminate to the top and bottom - trim edges w/ satin aluminum edge trim  One (1) seat cushion	<b>1</b>	<b>MARQ</b>
<b>69-22-0720</b>	<b>/-- Squad Bench Interior, Aluminum Insert</b>	<b>1</b>	<b>MARQ</b>
<b>69-22-1210</b>	<b>/-- Portable O2 Storage, Recessed Under Head Of Squad Bench</b> Requires extended side entry step-well area	<b>2</b>	<b>MARQ</b>
<b>69-22-1505</b>	<b>/-- Safety Webbing At Forward End of Squad Bench to Ceiling</b> safety webbing from squad bench to ceiling at forward end - seatbelt buckles at top and bottom - add backer plates in ceiling - thru-bolt at squad riser or lid w/ backer plates  SJC #115781	<b>1</b>	<b>MARQ</b>
<b>16-40-1600</b>	<b>/-- Backer Plates, in Ceiling For Squad Bench Web Barrier (PN)</b> See Fabrication prints for locations	<b>1</b>	<b>MARQ</b>
<b>69-22-1620</b>	<b>/-- No Post and Wheel Cups Required</b>	<b>1</b>	<b>MARQ</b>
<b>69-24-0100</b>	<b>/-- No Dry Erase Writing Board Required</b>	<b>1</b>	<b>MARQ</b>
<b>69-26-0110</b>	<b>/-- Cabinet Above Squad Bench</b> 8" depth (overall) unless otherwise noted. See Prints. Maximum Height 8 1/4". No struts.  Use stainless steel position hinge-3 per window  Hinge from McMaster Carr #1460A1 / SJC #112785	<b>1</b>	<b>MARQ</b>
<b>STREETSIDE CABINETS</b>			
<b>69-30-0100</b>	<b>/-- Streetside Cabinetry - Standard Configuration</b>	<b>1</b>	<b>MARQ</b>
<b>69-32-0110</b>	<b>/-- Glove Box Cabinet IATS, Three Hole Design Lower Streetside</b> Use 3/8" Plexi - see prints	<b>1</b>	<b>MARQ</b>
<b>CPR SEAT</b>			
<b>69-36-0010</b>	<b>/-- Refer to Part #14-25-xxxx for CPR Seat Construction Info.</b>	<b>1</b>	<b>MARQ</b>

<b>PART NO</b>	<b>DESCRIPTION</b>	<b>QTY</b>	<b>ID</b>
69-36-0170	<i>/-- CPR Seat Interior, Aluminum Insert</i>	1	MARQ
69-38-0110	<i>/-- Cabinet Above CPR Seat</i>	1	MARQ
	See prints. Maximum Height 8 1/4". No struts.		
	Use stainless steel position hinge-3 per window		
	Hinge from McMaster Carr #1460A1 / SJC #112785		
	<b>ACTION / MONITOR-DEFIB. AREA COMPONENTS</b>	1	MARQ
69-40-0110	<i>/-- Countertop, Action Area, Solid Surface Material</i>	1	MARQ
	Build cabinets with flat counter tops (no lips) - bottom screws in back wall to be lowered and sunk flush so they are hidden by the solid surface top - color to match the action area counter		
69-40-0590	<i>/-- Solid Surface Countertop Color - Everest</i>	1	MARQ
69-40-0210	<i>/-- Countertop, Monitor/Defib, Solid Surface Material</i>	1	MARQ
	Build cabinets with flat counter tops (no lips) - bottom screws in back wall to be lowered and sunk flush so they are hidden by the solid surface top - color to match the action area counter		
	<b>SHELVES and SHELVING COMPONENTS</b>	1	MARQ
69-48-0130	<i>/-- Cabinet Shelves, .125" Aluminum</i>	1	MARQ
	.125" smooth w/ painted finish, 3/4" bend up at front and down at rear edge - glue embossed rubber to shelf floor		
69-48-0430	<i>/-- Cabinet Shelf Track, Unistrut Aluminum</i>	1	MARQ
	Upgrades all interior cabinet shelf tracks - including ALS cabinet		
	Thomas-Austin		
	Channel: #TB9111		
	Channel nuts: #TB9050		
	<b>DIVIDERS</b>	1	MARQ
	<b>CABINET DOORS and DRAWERS</b>	1	MARQ
69-52-0120	<i>/-- Cabinet Doors, General (Korlyte)</i>	1	MARQ
	See prints.		
	All Sliding Plexiglas Doors to have stops placed in window track.		
	10mm white Korlyte (Parkland Plastics) w/ .090 powder coated smooth aluminum facing - satin edge trim		
69-58-0110	<i>/-- Plexiglas Color, Clear</i>	1	MARQ
69-60-0120	<i>/-- Door/Drawer Latch, Southco M1 S/S - Non-Locking</i>	7	MARQ
	see prints		
69-56-0460	<i>/-- Additional Cabinet Door(s) Picture Frame ALS Doors</i>	1	MARQ

<b>PART NO</b>	<b>DESCRIPTION</b>	<b>QTY</b>	<b>ID</b>
<b>69-60-0130</b>	<b>Door/Drawer Latch, Southco M1 S/S - Locking see prints - Upper ALS</b>	<b>1</b>	<b>MARQ</b>
	Southco M1 Series locking, round, polished stainless steel		
	#M1-41-8 for 1/4" door thickness		
	#M1-42-8 for 3/8" door thickness		
	#M1-43-8 for 1/2" door thickness		
	#M1-44-8 for 3/4" door thickness		
	MEDICAL SYSTEMS and COMPONENTS	1	MARQ
	OXYGEN SYSTEM and EQUIPMENT	1	MARQ
<b>71-14-0160</b>	<b>On-Board Oxygen Cylinder Bracket, ZICO QR-GH ILOS</b>	<b>1</b>	<b>MARQ</b>
<b>71-00-0160</b>	<b>/-- On-Board Cylinder Bracket, ZICO QR-GH</b>	<b>1</b>	<b>MARQ</b>
71-16-0100	Oxygen Cylinder Wrench (Standard) SJC #105888	1	MARQ
71-20-0100	Oxygen Outlets, Ohio Style Quick Disconnect	1	MARQ
<b>71-00-0300</b>	<b>/-- Oxygen Outlets, Ohio Style Quick Disconnect (2) in Action Area</b>	<b>2</b>	<b>MARQ</b>
<b>71-22-0110</b>	<b>Oxygen Outlets, Ohio Style Quick Disconnect IATS</b>	<b>1</b>	<b>MARQ</b>
<b>71-00-0300</b>	<b>/-- Oxygen Outlets, Ohio Style Quick Disconnect above sqd bench</b>	<b>1</b>	<b>MARQ</b>
	MEDICAL AIR SYSTEM and EQUIPMENT	1	MARQ
71-30-0100	No On-Board Medical Air System Required	1	MARQ
	VACUUM SYSTEM and EQUIPMENT	1	MARQ
71-52-0100	/-- Vacuum Outlet, (1) Ohio Style in Action Area (Standard)	1	MARQ
71-00-0350	/-- Vacuum Outlet, Ohio Style	1	MARQ
71-54-0110	/-- Vacuum Pump, Gast (Standard Types I and III) Installed in SS#2 w/ aluminum wire mesh guard unless specified otherwise	1	MARQ
71-00-0500	/-- Vacuum Pump, Gast #22D11801011066	1	MARQ
71-56-0100	/-- Vacuum, Aspirator, RICO RS4X Disposable (Standard)	1	MARQ
	IV SYSTEM and EQUIPMENT	1	MARQ
73-10-0100	IV Hangers, Cast Products Recessed in Ceiling (Standard)	1	MARQ
71-00-0600	/-- IV Hangers, Cast Products Recessed in Ceiling Cast Products #IV2008-1	2	MARQ
16-40-0130	/-- Backer Plates for Recessed IV Hangers	2	MARQ
<b>73-14-0110</b>	<b>IV Pump Pole, 1" Diameter Aluminum</b>	<b>1</b>	<b>MARQ</b>

PART NO	DESCRIPTION	QTY	ID
	????????????????location????????????????		
	Kemberly: Pole (LD2T300A), Ends (LD-4600)		
	BIO-WASTE CONTAINERS	1	MARQ
	COT AND STRETCHER EQUIPMENT	1	MARQ
	PRIMARY COTS	1	MARQ
	COT FASTENERS	1	MARQ
<b>79-14-0150</b>	<b>/-- Cot Fastener, Stryker 6377 Dual Position</b>	<b>1</b>	<b>MARQ</b>
<b>79-16-0000</b>	<b>/-- ---Specify Cot Mount Location Based on Cot Chosen</b>	<b>1</b>	<b>MARQ</b>
	STRETCHERS and EQUIPMENT	1	MARQ
	DECALS and LETTERING	1	MARQ
	K-SPEC LETTERING	1	MARQ
<b>80-10-0800</b>	<b>Decals, K-Spec Lettering, Installed ILOS</b>	<b>1</b>	<b>MARQ</b>
	Blue reflective w/ white reflective border		
	(1) 4" mirror image AMBULANCE		
	(3) 6" AMBULANCE		
<b>80-00-0100</b>	<b>/-- AMBULANCE 6" Decal</b>	<b>3</b>	<b>MARQ</b>
	AMBULANCE 6" BW		
<b>80-00-0110</b>	<b>/-- ECNALUBMA 4" Decal</b>	<b>1</b>	<b>MARQ</b>
	MIRROR AMB 4"		
	STAR-OF-LIFE DECALS	1	MARQ
<b>80-20-1200</b>	<b>Decals, Star-of-Life Package, Installed ILOS</b>	<b>1</b>	<b>MARQ</b>
	Blue reflective w/ White reflective border: (1) 32" SOL, (2) 16" SOLs, (2) 12" SOLs, (2) 6" SOLs - install per prints or directions		
<b>80-00-0120</b>	<b>/-- Star of Life 6" Blue with white border</b>	<b>2</b>	<b>MARQ</b>
	SOL 6" BLU/WHT		
<b>80-00-0130</b>	<b>/-- Star of Life 14" Blue with white border</b>	<b>2</b>	<b>MARQ</b>
	SOL 14" BLU/WHT		
<b>80-00-0140</b>	<b>/-- Star of Life 18" Blue with white border</b>	<b>2</b>	<b>MARQ</b>
	SOL 18" BLU/WHT		
<b>80-00-0150</b>	<b>/-- Star of Life 32" Blue with white border</b>	<b>1</b>	<b>MARQ</b>
	Accent Trends - Roof SOL 32"		
	CUSTOM DECALS	1	MARQ
	CUSTOM LETTERING	1	MARQ
<b>82-03-0800</b>	<b>Decals, Lettering, 3" High, (one color)</b>	<b>18</b>	<b>MARQ</b>
	Lic#25002		





PART NO	DESCRIPTION	QTY	ID
90-10-1600	/-- Equipment Strap(s), Seat Belt Style IATS Nylon web strap w/ seat belt clip/buckle and two (2) footmans loops	1	MARQ
	CS rear compt		
90-20-0400	Interior Safety Signs (Standard) Two (2) NO SMOKING-OXYGEN EQUIPPED and two (2) FASTEN SEAT BELTS signs, one (1) each in the cab and in the patient compartment, 110V for each 110V outlet, cleaning sticker in Action Area, "Authorized Service Only" sticker in J Box.	1	MARQ
90-20-0800	Battery Compartment Warning Sign (Standard) Installed on the outer face of the battery slide-out tray	1	MARQ
90-60-1200	Owner's Manual / Equipment Packet / OEM Manual	1	MARQ
		1	MARQ